S 3295-1

1979
VITAL STATISTICS of LOUISIANA

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF HEALTH SERVICES AND ENVIRONMENTAL QUALITY

STATE CAPITOL BUILDING
BATON ROUGE, LOUISIANA

OLD STATE CAPITOL BUILDING
BATON ROUGE, LOUISIANA

DAVID C. TREEN
Governor

ROGER P. GUISSINGER
Secretary, Department of Health and Human Resources

RODERICK K. BANKS
Acting Assistant Secretary

SARAH M. BRAUD, M.D.
State Health Officer

PREPARED BY
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER
Statistical Officer

FRANCES N. BARI
Assistant Statistical Officer

AUDREY P. COLLINS
Statistical Services Supervisor

MARY TRAGELIS
Classification Methods Supervisor

MARY LEE ESTEVE
Chief Nosologist

BEATRICE R. BONIN
Graphic Specialist

CONTENTS

NARRATIVE

Introduction i
Estimates of the Population of Louisiana Parishes, July 1, 1978 and 1979 vii
Summary of Vital Events in 1979 viii
Racial Differentials in Infant Mortality Rates by Weight and Birth Order xiv

TABLES

NATALITY:

- Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana, 1979:
  - By Parish 1
  - By State Planning Districts and Health Service Areas 6
- Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana, 1979 7
- Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana, 1979 8
- Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana, 1979 11
- Immature Births Showing Hospital in Which Birth Occurred, Louisiana, 1979 12
- Live Births by Birth Order by Weight of Child, Louisiana, 1979 15
- Live Births by Weight of Child, Shown by Sex and Race, Louisiana, 1979 15
- Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana, 1979:
  - By Parish 16
  - By State Planning Districts and Health Service Areas 20

FETAL MORTALITY:

- Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana, 1979:
  - By Parish 21
  - By State Planning Districts and Health Service Areas 25
- Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana, 1979 26
- Reported Induced Terminations of Pregnancy by Parish of Residence and Parish of Occurrence, Louisiana, 1979 28
- Reported Induced Terminations of Pregnancy Occurring in Louisiana by Woman's State of Residence, Louisiana, 1979 28
- Reported Induced Terminations of Pregnancy by Weeks of Gestation and Woman's Age, Louisiana, 1979 29
- Reported Induced Terminations of Pregnancy by Weeks of Gestation and Race, Louisiana, 1979 29
- Reported Induced Terminations of Pregnancy by Type of Procedure and Weeks of Gestation, Louisiana, 1979 30
- Reported Induced Terminations of Pregnancy by Woman's Age and Race, Louisiana, 1979 31
- Reported Induced Terminations of Pregnancy by Woman's Marital Status and Race, Louisiana, 1979 31

MORTALITY:

- Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana, 1979:
  - By Parish 33
  - By State Planning Districts and Health Service Areas 40
- Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana, 1979 41
- Principal Causes of Death by Parish, Louisiana, 1979 46
- Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana, 1979 48
- Accidental Deaths by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana, 1979 74
- Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana, 1979:
  - By Parish 75
  - By State Planning Districts and Health Service Areas 82
- Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas, 1979 83
- Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana, 1979 84
- Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana, 1979 89
- Maternal Deaths by Cause, Shown by Race, and Age, Louisiana, 1979 90

MORBIDITY:

- Reportable Diseases by Parish, Louisiana, 1979 91
- Reportable Diseases by Race and Age, Louisiana, 1979 95

MARRIAGE AND DIVORCE:

- Marriages, Final Divorces, and Annulments Granted, Louisiana, 1979 99
- Marriages by Month of Occurrence, Louisiana, 1979 100
- Marriages by Race of Bride, by Race of Groom, Louisiana, 1979 100
- Marriages by Previous Marital Status of Bride and Groom, Louisiana, 1979 100
- All Marriages by Age of Bride, by Age of Groom, Louisiana, 1979 101

LOUISIANA
HEALTH SERVICE AREAS AND STATE PLANNING DISTRICTS



I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)

II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)

III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)

III
BOSSIER
CLAIBORNE
UNION
MOREHOUSE
W. CARROLL
E. CARROLL
8
WEBSTER
LINCOLN
OUACHITA
RICHLAND
MADISON
CADDO
7
JACKSON
BIENVILLE
RED RIVER
DESOTO
WINN
CALDWELL
FRANKLIN
TENSAS
SABINE
NATCHITOCHES
GRANT
LASALLE
CATAHOULA
CONCORDIA
6
VERNON
RAPIDES
AVOYELLES
II
BEAUREGARD
ALLEN
EVANGELINE
POINTE COUPEE
W. FELICIANA
E. FELICIANA
ST. HELENA
WASHINGTON
TANGIPAHOA
5
ST. LANDRY
4
2
E. BATON ROUGE
W. BATON ROUGE
LIVINGSTON
ACADIA
JEFFERSON DAVIS
CALCASIEU
LAFAYETTE
ST. MARTIN
IBERVILLE
ASCENSION
ST. TAMMANY
CAMERON
VERMILION
IBERIA
ST. MARY
ORLEANS
ST. JAMES
ST. JOHN
ST. CHARLES
ASSUMPTION
ST. BERNARD
1
3
LAFOURCHE
JEFFERSON
PLAQUEMINES
TERREBONNE
I

Introduction

> • "A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., President of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Health Services and Environmental Quality (formerly the Louisiana State Department of Health). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications, and special population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana ia approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be very near 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 15 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded form the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9, has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data , is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, deaths resulting from accident or violence may be classified by nature of injury or by external cause of injury, but it has been standard procedure to code such deaths according to the latter classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages v and vi. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", *Monthly Vital Statistics Report*, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Ill-defined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in 1979 to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

DEFINITIONS

The following is a glossary of technical terms uned in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. (Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. Approximately one percent of those classified as nonwhite are other than black.)

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing 5 pounds 8 ounces (2,500 grams) or less regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

---

[1] Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357.

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life.

SPONTANEOUS FETAL DEATH (STILLBIRTH): a fetal death which is not an induced termation of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported.

INDUCED TERMINATION OF PREGNANCY (ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HEBDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

$$\text{BIRTH RATE} = \frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$$

$$\text{IMMATURE BIRTH RATIO} = \frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$$

$$\text{ILLEGITIMACY RATIO} = \frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$$

$$\text{ILLEGITIMACY RATE} = \frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$$

$$\text{FERTILITY RATE} = \frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$$

$$\text{AGE-SPECIFIC FERTILITY RATE} = \frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 (per 1,000, unless otherwise specified)

$$\text{FETAL DEATH RATIO} = \frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$$

$$\text{DEATH RATE} = \frac{\text{number of deaths}}{\text{estimated population}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{AGE SPECIFIC DEATH RATE} = \frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{AGE ADJUSTED DEATH RATE (Direct Method)} = \frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as the population being adjusted)}}{\text{total standard population}} \times 1{,}000 \text{ (or 100,000, as specified)}$$

$$\text{INFANT MORTALITY RATE} = \frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}} \times 1{,}000$$

$$\text{HEBDOMADAL MORTALITY RATE} = \frac{\text{number of deaths under 7 days of age}}{\text{total number of live births}} \times 1{,}000$$

$$\text{NEONATAL MORTALITY RATE} = \frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}} \times 1{,}000$$

$$\text{PERINATAL MORTALITY RATE} = \frac{\text{stillbirths + deaths of infants under 7 days old}}{\text{total number of live births + stillbirths}} \times 1{,}000$$

$$\text{MATERNAL MORTALITY RATE} = \frac{\text{number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium}}{\text{total number of live births}} \times 100{,}000^{*}$$

*** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."**

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1979 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Requests for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

**Reprint from *Monthly Vital Statistics Report*,
DHEW Publication No. (PHS) 80 –1120, Vol.
28, No. 11 (Supplement), pp. 12-13. Hyattsville,
Md.: National Center for Health Statistics.**

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated comparability ratio[2] (3)	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)		Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis 004,006	54	55	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections 007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis 010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system 010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis 013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough 033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas 034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection 036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia 038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis 045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles 055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis 070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis 090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-208	378,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx 140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum 150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs 160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast 174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs 179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs 188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites 170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia 204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hemotopoietic tissues 200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplams of uncertain behavior and of unspecified nature 210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus 250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies 260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias 280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis 320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases 390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart 390-398,402,404-429	732,989	723,878	1.0126	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease 390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease 402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease 404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease 410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction 410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease 411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris 413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease 412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium 424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease 415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease 401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases 430-438	189,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage 431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism 434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases 430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis 440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries 441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis 466	759	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza 480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia 480-486	49,663	53,989	0.9199	0.0076	0.8	0.9347	0.9051
Influenza 487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions 490-496	46,002	24,410	1.8846	0.0150	0.8	1.9141	1.8551
Bronchitis, chronic and unspecified 490-491	4,353	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema 492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma 493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions 494-496	21,588	[4]...	[4]...	[4]...	[4]...	[4]...	[4]...
Ulcer of stomach and duodenum 531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis 540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES—Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)	(3)	Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
Chronic liver disease and cirrhosis ... 571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder ... 574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis ... 580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome ... 580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified ... 582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause ... 584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney ... 590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate ... 600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium ... 630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome ... 630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium ... 640-676	368	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies ... 740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period ... 760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome ... 767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period ... 760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions ... 780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases ... Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects ... E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents ... E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects ... E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide ... E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention ... E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes ... E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1] Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT;* BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)	(3)	Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
All causes ...	48,265	48,265	1.0000	...	...	...	...
Certain gastrointestinal diseases ... 008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza ... 480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies ... 740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight ... 765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma ... 767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia ... 768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome ... 769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period ... 760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome ... 798.0	4,334	...	...	...	...	...	...
All other causes ... Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1] Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

LOUISIANA POPULATION ESTIMATES BY DISTRICT AND PARISH JULY 1, 1978 AND 1979

DISTRICT AND PARISH	1979 PRELIMINARY ESTIMATE	1978 REVISED ESTIMATE	1970 CENSUS (APRIL 1)	1970 TO 1979 CHANGE	
				ABSOLUTE	PERCENT
STATE TOTAL	4,017,515 **	3,977,655	3,644,637 *	372,878	10.2
DISTRICT 1	**1,174,070**	**1,168,571**	**1,071,695**	**102,375**	**9.6**
Jefferson	432,117	428,029	338,229	93,888	27.8
Orleans	552,437	557,057	593,471	41,034	6.9
Plaquemines	27,167	26,756	25,225	1,942	7.7
St. Bernard	63,223	62,647	51,185	12,038	23.5
St. Tammany	99,126	94,082	63,585	35,541	55.9
DISTRICT 2	**668,360**	**655,541**	**574,593**	**93,767**	**16.3**
Ascension	46,159	44,889	37,086	9,073	24.5
East Baton Rouge	337,942	332,447	285,167	52,775	18.5
East Feliciana	16,318	16,404	17,657	1,339	7.6
Iberville	30,965	30,602	30,746	219	0.7
Livingston	53,594	50,601	36,511	17,083	46.8
Pointe Coupee	22,845	22,702	22,002	843	3.8
St. Helena	10,157	9,969	9,937	220	2.2
Tangipahoa	77,628	76,533	65,875	11,753	17.8
Washington	43,910	43,179	41,987	1,923	4.6
West Baton Rouge	18,412	18,143	16,864	1,548	9.2
West Feliciana	10,430	10,072	10,761	331	3.1
DISTRICT 3	**277,406**	**271,651**	**237,740**	**39,666**	**16.7**
Assumption	21,342	20,947	19,654	1,688	8.6
Lafourche	79,084	77,331	68,941	10,143	14.7
St. Charles	35,202	34,894	29,550	5,652	19.1
St. James	20,160	19,954	19,733	427	2.2
St. John the Baptist	29,875	28,803	23,813	6,062	25.5
Terrebonne	91,743	89,722	76,049	15,694	20.6
DISTRICT 4	**522,786**	**516,707**	**469,721**	**53,065**	**11.3**
Acadia	55,486	54,751	52,109	3,377	6.5
Evangeline	33,240	33,280	31,932	1,308	4.1
Iberia	65,456	64,841	57,397	8,059	14.0
Lafayette	137,509	135,218	111,643	25,866	23.2
St. Landry	84,081	83,777	80,364	3,717	4.6
St. Martin	36,628	36,036	32,453	4,175	12.9
St. Mary	62,193	61,689	60,752	1,441	2.4
Vermilion	48,193	47,115	43,071	5,122	11.9
DISTRICT 5	**251,521**	**248,364**	**226,845**	**24,676**	**10.9**
Allen	20,986	20,768	20,794	192	0.9
Beauregard	27,501	27,970	22,888	4,613	20.2
Calcasieu	161,473	158,542	145,415	16,058	11.0
Cameron	10,021	9,615	8,194	1,827	22.3
Jefferson Davis	31,540	31,469	29,554	1,986	6.7
DISTRICT 6	**296,008**	**292,790**	**287,305**	**8,703**	**3.0**
Avoyelles	39,514	39,133	37,751	1,763	4.7
Catahoula	11,703	11,686	11,769	66	0.6
Concordia	22,593	22,447	22,578	15	0.1
Grant	15,262	15,149	13,671	1,591	11.6
LaSalle	15,480	15,180	13,295	2,185	16.4
Rapides	126,245	125,347	118,078	8,167	6.9
Vernon	47,904	46,766	53,794	5,890	10.9
Winn	17,307	17,082	16,369	938	5.7
DISTRICT 7	**521,183**	**519,163**	**488,695**	**32,488**	**6.6**
Bienville	17,022	17,146	16,024	998	6.2
Bossier	72,478	72,189	65,877	6,601	10.0
Caddo	245,380	244,002	230,184	15,196	6.6
Claiborne	16,758	16,563	17,024	266	1.6
DeSoto	24,175	23,788	22,764	1,411	6.2
Lincoln	37,282	37,303	33,800	3,482	10.3
Natchitoches	36,191	36,475	35,219	972	2.8
Red River	9,463	9,359	9,226	237	2.6
Sabine	20,443	20,333	18,638	1,805	9.7
Webster	41,991	42,005	39,939	2,052	5.1
DISTRICT 8	**306,181**	**304,868**	**288,043**	**18,138**	**6.3**
Caldwell	10,752	10,346	9,354	1,398	14.9
East Carroll	11,489	11,652	12,884	1,395	10.8
Franklin	23,931	23,963	23,946	15	0.1
Jackson	16,841	16,748	15,963	878	5.5
Madison	14,331	14,481	15,065	734	4.9
Morehouse	33,540	33,343	32,463	1,077	3.3
Ouachita	132,133	131,035	115,387	16,746	14.5
Richland	21,781	21,769	21,774	7	0.0
Tensas	8,238	8,450	9,732	1,494	15.4
Union	20,408	20,201	18,447	1,961	10.6
West Carroll	12,737	12,880	13,028	291	2.2

* Total does not agree with the official State total for April 1, 1970, as originally published due to subsequent corrections for Bossier, Lafayette, and West Feliciana Parishes made by the United States Bureau of the Census.

** United States Department of Commerce, Bureau of the Census, Current Population Reports, Series P - 25 "Annual Estimates of the Population of States, July 1, 1970 to 1979 with Components of Change, 1970 to 1979," (Washington: Government Printing Office), Forthcoming.

Source: Research Division, College of Administration and Business, Louisiana Tech University, Ruston, Louisiana.

SUMMARY OF VITAL EVENTS IN 1979

1. BIRTHS

A. All Births

There were 79,183 live births to Louisiana residents in 1979, an increase of 20% over the low of 65,880 recorded in 1974, but still far below the 90,000 or over births per year recorded from 1957 through 1960. The percentage of births to teenagers, which had risen from 17% of all births in 1960 to 25.5% in 1973, is now decreasing (20.6% in 1979).

The long downward trend in total fertility rate, an approximation of completed family size per woman, has leveled out and is now increasing. In 1960, the rate was 4.1 live births per female of child bearing age. The rate decreased steadily to approximately 2.1 in 1974, since gradually increasing to 2.2 in 1979. This increase is due to rising age specific fertility rates in the 20-34 year age group in the 1975-1979 time period. The Louisiana total fertility rate is still well above the national rate of 1.9 in 1979, with both white (1.9) and nonwhite (2.9) components above national levels of 1.8 for whites and 2.4 for blacks.*

B. Illegitimate Births

The number of illegitimate births, as well as the proportion of illegitimate births to all births, has been rising steadily in Louisiana. There were 8,248 illegitimate births in 1960 (9.2% of all births), 11,077 in 1970 (14.9%), and 18,133 in 1979 (22.9%). By far, teenagers have more illegitimate births than any other age group, accounting for 44.6%. of all illegitimate births in 1979. Further, of all live births to teenagers, 49.6% were illegitimate, 23.8% for whites and 76.7% for nonwhites. Comparable national data for teenagers show that 46.9% of all live births were illegitimate, 30.8% for whites and 85.7% for blacks.

2. DEATHS

A. All Deaths

34,648 Louisiana residents died during 1979. From 1973 until 1979, the five leading causes of death remained the same; in 1979, however, Diabetes Mellitus ranked fifth and Pneumonia and Influenza dropped from 5th to 8th place.

CAUSE	PERCENT ALL DEATHS	CUMULATIVE PERCENT
1. Diseases of the Heart	36.5	36.5
2. Malignant Neoplasms	19.7	56.2
3. Cerebrovascular Disease	9.0	65.3
4. Accidents	6.9	72.2
5. Diabetes Mellitus	2.2	74.4
6. Chronic Obstructive Pulmonary Diseases and Allied Conditions	2.1	76.5
7. Homicide and Legal Intervention	2.1	78.6
8. Pneumonia and Influenza	2.0	80.6
All Other Causes	19.4	100.0

It should be noted that a change in the method of coding cause of death occurred in 1979. The effect of this change on ranking of leading causes of death is still under investigation.

---

* Louisiana nonwhite data are compared with national data for blacks where possible.

The two leading causes of death accounted for over 56% of all deaths, and the five leading causes accounted for over 74% of all deaths. The mean age of death was 63.6 years and the median age was 69.4 years. These ages are up from 1970, when mean age was 61.0 and median age was 66.2, with all calculations based on single year data.

B. Infant Deaths

There were 1,230 infant deaths in 1979, down from 1,303 in 1978, and slightly below the former modern low of 1,235 in 1975. The infant mortality rate in 1979 was 15.5 deaths per 1,000 live births, below the previous all time low of 17.4 in 1978, but greater than the 1979 provisional national infant mortality rate of 13.0. This is a result of the fact that Louisiana nonwhite and national black infant mortality rates are approximately twice white infant mortality rates. Since the Louisiana population has a larger percent of nonwhites than the national population, the Louisiana infant mortality rate has been, and continues to be greater than the national infant mortality rate. Louisiana white and nonwhite infant mortality rates have been essentially equal to their national counterparts for the past several years, with long term decreasing trends. In 1976 - 1978, both white and nonwhite Louisiana infant mortality rate trends seemed to be flattening out. In 1979, however, the Louisiana white rate dropped 6.3% (from 12.8 to 12.0), and the nonwhite rate dropped 15.1% (from 24.5 to 20.8). National race specific data for 1979 are not available for comparison.

3. FETAL DEATHS

A. Spontaneous Fetal Death (Stillbirths)

There were 857 stillbirths to Louisiana residents in 1979, or 10.8 stillbirths per 1,000 live births. The white stillbirth ratio was 7.7 while the nonwhite ratio was 15.6. National data are unfortunately not available at this time for comparison.

It is interesting to note that what has previously been said about infant mortality rate differential by race and infant mortality rate trends can be repeated exactly for stillbirth ratio differential by race and stillbirth ratio trends.

B. Induced Termination of Pregnancy (Abortion)

There were 13,512 abortions reported performed in Louisiana in 1979, with at least 932 of this number performed on out-of-state residents.

Of those reports where marital status was indicated, almost 63% showed that the woman was unmarried (single, widowed, and divorced). Women in the 20-24 year age group had the largest number of abortions (over 34% of the total), followed by women under 20 (29% of the total).

TOTAL FERTILITY RATES* BY RACE
UNITED STATES AND LOUISIANA
1960 - 1979



* Total Fertility Rates are the sums of the age specific fertility rates (in 5 year age groups) multiplied by 5.

INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1979

(BY RESIDENCE)



* All data are 5 year moving averages.

WHITE INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1979

(BY RESIDENCE)



* All data are 5 year moving averages.

NONWHITE INFANT MORTALITY RATES* BY SELECTED AGE GROUPS LOUISIANA, 1945 - 1979

(BY RESIDENCE)



* All data are 5 year moving averages

RACIAL DIFFERENTIALS IN INFANT MORTALITY RATES BY WEIGHT AND BIRTH ORDER

Data from death certificates of infants dying under one year of age have been matched with birth certificate data for children born in 1976, 1977, and 1978. Those children born in 1975 who died in 1976 were not matched; however, children born in 1978 who died in 1979 were included. Mortality rates calculated over the three year period represent true mortality rates, and allow calculation of the average probability of surviving to one year of age during this time period.

As an illustration, white infants born in this period (infant mortality rate of 11.95 per 1,000 live births) had a 98.8% chance of living to one year of age. Black infants (infant mortality rate of 24.23 per 1,000 live births) had a 97.6% chance of living to one year of age.

A. Mortality Rate by Weight at Birth

Table 1 shows mortality rates by age at death and race as a function of weight at birth. As birth weight increases, the rates decrease, flatten out, and then increase in the higher weight groups. Black infants tend to have lower neonatal mortality rates than whites for birth weights in the 501 to 2750 gram range. Above this range white infants have lower mortality rates than black in all age groups, with the differential increasing with increasing weight at birth.

Although black infants have a slightly better chance of survival than white infants in the lower weight groups, the percentage of black live births under 2501 grams is twice that of whites (12.9% to 6.3%). Relatively, then, more black than white infants are exposed to the high mortality rates associated with low birth weights.

Lowest infant mortality rates by weight are 6.14 per 1,000 live births in the 3501 – 3750 gram weight group for blacks, and 2.88 per 1,000 live births in the 3751 – 4000 gram weight group for whites.

B. Infant Mortality Rates by Total Birth Order and Age of Mother

Infant mortality rates (death under 365 days of age per 1,000 live births) are shown as a function of age of mother and total birth order in Table 2. Total birth order is defined as all live births plus previous stillbirths. It is interesting to note that, ignoring birth order, blacks have approximately twice the mortality rate of whites in all age groups of mother. However, in the 25 – 29 (total birth = 1), and 30 – 34 (total birth order under 3), age groups blacks have three times the mortality rates of whites.

C. Infant Mortality Rates as a Function of Previous Stillbirth

To investigate the effects of a previous stillbirth on infant mortality rates, Table 2 was rerun with live birth order against age group of mother with and without indication of previous stillbirth or stillbirths. A previous stillbirth or stillbirths is seen to increase the infant mortality rate of both whites and blacks in almost all mothers age groups. An asterisk indicates that the increase is statistically significant at the 0.05 level.

Table 1

AVERAGE MORTALITY RATES OF LOUISIANA INFANT RESIDENTS BORN IN LOUISIANA, YEARS OF BIRTH 1976 - 1978 BY WEIGHT AT BIRTH, RACE, AND AGE AT DEATH*

BIRTH WEIGHT IN GRAMS	AGE AT DEATH IN DAYS										PERCENT OF LIVE BIRTHS IN WEIGHT GROUP	
	UNDER 1		1-6		UNDER 28		28-364		UNDER 365			
	WHITE	BLACK	WHITE	BLACK	WHITE	BLACK	WHITE	BLACK	WHITE	BLACK	WHITE	BLACK
UNDER 501	942.31	920.73	48.08	60.98	990.38	1000.00	9.62	– –	1000.00	1000.00	0.08	0.19
501 - 750	784.09	531.43	102.27	205.71	909.09	794.29	5.68	22.86	914.77	817.14	0.13	0.41
751 - 1000	768.85	238.98	200.82	206.50	647.54	566.13	65.57	51.04	713.11	617.17	0.19	0.51
1001 - 1250	129.63	142.28	129.63	123.98	311.11	331.30	25.93	58.94	337.04	390.24	0.21	0.58
1251 - 1500	85.16	58.93	90.66	60.66	225.27	147.31	41.21	43.33	266.48	190.64	0.28	0.68
1501 - 1750	50.47	30.48	56.07	42.20	134.58	96.13	18.69	25.79	153.27	121.92	0.41	1.00
1751 - 2000	25.38	15.96	36.55	16.72	74.11	35.71	15.23	28.12	89.34	63.83	0.75	1.54
2001 - 2250	18.49	8.56	12.71	5.23	34.66	20.44	8.67	13.78	43.33	34.22	1.32	2.47
2251 - 2500	6.59	4.68	6.06	4.04	16.08	10.85	6.85	11.27	22.93	22.12	2.90	5.51
2501 - 2750	3.22	1.65	3.22	3.65	8.12	6.01	4.90	9.30	13.02	15.31	5.93	9.96
2751 - 3000	0.82	1.01	0.82	1.40	2.54	3.73	2.99	6.68	5.52	10.41	10.23	15.10
3001 - 3250	0.76	1.30	0.94	1.66	2.05	4.08	2.90	4.50	4.95	8.58	17.14	19.82
3251 - 3500	0.83	0.89	0.79	1.15	2.34	2.49	2.00	4.85	4.34	7.34	20.23	18.38
3501 - 3750	0.86	1.42	0.86	1.04	2.24	3.31	2.11	2.83	4.34	6.14	17.77	12.41
3751 - 4000	0.38	0.71	0.45	1.06	1.28	2.48	1.60	4.26	2.88	6.74	11.93	6.61
4001 - 4250	0.52	1.30	0.92	2.59	1.83	5.18	1.96	5.18	3.79	10.37	5.84	2.71
4251 - 4500	– –	3.49	1.06	1.74	2.39	6.97	1.06	6.10	3.45	13.08	2.88	1.35
4501 - 4750	1.31	7.61	0.66	– –	1.97	12.69	3.28	7.61	5.25	20.30	1.16	0.46
4751 - 5000	3.67	11.63	– –	5.81	3.67	17.44	3.67	5.81	7.34	23.26	0.42	0.20
OVER 5000	– –	29.13	3.70	9.71	7.41	48.54	7.41	9.71	14.81	58.25	0.21	0.12
TOTAL	4.66	8.54	2.82	5.59	8.86	16.96	3.09	7.27	11.95	24.23	100.00	100.00

Rates per 1,000 Live Births in year of birth.

* Unknown ages or weights deleted; infants born in 1978 who died in 1979 included
Infants under 501 grams with no matching death certificate are assumed to die under 1 day of age

Table 2

AVERAGE INFANT MORTALITY RATES
BY RACE, TOTAL BIRTH ORDER,† AND AGE OF MOTHER
LOUISIANA RESIDENTS YEARS OF BIRTH, 1976 - 1978

TOTAL BIRTH ORDER†	AGE OF MOTHER				
	Under 20	20 – 24	25 – 29	30 – 34	35 and Over
WHITE					
1	14.70	10.27	7.66	10.50	X
2	22.35	11.47	8.58	7.87	13.41
3	28.41	16.44	10.76	9.51	11.36
4	XXX	22.70	15.72	14.23	8.95
5+	XXX	26.99	18.46	11.04	13.98
Total	16.44	12.20	10.17	10.36	12.49
BLACK					
1	25.50	17.83	22.50	30.81	XXX
2	34.98	20.57	16.46	21.78	XXX
3	55.63	24.52	19.21	24.28	12.61
4	53.22	34.82	21.07	16.16	21.51
5+	XX	48.06	27.46	23.97	24.48
Total	29.79	23.27	20.78	22.69	22.04

X Combined with Birth Order 2
XX Combined with Birth Order 4
XXX Combined with Birth Order 3
† Total Birth Order in this table equals the total of all deliveries the mother has had, including previous Live Births, Stillbirths and this delivery.
Rate equals Infant Deaths per 1,000 Live Births in group.

Table 3

AVERAGE INFANT MORTALITY RATES BY RACE, LIVE BIRTH ORDER,† AND AGE AND PREVIOUS STILLBIRTH STATUS OF MOTHER LOUISIANA RESIDENTS, YEARS OF BIRTH, 1976 - 1978

LIVE BIRTH ORDER†	AGE OF MOTHER									
	Under 20		20 - 24		25 - 29		30 - 34		35 - 39	
	Previous Stillbirths		Previous Stillbirths		Previous Stillbirths		Previous Stillbirths		Previous Stillbirths	
	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes
WHITE										
1	14.70	12.63	10.27	13.15	7.66	14.39	10.50	29.13	XXX	XXX
2	21.89	21.05	11.19	22.25 *	8.26	19.86 *	7.81	12.55	XXX	XXX
3	X	– –	14.90	19.21	8.90	15.73	8.67	10.46	11.91	10.05
4	X	– –	19.31	25.00	13.07	9.48	12.14	12.93	11.16	29.32
5 +	X	– –	XX	– –	17.88	25.54	8.82	16.60	12.20	10.01
Total	15.89	14.86	11.25	18.28 *	8.77	16.97 *	9.20	13.87	11.86	13.72
BLACK										
1	25.50	55.72 *	17.83	50.81 *	22.50	45.82	30.81	74.63	– –	– –
2	33.57	52.15	18.75	31.25 *	14.64	30.92 *	18.90	26.85	– –	– –
3	52.99	42.74	23.14	32.05	17.02	26.42	20.29	33.94	12.82	19.31
4	– –	– –	34.57	57.64	20.17	18.26	15.17	33.39 *	21.71	28.65
5 +	– –	– –	42.86	41.18	25.14	34.88	– –	– –	– –	– –
Total	28.74	53.30 *	21.18	39.66 *	18.78	30.30 *	18.45	35.36 *	19.65	26.85

X	Combined with Birth Order 2
XX	Combined with Birth Order 4
XXX	Combined with Birth Order 3
*	Significant at 0.05 level
†	Live Birth Order equals the number of Live Births the mother has had, including this birth.

Rates equal Infant Deaths per 1,000 Live Births in group.

NATALITY

Table I A

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	79344	79183	19.7			429	15686	28423	21834	9325	2693	541	33	19
				MW	24545	42	4043	8904	7589	3076	761	119	6	5
				FW	23202	45	3673	8432	7228	2976	724	112	8	4
				MNW	15976	179	4125	5682	3537	1680	595	158	13	7
				FNW	15460	163	4045	5405	3480	1593	613	152	6	3
ACADIA	939	1181	21.3			7	263	412	323	116	50	10	–	–
				MW	441	–	111	147	119	44	16	4	–	–
				FW	439	4	75	165	133	44	15	3	–	–
				MNW	130	1	36	41	33	11	6	2	–	–
				FNW	171	2	41	59	38	17	13	1	–	–
ALLEN	236	328	15.6			2	63	134	78	41	9	1	–	–
				MW	115	1	15	49	31	14	5	–	–	–
				FW	129	–	31	51	28	16	3	–	–	–
				MNW	36	–	8	12	10	4	1	1	–	–
				FNW	48	1	9	22	9	7	–	–	–	–
ASCENSION	105	1058	22.9			5	191	393	319	111	35	3	–	1
				MW	357	–	59	137	107	41	11	1	–	1
				FW	373	–	61	147	127	31	7	–	–	–
				MNW	158	4	33	51	41	20	8	1	–	–
				FNW	170	1	38	58	44	19	9	1	–	–
ASSUMPTION	3	431	20.2			2	82	188	93	44	18	4	–	–
				MW	119	–	18	57	27	13	4	–	–	–
				FW	135	–	21	57	39	15	2	1	–	–
				MNW	89	–	23	40	11	8	6	1	–	–
				FNW	88	2	20	34	16	8	6	2	–	–
AVOYELLES	233	701	17.7			5	163	258	158	84	26	5	1	1
				MW	268	1	54	98	64	40	10	1	–	–
				FW	211	–	43	73	62	22	9	1	1	–
				MNW	111	1	32	49	15	10	2	1	–	1
				FNW	111	3	34	38	17	12	5	2	–	–
BEAUREGARD	563	543	19.7			1	125	197	147	50	20	3	–	–
				MW	219	–	50	79	62	18	9	1	–	–
				FW	239	–	53	87	70	25	3	1	–	–
				MNW	46	–	12	19	9	3	3	–	–	–
				FNW	39	1	10	12	6	4	5	1	–	–
BIENVILLE	–	276	16.2			4	65	97	69	27	13	1	–	–
				MW	66	1	13	23	19	7	3	–	–	–
				FW	64	–	10	30	18	5	1	–	–	–
				MNW	79	3	22	19	20	10	4	1	–	–
				FNW	67	–	20	25	12	5	5	–	–	–
BOSSIER	1524	1523	21.0			7	314	616	380	164	35	5	–	2
				MW	590	–	104	251	159	65	9	2	–	–
				FW	529	–	101	214	135	68	8	2	–	1
				MNW	205	4	37	84	49	18	11	1	–	1
				FNW	199	3	72	67	37	13	7	–	–	–
CADDO	7116	4892	19.9			49	1056	1751	1319	525	151	37	3	1
				MW	1264	5	197	473	406	144	34	5	–	–
				FW	1135	3	166	410	375	139	36	6	–	–
				MNW	1277	21	349	456	271	118	48	11	2	1
				FNW	1216	20	344	412	267	124	33	15	1	–
CALCASIEU	3892	3324	20.6			9	640	1242	952	367	94	19	1	–
				MW	1190	2	184	471	351	135	42	5	–	–
				FW	1152	1	218	428	346	127	25	6	1	–
				MNW	498	3	119	167	127	66	14	2	–	–
				FNW	484	3	119	176	128	39	13	6	–	–
CALDWELL	113	189	17.6			3	64	62	39	15	5	1	–	–
				MW	71	1	27	19	16	7	1	–	–	–
				FW	75	1	20	29	18	5	2	–	–	–
				MNW	22	1	7	7	3	2	1	1	–	–
				FNW	21	–	10	7	2	1	1	–	–	–
CAMERON	–	174	17.4			2	37	82	35	9	8	1	–	–
				MW	86	–	18	40	19	5	4	–	–	–
				FW	73	1	14	36	13	4	4	1	–	–
				MNW	4	–	1	2	1	–	–	–	–	–
				FNW	11	1	4	4	2	–	–	–	–	–
CATAHOULA	1	253	21.6			1	55	99	62	25	8	3	–	–
				MW	80	–	17	32	23	6	2	–	–	–
				FW	88	–	14	37	23	12	2	–	–	–
				MNW	42	–	12	14	8	4	2	2	–	–
				FNW	43	1	12	16	8	3	2	1	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child

Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
CLAIBORNE	79	237	14.1			1	68	75	58	28	6	–	1	–
				MW	45	–	12	17	8	7	1	–	–	–
				FW	72	–	11	23	27	9	1	–	1	–
				MNW	63	–	29	17	10	6	1	–	–	–
				FNW	57	1	46	18	13	6	3	–	–	–
CONCORDIA	254	430	19.0			3	107	155	112	42	10	1	–	–
				MW	121	–	24	47	38	8	4	–	–	–
				FW	121	–	22	48	37	12	2	–	–	–
				MNW	104	1	36	30	22	12	3	–	–	–
				FNW	84	2	25	30	15	10	1	1	–	–
DESOTO	1	443	18.3	–	–	7	122	168	96	38	10	2	–	–
				MW	107	–	26	42	30	6	3	–	–	–
				FW	88	1	21	34	22	7	3	–	–	–
				MNW	113	5	37	44	16	8	2	1	–	–
				FNW	135	1	38	48	28	17	2	1	–	–
EAST BATON ROUGE	10397	6705	19.8			23	1007	2280	2169	955	230	38	1	2
				MW	1947	2	214	635	730	294	61	9	–	2
				FW	1932	1	183	668	713	306	56	5	–	–
				MNW	1466	13	316	511	373	187	54	11	1	–
				FNW	1360	7	294	466	353	168	59	13	–	–
EAST CARROLL	180	270	23.5			10	90	84	48	26	8	2	2	
				MW	46	–	9	15	11	8	3	–	–	
				FW	42	–	12	16	8	5	1	–	–	–
				MNW	87	4	32	25	16	6	2	1	1	
				FNW	95	6	37	28	13	7	2	1	1	–
EAST FELICIANA	2	323	19.8			–	74	119	77	40	8	5	–	–
				MW	70	–	15	30	12	11	2	–	–	–
				FW	87	–	12	33	28	10	2	2	–	–
				MNW	90	–	25	26	22	13	1	3	–	–
				FNW	76	–	22	30	15	6	3	–	–	–
EVANGELINE	296	618	18.6			5	139	229	158	61	21	4	–	1
				MW	219	2	49	88	57	17	5	1	–	–
				FW	204	–	48	71	54	23	7	–	–	1
				MNW	93	3	18	38	18	10	4	2	–	–
				FNW	102	–	24	32	29	11	5	1	–	–
FRANKLIN	216	427	17.8			5	119	146	98	39	11	8	1	–
				MW	94	–	22	41	22	7	1	1	–	–
				FW	136	–	28	48	38	15	6	1	–	–
				MNW	101	3	35	28	22	7	3	3	–	–
				FNW	96	2	34	29	16	10	1	3	1	–
GRANT	2	260	17.0			2	49	104	79	20	6	–	–	–
				MW	98	–	17	36	35	8	2	–	–	–
				FW	105	–	20	45	31	7	2	–	–	–
				MNW	30	1	4	12	9	3	1	–	–	–
				FNW	27	1	8	11	4	2	1	–	–	–
IBERIA	1245	1451	22.2			6	305	540	376	161	48	14	1	–
				MW	459	–	84	174	143	47	8	3	–	–
				FW	440	–	85	176	102	56	17	4	–	–
				MNW	308	4	82	98	73	33	12	6	–	–
				FNW	244	2	54	92	58	25	11	1	1	–
IBERVILLE	16	670	21.6			9	163	226	159	84	21	7	–	1
				MW	177	2	37	64	48	20	5	1	–	–
				FW	139	–	28	47	39	22	1	2	–	–
				MNW	172	2	46	61	37	21	4	1	–	–
				FNW	182	5	52	54	35	21	11	3	–	1
JACKSON	287	306	18.2			1	72	111	75	34	10	3	–	–
				MW	82	–	18	35	21	8	–	–	–	–
				FW	93	–	15	38	27	13	–	–	–	–
				MNW	72	–	26	20	12	7	5	2	–	–
				FNW	59	1	13	18	15	6	5	1	–	–
JEFFERSON	6779	8111	18.8			25	1309	2613	2679	1144	280	55	4	2
				MW	3201	4	433	987	1142	503	105	24	3	–
				FW	3087	3	389	1012	1105	454	110	14	–	–
				MNW	916	9	246	303	217	103	31	6	–	1
				FNW	907	9	241	311	215	84	34	11	1	1
JEFFERSON DAVIS	429	671	21.3			–	142	257	174	70	19	9	–	–
				MW	250	–	50	99	73	19	5	4	–	–
				FW	233	–	47	82	69	25	7	3	–	–
				MNW	100	–	22	46	14	14	3	1	–	–
				FNW	88	–	23	30	18	12	4	1	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
LAFAYETTE	4843	2753	20.0			4	405	939	894	387	97	26	1	-
				MW	1055		147	336	373	158	36	5	-	-
				FW	959	1	104	337	337	142	29	8	1	-
				MNW	368	1	77	135	88	46	14	7	-	-
				FNW	371	2	77	131	96	41	18	6	-	-
LAFOURCHE	1510	1517	19.2			6	335	520	391	191	61	13	-	-
				MW	650	3	122	233	175	87	23	7	-	-
				FW	587	2	122	205	165	66	26	1	-	-
				MNW	144	1	43	43	28	18	9	2	-	-
				FNW	136		48	39	23	20	3	3	-	-
LASALLE	126	257	16.6			3	61	92	69	22	10	-	-	-
				MW	111	1	22	38	35	11	4	-	-	-
				FW	114	1	26	44	28	10	5	-	-	-
				MNW	18	1	5	6	5		1	-	-	-
				FNW	14		8	4	1	1	-	-	-	-
LINCOLN	305	568	15.2			8	116	201	151	58	27	7	-	-
				MW	158		27	53	57	16	3	2	-	-
				FW	138	1	20	50	44	16	6	1	-	-
				MNW	130	1	29	48	25	17	8	2	-	-
				FNW	142	6	40	50	25	9	10	2	-	-
LIVINGSTON	111	1136	21.2			6	233	478	276	111	26	5	-	1
				MW	543	2	113	233	121	59	13	2	-	-
				FW	492		93	208	132	46	10	2	-	1
				MNW	52	2	12	20	13	2	2	1	-	-
				FNW	49	2	15	17	10	4	1	-	-	-
MADISON	171	328	22.9			5	107	122	53	27	8	6	-	-
				MW	39		6	17	9	6	1	-	-	-
				FW	47	1	10	17	13	6	-	-	-	-
				MNW	123	3	45	46	16	6	3	4	-	-
				FNW	119	1	46	42	15	9	4	2	-	-
MOREHOUSE	587	710	21.2			11	191	260	176	44	23	5	-	-
				MW	177	1	27	75	53	18	3	-	-	-
				FW	171		39	54	59	12	6	1	-	-
				MNW	168	5	55	62	33	4	6	3	-	-
				FNW	194	5	70	69	31	10	8	1	-	-
NATCHITOCHES	520	658	18.2			3	151	250	169	60	19	6	-	-
				MW	179	-	29	72	50	21	7	-	-	-
				FW	159	-	35	65	38	17	3	1	-	-
				MNW	164	1	47	61	42	7	3	3	-	-
				FNW	156	2	40	52	39	15	6	2	-	-
ORLEANS	15810	10247	18.5			65	2092	3470	2765	1357	408	82	5	3
				MW	1381	1	124	408	502	279	59	7	1	-
				FW	1295	2	136	367	475	249	55	11	-	-
				MNW	3839	31	937	1377	880	429	145	34	4	2
				FNW	3732	31	895	1318	908	400	149	30	-	1
OUACHITA	4090	2544	19.3			15	562	942	670	274	73	8	-	-
				MW	768	-	127	292	229	99	20	1	-	-
				FW	736	1	116	282	226	83	25	3	-	-
				MNW	541	13	167	193	99	48	19	2	-	-
				FNW	499	1	152	175	116	44	9	2	-	-
PLAQUEMINES	48	551	20.3			2	129	200	144	56	18	2	-	-
				MW	193	1	43	67	56	19	7	-	-	-
				FW	206	1	44	78	50	25	7	1	-	-
				MNW	77	-	24	29	16	6	2	-	-	-
				FNW	75	-	18	26	22	6	2	1	-	-
POINTE COUPEE	149	432	18.9			2	93	167	101	55	11	3	-	-
				MW	92	1	16	38	22	15	-	-	-	-
				FW	101	-	16	38	34	10	3	-	-	-
				MNW	123	-	32	47	28	11	4	1	-	-
				FNW	116	1	29	44	17	19	4	2	-	-
RAPIDES	3976	2503	19.8			11	508	974	650	263	86	10	1	-
				MW	792	3	141	329	217	72	27	3	-	-
				FW	784	-	139	301	218	98	26	2	-	-
				MNW	461	3	107	175	107	50	15	3	1	-
				FNW	466	5	121	169	108	43	18	2	-	-
RED RIVER	43	184	19.4			1	56	66	35	20	4	1	-	1
				MW	50	1	8	19	16	5	1	-	-	-
				FW	44	-	11	16	11	6	-	-	-	-
				MNW	46	-	14	19	3	6	2	1	-	1
				FNW	44	-	23	12	5	3	1	-	-	-

Table I A (continued)
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child
Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
RICHLAND	287	494	22.7			5	135	187	114	37	10	6	–	–
				MW	130	1	31	46	38	13	–	1	–	–
				FW	105	–	21	41	31	9	2	1	–	–
				MNW	141	2	47	59	21	9	2	1	–	–
				FNW	118	2	36	41	24	5	6	3	–	–
SABINE	93	374	18.3			1	95	137	86	41	11	2	–	1
				MW	131	–	33	50	33	10	4	1	–	–
				FW	134	–	30	47	31	21	3	1	–	1
				MNW	53	–	17	17	12	5	2	–	–	–
				FNW	56	1	15	23	10	5	2	–	–	–
ST. BERNARD	10	1120	17.7			1	192	427	343	120	33	3	1	–
				MW	573	1	93	222	173	65	17	1	1	–
				FW	483	–	81	182	152	51	15	2		–
				MNW	31	–	12	9	8	2	–	–	–	–
				FNW	33	–	6	14	10	2	1	–	–	–
ST. CHARLES	9	760	21.6			1	164	244	222	90	36	3	–	–
				MW	266	–	55	87	87	31	5	1	–	–
				FW	237	–	35	82	77	31	11	1	–	–
				MNW	139	1	38	40	33	16	10	1	–	–
				FNW	118	–	36	35	25	12	10	–	–	–
ST. HELENA	–	145	14.3			–	38	43	40	18	5	1	–	–
				MW	37	–	6	12	14	4	1	–	–	–
				FW	24	–	7	9	6	2	.	–	–	–
				MNW	46	–	13	12	12	7	1	1	–	–
				FNW	38	–	12	10	8	5	3	–	–	–
ST. JAMES	116	441	21.9			1	71	158	130	52	23	4	1	1
				MW	90	–	5	39	33	7	5	–	–	1
				FW	107	–	12	40	35	11	7	1	1	–
				MNW	123	1	24	44	29	17	6	2	–	–
				FNW	121	–	30	35	33	17	5	1	–	–
ST. JOHN	2	701	23.5			4	140	251	187	86	27	6	–	–
				MW	193	–	32	64	63	24	9	1	–	–
				FW	184	1	22	73	57	27	3	1	–	–
				MNW	180	2	54	60	35	20	8	1	–	–
				FNW	144	1	32	54	32	15	7	3	–	–
ST. LANDRY	1430	1689	20.1			8	388	631	429	163	59	9	2	–
				MW	465	–	96	191	133	37	7	1	–	–
				FW	451	2	86	165	140	51	7	–	–	–
				MNW	414	5	116	146	85	34	22	4	2	–
				FNW	359	1	90	129	71	41	23	4	–	–
ST.MARTIN	286	841	23.0			3	161	310	216	96	46	7	2	–
				MW	261	1	51	94	70	31	13	1	–	–
				FW	237	–	35	99	64	24	12	2	1	–
				MNW	180	1	38	63	47	17	11	2	1	–
				FNW	163	1	37	54	35	24	10	2	–	–
ST. MARY	1082	1371	22.0			10	284	566	313	151	39	7	1	–
				MW	415	–	71	179	109	42	12	2	–	–
				FW	405	3	83	160	108	41	10	–	–	–
				MNW	269	2	64	117	43	30	10	2	1	–
				FNW	282	5	66	110	53	38	7	3	–	–
ST. TAMMANY	1489	1943	19.6			9	325	613	607	303	69	17	–	–
				MW	816	–	113	255	277	129	36	6	–	–
				FW	776	3	107	245	251	147	19	4	–	–
				MNW	169	2	50	60	34	11	8	4	–	–
				FNW	182	4	55	53	45	16	6	3	–	–
TANGIPAHOA	1669	1647	21.2			9	372	640	405	167	45	9	–	–
				MW	487	–	92	199	137	49	10	–	–	–
				FW	432	2	65	174	118	56	14	3	–	–
				MNW	393	4	118	150	75	34	9	3	–	–
				FNW	335	3	97	117	75	28	12	3	–	–
TENSAS	56	178	21.6			–	52	74	34	11	5	2	–	–
				MW	35	–	6	13	12	3	1	–	–	–
				FW	25	–	5	10	8	2	–	–	–	–
				MNW	48	–	16	23	3	2	2	2	–	–
				FNW	70	–	25	28	11	4	2	–	–	–
TERREBONNE	2618	2217	24.2			9	417	849	570	275	76	21	–	–
				MW	853	–	144	327	234	111	29	8	–	–
				FW	787	3	140	303	220	86	29	6	–	–
				MNW	291	1	59	112	64	39	12	4	–	–
				FNW	286	5	74	107	52	39	6	3	–	–

Table I A (continued)

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child

Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
UNION	182	330	16.2			3	69	121	85	38	10	4	–	–
				MW	118	1	24	40	32	15	4	2	–	–
				FW	101	–	11	47	28	12	3	–	–	–
				MNW	53	1	16	17	13	4	2	–	–	–
				FNW	58	1	18	17	12	7	1	2	–	–
VERMILION	651	934	19.4			3	167	361	246	103	45	6	2	1
				MW	409	–	81	155	109	43	17	3	–	1
				FW	337	1	42	137	93	41	21	1	1	–
				MNW	93	1	21	33	24	12	1	1	–	–
				FNW	95	1	23	36	20	7	6	1	1	–
VERNON	938	1223	25.5			6	279	559	267	86	23	2	1	–
				MW	477	1	112	223	108	26	6	1	–	–
				FW	439	1	102	197	93	32	12	1	1	–
				MNW	151	3	33	70	31	13	1	–	–	–
				FNW	156	1	32	69	35	15	4	–	–	–
WASHINGTON	808	769	17.5			3	178	291	195	77	20	5	–	–
				MW	250	1	50	95	72	27	5	–	–	–
				FW	206	1	43	76	57	21	6	2	–	–
				MNW	154	1	44	51	35	21	–	2	–	–
				FNW	159	–	41	69	31	8	9	1	–	–
WEBSTER	362	739	17.6			7	184	253	189	74	28	4	–	–
				MW	227	–	50	90	61	21	5	–	–	–
				FW	192	–	29	73	65	21	3	1	–	–
				MNW	160	3	49	40	39	15	12	2	–	–
				FNW	160	4	56	50	24	17	8	1	–	–
WEST BATON ROUGE	8	402	21.8			2	79	151	105	37	24	3	1	–
				MW	122	–	25	40	40	9	7	–	1	–
				FW	85	–	9	39	25	8	4	–	–	–
				MNW	92	–	19	31	22	10	8	2	–	–
				FNW	103	2	26	41	18	10	5	1	–	–
WEST CARROLL	21	234	18.4			3	68	74	58	19	11	1	–	–
				MW	90	1	15	29	32	8	5	–	–	–
				FW	80	1	24	27	16	8	3	1	–	–
				MNW	33	1	14	11	5	1	1	–	–	–
				FNW	31		15	7	5	2	2	–	–	–
WEST FELICIANA	17	142	13.6			1	26	54	37	16	6	2	–	–
				MW	25	–	5	9	9	–	1	1	–	–
				FW	31	–	4	11	10	4	2	–	–	–
				MNW	38	1	8	18	8	3	–	–	–	–
				FNW	48	–	9	16	10	9	3	1	–	–
WINN	13	306	17.7			4	79	110	80	20	11	2	–	–
				MW	105	–	24	49	25	4	3	–	–	–
				FW	90	2	21	28	26	7	5	1	–	–
				MNW	59	2	16	18	17	4	2	–	–	–
				FNW	52	–	18	15	12	5	1	1	–	–
OUT OF STATE*	966	1127	–			3	207	432	308	139	31	7	–	–
				MW	479	–	86	190	129	55	15	4	–	–
				FW	458	2	74	172	132	63	14	1	–	–
				MNW	93	1	19	35	29	7	1	1	–	–
				FNW	97	–	28	35	18	14	1	1	–	–

* Not included in state totals.

Table I B

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by State Planning Districts and Health Service Areas, 1979

STATE PLANNING DISTRICTS (SPD) OR HEALTH SERVICE AREAS (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS								
						Under 15	15-19	-0-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	79344	79183	19.7			429	15886	28423	21834	9325	2693	541	33	19
				MW	24545	42	4043	8904	7589	3076	761	119	6	5
				FW	23202	45	3673	8432	7228	2976	724	112	8	4
				MNW	15976	179	4125	5682	3537	1680	595	158	13	7
				FNW	15460	163	4045	5405	3480	1593	613	152	6	3
SPD 1	24136	21972	18.7			102	4047	7323	6538	2980	808	159	10	5
				MW	6164	7	806	1939	2150	995	224	38	5	–
				FW	5847	9	757	1884	2033	926	206	32	–	–
				MNW	5032	42	1269	1778	1155	551	186	44	4	3
				FNW	4929	44	1215	1722	1200	508	192	45	1	2
SPD 2	13282	13429	20.1			60	2454	4842	3883	1671	431	81	2	5
				MW	4107	8	632	1492	1312	529	116	14	1	3
				FW	3902	4	521	1450	1289	516	105	16	–	1
				MNW	2784	27	666	978	666	329	91	26	1	–
				FNW	2636	21	635	922	616	297	119	25	–	1
SPD 3	4258	6067	21.9			23	1209	2210	1593	738	241	51	1	1
				MW	2171	3	376	807	619	273	75	17	–	1
				FW	2037	6	352	760	593	236	78	11	1	–
				MNW	966	6	241	339	200	118	51	11	–	–
				FNW	893	8	240	304	181	111	37	12	–	–
SPD 4	10772	10838	20.7			46	2112	3988	2955	1238	405	83	9	2
				MW	3724	3	690	1364	1113	419	114	20	–	1
				FW	3472	11	558	1310	1031	422	118	18	3	1
				MNW	1855	18	452	671	411	193	80	26	4	–
				FNW	1787	14	412	643	400	204	93	19	2	–
SPD 5	5120	5040	20.0			14	1007	1912	1386	537	150	33	1	–
				MW	1860	3	317	738	536	191	65	10	–	–
				FW	1826	2	363	684	526	197	42	11	1	–
				MNW	684	3	162	246	161	87	21	4	–	–
				FNW	670	6	165	244	163	62	22	8	–	–
SPD 6	5543	5933	20.0			35	1301	2351	1477	562	180	23	3	1
				MW	2052	6	411	852	545	175	58	5	–	–
				FW	1952	4	387	773	518	200	63	5	2	–
				MNW	976	12	245	374	214	96	27	6	1	1
				FNW	953	13	258	352	200	91	32	7	–	–
SPD 7	10043	9894	19.0			88	2227	3614	2552	1035	304	65	4	5
				MW	2817	7	499	1090	839	302	70	10	–	–
				FW	2555	5	434	962	766	309	64	12	1	2
				MNW	2290	38	630	805	487	210	93	22	2	3
				FNW	2232	38	664	757	460	214	77	21	1	–
SPD 8	6190	6010	19.6			61	1529	2183	1450	564	174	46	3	–
				MW	1650	5	312	622	475	192	39	5	–	–
				FW	1611	4	301	609	472	170	48	7	–	–
				MNW	1389	33	460	491	243	96	46	19	1	–
				FNW	1360	19	456	461	260	106	41	15	2	–
TOTAL	79344	79183	19.7			429	15886	28423	21834	9325	2693	541	33	19
				MW	24545	42	4043	8904	7589	3076	761	119	6	5
				FW	23202	45	3673	8432	7228	2976	724	112	8	4
				MNW	15976	179	4125	5682	3537	1680	595	158	13	7
				FNW	15460	163	4045	5405	3480	1593	613	152	6	3
HSA 1	28394	28039	19.3			125	5256	9533	8131	3718	1049	210	11	6
				MW	8335	10	1182	2746	2769	1268	299	55	5	1
				FW	7884	15	1109	2644	2626	1162	284	43	1	–
				MNW	5998	48	1510	2117	1355	669	237	55	4	3
				FNW	5822	52	1455	2026	1381	619	229	57	1	2
HSA 2	29174	29307	20.3			120	5573	10742	8224	3446	986	197	12	7
				MW	9691	14	1639	3594	2961	1139	295	44	1	4
				FW	9200	17	1442	3444	2846	1135	265	45	4	2
				MNW	5323	48	1280	1895	1238	609	192	56	5	–
				FNW	5093	41	1212	1809	1179	563	234	52	2	1
HSA 3	21776	21837	19.4			184	5057	8148	5479	2161	658	134	10	6
				MW	6519	18	1222	2564	1859	669	167	20	–	–
				FW	6118	13	1122	2344	1756	679	175	24	3	2
				MNW	4655	83	1335	1670	944	402	166	47	4	4
				FNW	4545	70	1378	1570	920	411	150	43	3	–

Table II
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant
Louisiana, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	WHITE				NONWHITE				SEX	
				Total	Attended By			Total	Attended By			Male	Female
					Physician	Midwife	Other		Physician	Midwife	Other		
TOTAL	79344	79183	19.7	47747	47285	366	96	31436	31208	146	82	40521	38662
ACADIA	939	1181	21.3	880	872	1	7	301	299	–	2	571	610
Crowley*	500	360	20.3	229	225	–	4	131	129	–	2	163	197
ALLEN	236	328	15.6	244	244	–	–	84	83	–	1	151	177
ASCENSION	105	1058	22.9	730	724	5	1	328	318	1	9	515	543
ASSUMPTION	3	431	20.2	254	253	1	–	177	173	–	4	208	223
AVOYELLES	233	701	17.7	479	479	–	–	222	222	–	–	379	322
BEAUREGARD	563	543	19.7	458	457	–	1	85	85	–	–	265	278
BIENVILLE	–	276	16.2	130	130	–	–	146	145	1	–	145	131
BOSSIER	1524	1523	21.0	1119	942	175	2	404	371	33	–	795	728
Bossier City*	1521	1011	18.6	794	635	159	–	217	184	33	–	525	486
CADDO	7116	4892	19.9	2399	2363	34	2	2493	2445	47	1	2541	2351
Shreveport*	7115	4167	19.1	1900	1869	29	2	2267	2222	44	1	2160	2007
CALCASIEU	3892	3324	20.6	2342	2337	–	5	982	982	–	–	1688	1636
Lake Charles*	3168	1516	18.8	750	746	–	4	766	766	–	–	776	740
Sulphur*	722	413	NA	392	392	–	–	21	21	–	–	201	212
CALDWELL	113	189	17.6	146	145	–	1	43	43	–	–	93	96
CAMERON	–	174	17.4	159	159	–	–	15	15	–	–	90	84
CATAHOULA	1	253	21.6	168	168	–	–	85	85	–	–	122	131
CLAIBORNE	79	237	14.1	117	117	–	–	120	117	2	1	108	129
CONCORDIA	254	430	19.0	242	241	–	1	188	186	–	2	225	205
DESOTO	1	443	18.3	195	193	2	–	248	247	1	–	220	223
EAST BATON ROUGE	10397	6705	19.8	3879	3825	48	6	2826	2807	3	16	3413	3292
Baton Rouge*	9958	4771	20.9	2267	2238	23	6	2504	2488	1	15	2453	2318
EAST CARROLL	180	270	23.5	88	88	–	–	182	179	3	–	133	137
EAST FELICIANA	2	323	19.8	157	157	–	–	166	163	–	3	160	163
EVANGELINE	296	618	18.6	423	423	–	–	195	194	–	1	312	306
FRANKLIN	216	427	17.8	230	230	–	–	197	197	–	–	195	232
GRANT	2	260	17.0	203	202	–	1	57	57	–	–	128	132
IBERIA	1245	1451	42.0	899	899	–	–	552	549	–	3	767	684
New Iberia*	1244	783	12.0	469	469	–	–	314	311	–	3	403	380
IBERVILLE	16	670	21.6	316	315	1	–	354	345	–	9	349	321
JACKSON	287	306	18.2	175	175	–	–	131	131	–	–	154	152
JEFFERSON	6779	8111	18.8	6288	6266	11	11	1823	1822	–	1	4117	3994
Kenner*	2	1298	22.5	1038	1036	–	2	260	260	–	–	657	641
Gretna*	1	842	26.9	651	649	1	1	191	191	–	–	426	416
Harahan*	–	135	NA	135	134	1	–			–	–	72	63
Westwego*	–	379	31.0	228	227	1	–	151	151	–	–	191	188
JEFFERSON DAVIS	429	671	21.3	483	482	–	1	188	187	–	1	350	321
Jennings*	360	276	22.0	183	183	–	–	93	93	–	–	136	140
LAFAYETTE	4843	2753	20.0	2014	1989	1	24	739	736	–	3	1423	1330
Lafayette*	4830	1508	17.6	951	937	1	13	557	555	–	2	778	730
LAFOURCHE	1510	1517	19.2	1237	1232	3	2	280	277	–	3	794	723
Thibodaux*	942	271	15.5	161	161	–	–	110	108	–	2	140	131
LASALLE	126	257	16.6	225	224	–	1	32	32	–	–	129	128
LINCOLN	305	568	15.2	296	296	–	–	272	271	1	–	288	280
Ruston*	305	277	13.6	127	127	–	–	150	149	1	–	131	146
LIVINGSTON	111	1136	21.2	1035	1015	17	3	101	101	–	–	595	541
MADISON	171	328	22.9	86	79	7	–	242	201	40	1	162	166
MOREHOUSE	587	710	21.2	348	347	–	1	362	362	–	–	345	365
Bastrop*	586	309	20.6	119	119	–	–	190	190	–	–	151	158
NATCHITOCHES	520	658	18.2	338	337	–	1	320	320	–	–	343	315
Natchitoches*	519	300	16.7	106	106	–	–	194	194	–	–	155	145
ORLEANS	15810	10247	18.5	2676	2658	16	2	7571	7566	2	3	5220	5027
OUACHITA	4090	2544	19.3	1504	1504	–	–	1040	1040	–	–	1309	1235
Monroe*	3200	1190	18.8	401	401	–	–	789	789	–	–	603	587
West Monroe*	887	329	18.8	256	256	–	–	73	73	–	–	171	158
PLAQUEMINES	48	551	20.3	399	398	1	–	152	151	–	1	270	281
POINTE COUPEE	149	432	18.9	193	193	–	–	239	237	–	2	215	217
RAPIDES	3976	2503	19.8	1576	1575	–	1	927	926	–	1	1253	1250
Alexandria*	2351	1136	21.3	467	467	–	–	669	668	–	1	556	580
RED RIVER	43	184	19.4	94	94	–	–	90	89	1	–	96	88
RICHLAND	287	494	22.7	235	235	–	–	259	259	–	–	271	223
SABINE	93	374	18.3	265	265	–	–	109	109	–	–	184	190
ST. BERNARD	10	1120	17.7	1056	1054	1	1	64	64	–	–	604	516
ST. CHARLES	9	760	21.6	503	502	1	–	257	257	–	–	405	355
ST. HELENA		145	14.3	61	61	–	–	84	84	–	–	83	62
ST. JAMES	116	441	21.9	197	195	1	1	244	243	–	1	213	228
ST.JOHN	2	701	23.5	377	376	–	1	324	324	–	–	373	328
ST. LANDRY	1430	1689	20.1	916	912	–	4	773	773	–	–	879	810
Opelousas*	885	453	21.8	151	151	–	–	302	302	–	–	243	210
Eunice*	540	291	23.3	203	201	–	2	88	88	–	–	152	139
ST. MARTIN	286	841	23.0	498	493	1	4	343	342	–	1	441	400
ST. MARY	1082	1371	22.0	820	817	1	2	551	549	–	2	684	687
Morgan City*	696	371	21.4	248	248	–	–	123	123	–	–	181	190
ST. TAMMANY	1489	1943	19.6	1592	1574	15	3	351	350	–	1	985	958
Slidell*	689	458	17.4	390	386	3	1	68	67	–	1	236	222
TANGIPAHOA	1669	1647	21.2	919	911	7	1	728	726	1	1	880	767
Hammond*		295	19.5	124	121	3	–	171	171	–	–	161	134
TENSAS	56	178	21.6	60	59	1	–	118	115	3	–	83	95
TERREBONNE	2618	2217	24.2	1640	1637	2	1	577	573	–	4	1144	1073
Houma*	1541	807	19.4	534	534	–	–	273	270	–	3	412	395
UNION	182	330	16.2	219	219	–	–	111	110	–	1	171	159
VERMILION	651	934	19.4	746	742	–	4	188	187	–	1	502	432
Abbeville*	394	251	19.4	132	131	–	1	119	119	–	–	146	105
VERNON	938	1223	25.5	916	911	5	–	307	305	1	1	628	595
WASHINGTON	808	769	17.5	456	455	1	–	313	312	1	–	404	365
Bogalusa*	651	284	15.7	161	161	–	–	123	122	1	–	144	140
WEBSTER	362	739	17.6	419	414	5	–	320	315	5	–	387	352
Minden*	298	279	19.2	119	117	2	–	160	157	3	–	133	146
WEST BATON ROUGE	8	402	21.8	207	206	1	–	195	194	–	1	214	188
WEST CARROLL	21	234	18.4	170	170	–	–	64	64	–	–	123	111
WEST FELICIANA	17	142	13.6	56	55	1	–	86	86	–	–	63	79
WINN	13	306	17.7	195	195	–	–	111	111	–	–	164	142
OUT OF STATE**	966	1127	–	937	927	9	1	190	187	3	–	572	555

* Cities are included in parish totals.
** Not included in state totals.
NA - 1979 population estimates not available.

Table III
Live Births Showing Hospital in Which Birth Occurred by Sex and Race
Louisiana, 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
TOTAL	79036	24527	23213	15915	15381
ACADIA	925	374	359	85	107
Acadia - St. Landry Hospital	157	63	51	16	27
American Legion Memorial Hospital	494	218	217	28	31
Rayne Branch Hospital	274	93	91	41	49
ALLEN	236	84	96	18	38
Allen Parish Hospital	167	65	79	9	14
Oakdale General Hospital	69	19	17	9	24
ASCENSION	97	36	46	6	9
Prevost Memorial Hospital	97	36	46	6	9
AVOYELLES	232	70	73	47	42
Bunkie General Hospital	132	47	52	15	18
Marksville General Hospital	100	23	21	32	24
BEAUREGARD	560	224	246	52	38
Beauregard Memorial Hospital	547	221	236	52	38
Merryville General Hospital	13	3	10	–	–
BOSSIER	1521	673	589	148	111
Barksdale Air Force Base Hospital	580	225	186	99	70
Bossier City General Hospital	941	448	403	49	41
CADDO	7110	1724	1622	1899	1865
Louisiana State University Medical Center	3700	387	356	1487	1470
Highland Hospital	433	183	183	36	31
Doctor's Hospital and Research Center	146	25	29	54	38
Physicians' and Surgeons' Hospital	396	136	107	79	74
T.E. Schumpert Hospital	1209	513	515	93	88
Willis - Knighton Memorial Hospital	1226	480	432	150	164
CALCASIEU	3884	1446	1348	558	532
Dr. Walter Olin Moss Regional Hospital	889	226	206	235	222
Lake Charles Memorial Hospital	1439	554	519	188	178
St. Patrick's Hospital	833	355	305	87	86
West Calcasieu - Cameron Hospital	723	311	318	48	46
CALDWELL	112	37	46	17	12
Caldwell Hospital	112	37	46	17	12
CLAIBORNE	78	26	24	9	19
Homer Memorial Hospital	78	26	24	9	19
CONCORDIA	250	38	43	93	76
Concordia Parish Hospital	250	38	43	93	76
EAST BATON ROUGE	10373	3186	3097	2080	2010
Baton Rouge General Hospital	2	–	–	1	1
Earl K. Long Charity Hospital	3289	386	351	1290	1262
Lane Memorial Hospital	440	153	157	69	61
Our Lady of the Lake Medical Center	1	–	–	–	1
Womans Hospital	6641	2647	2589	720	685
EAST CARROLL	179	23	23	68	65
East Carroll Parish Hospital	179	23	23	68	65
EVANGELINE	293	78	70	71	74
Ville Platte General Hospital	187	43	37	54	53
Savoy Memorial Hospital	106	35	33	17	21
FRANKLIN	216	30	28	76	82
Franklin Parish Hospital	216	30	28	76	82
IBERIA	1242	452	406	202	182
Dauterive Hospital, Inc.	658	259	236	93	70
Iberia Parish Hospital	583	193	170	108	112
Lasalette Memorial Hospital	1	–	–	1	–
IBERVILLE	14	1	–	6	7
Rhodes J. Spedale General Hospital	14	1	–	6	7
JACKSON	286	50	57	93	86
Jackson Parish Hospital	286	50	57	93	86
JEFFERSON	6749	2977	2932	429	411
East Jefferson General Hospital	804	366	360	45	33
Ochsner Foundation Hospital	682	311	265	60	46
Lakeside Hospital	3807	1694	1728	197	188
Metairie General Hospital	1	–	1	–	–
West Jefferson General Hospital	1455	606	578	127	144

Table III (continued)

Live Births Showing Hospital in Which Birth Occurred by Sex and Race

Louisiana , 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
JEFFERSON DAVIS	429	156	173	55	45
Jennings American Legion Hospital	362	130	153	44	35
Welsh General Hospital	67	26	20	11	10
LAFAYETTE	4807	1531	1374	972	930
Lafayette Charity Hospital	1925	261	238	750	676
Lafayette General Hospital	2875	1266	1135	222	252
Our Lady Of Lourdes Hospital	1	1	–	–	–
St. Ann's Infirmary	6	3	1	–	2
LAFOURCHE	1503	647	633	117	106
Lady Of The Sea Hospital	132	68	60	2	2
St. Anne General Hospital	442	203	212	13	14
Thibodaux General Hospital	929	376	361	102	90
LASALLE	125	64	49	7	5
Hardtner Medical Center	125	64	49	7	5
LINCOLN	305	119	104	41	41
Lincoln General Hospital	305	119	104	41	41
LIVINGSTON	108	52	53	2	1
Dixon Memorial Hospital	108	52	53	2	1
MADISON	170	9	16	72	73
Madison Parish Hospital	170	9	16	72	73
MOREHOUSE	586	187	187	96	116
Morehouse General Hospital	586	187	187	96	116
NATCHITOCHES	519	202	178	77	62
Natchitoches Parish Hospital	519	202	178	77	62
ORLEANS	15786	3175	2853	4961	4797
Jo Ellen Smith Memorial Hospital	1521	452	449	303	317
Baptist Hospital	2110	1015	860	128	107
Charity Hospital of New Orleans	6404	474	388	2851	2691
The New St. Claude General Hospital	762	5	6	382	369
Flint Goodridge Hospital of Dillard University	297	–	–	145	152
Hotel Dieu Hospital	777	246	218	163	150
Pendleton Memorial Methodist Hospital	1722	606	580	273	263
Mercy Hospital	49	18	23	5	3
Montelepre Memorial Hospital	10	7	3	–	–
Touro Infirmary	1532	237	214	534	547
Tulane Medical Center Hospital	28	8	10	6	4
U.S. Public Health Service Hospital	574	107	102	171	194
OUACHITA	4081	1195	1173	883	830
E.A. Conway Memorial Hospital	1773	180	209	706	678
Glenwood Hospital	885	415	398	42	30
St. Francis Hospital	1423	600	566	135	122
PLAQUEMINES	48	17	22	4	5
Plaquemines Parish General Hospital	48	17	22	4	5
POINTE COUPEE	148	28	28	51	41
Pointe Coupee General Hospital	148	28	28	51	41
RAPIDES	3973	1307	1269	697	700
Rapides General Hospital	1070	450	417	110	93
Doctor's Hospital	43	10	20	5	8
Huey P. Long Charity Hospital	1581	282	284	499	516
St. Francis Cabrini Hospital	1279	565	548	83	83
RED RIVER	43	19	12	5	7
L.S. Huckabay Memorial Hospital	43	19	12	5	7
RICHLAND	286	102	93	47	44
Richland Parish Hospital (Delhi)	211	79	79	30	23
Richland Parish Hospital (Rayville)	75	23	14	17	21
SABINE	92	29	26	16	21
Fraser Hospital	22	9	8	–	5
Pleasant Hill General Hospital	70	20	18	16	16
ST. BERNARD	8	4	1	2	1
St. Bernard General Hospital	4	1	1	2	–
Chalmette General Hospital	4	3	–	–	1
ST. CHARLES	8	1	2	4	1
St. Charles Parish Hospital	8	1	2	4	1

Table III (continued)

Live Births Showing Hospital in Which Birth Occurred by Sex and Race

Louisiana, 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		Male	Female	Male	Female
ST. JAMES	115	39	34	22	20
St. James Parish Hospital	115	39	34	22	20
ST. LANDRY	1422	517	543	198	164
Moosa Memorial Hospital	532	197	226	59	50
Opelousa General Hospital	862	307	305	137	113
Doctors' Hospital	28	13	12	2	1
ST. MARTIN	277	97	74	52	54
Gary Memorial Hospital	169	62	44	36	27
St. Martin Infirmary	108	35	30	16	27
ST. MARY	1078	333	362	199	184
Franklin Foundation Hospital	382	75	72	125	110
Lakewood Hospital	696	258	290	74	74
ST. TAMMANY	1461	638	584	117	122
Highland Park Hospital	205	83	67	33	22
St. Tammany Parish Hospital	572	229	219	55	69
Slidell Memorial Hospital	684	326	298	29	31
TANGIPAHOA	1666	430	421	432	383
Lallie Kemp Charity Hospital	865	147	145	298	275
Seventh Ward General Hospital	801	283	276	134	108
TENSAS	55	3	6	19	27
St. Charles Hospital of Tensas Parish	55	3	6	19	27
TERREBONNE	2610	967	863	395	385
South Louisiana Medical Center	1098	260	239	312	287
Terrebonne Parish General Hospital	1512	707	624	83	98
UNION	179	55	54	34	36
Tri-Ward General Hospital	1	–	–	1	–
Union General Hospital	178	55	54	33	36
VERMILION	646	301	239	55	51
Abrom Kaplan Memorial Hospital	231	111	98	10	12
Abbeville General Hospital	393	180	136	41	36
Erath Memorial Hospital	22	10	5	4	3
VERNON	928	339	287	137	165
Leesville General Hospital	41	20	13	3	5
U.S. Army Hospital	872	314	267	134	157
Byrd Memorial Hospital	15	5	7	–	3
WASHINGTON	807	287	233	142	145
Bogalusa Community Medical Center	317	144	121	26	26
Riverside Medical Center	156	55	42	32	27
Washington - St. Tammany Charity Hospital	334	88	70	84	92
WEBSTER	361	132	142	41	46
Minden Medical Center	296	102	118	38	38
Community Hospital	65	30	24	3	8
WEST CARROLL	21	9	12	–	–
West Carroll Parish Hospital	21	9	12	–	–
WEST FELICIANA	16	6	5	1	4
West Feliciana Parish Hospital	16	6	5	1	4
WINN	12	1	3	5	3
Winnfield General Hospital	12	1	3	5	3

Table IV
Congenital Anomalies Specified on Birth Certificates* Shown by Type of Anomaly and Age of Mother
Louisiana, 1979

(By Place of Residence)

CAUSE	TOTAL	AGE									
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 and Over	Not Stated
TOTAL	583	2	111	197	162	73	26	9	1	–	2
Congenital syphilis - (090)	1	–	1	–	–	–	–	–	–	–	–
Haemangioma and lymphangioma, any site - (228)	3	–	–	2	1	–	–	–	–	–	–
Neoplasm of unspecified nature - (239)	1	–	–	–	1	–	–	–	–	–	–
Congenital hypothyroidism - (243)	1	–	–	–	–	–	1	–	–	–	–
Other endocrine disorders - (259)	1	–	–	–	1	–	–	–	–	–	–
Disorders of amino-acid transport and metabolism - (270)	1	–	–	–	1	–	–	–	–	–	–
Other and unspecified disorders of metabolism - (277)	5	–	–	3	1	1	–	–	–	–	–
Purpura and other haemorrhagic conditions - (287)	2	–	1	–	1	–	–	–	–	–	–
Infantile cerebral palsy - (343)	1	–	–	1	–	–	–	–	–	–	–
Cardiomyopathy - (425)	1	–	–	–	–	1	–	–	–	–	–
Other hernia of abdominal cavity without mention of obstruction or gangrene - (553)	9	–	1	1	3	3	1	–	–	–	–
Pilonidal cyst - (685)	1	–	–	–	1	–	–	–	–	–	–
Anencephalus and similar anomalies - (740)	14	–	1	4	2	5	2	–	–	–	–
Spina bifida - (741)	28	–	6	8	6	6	2	–	–	–	–
Other congenital anomalies of nervous system - (742)	23	–	3	11	5	3	1	–	–	–	–
Congenital anomalies of eye - (743)	6	1	1	2	–	–	1	1	–	–	–
Congenital anomalies of ear, face and neck - (744)	9	–	3	2	3	–	–	–	–	–	1
Bulbus cordis anomalies and anomalies of cardiac septal closure - (745)	7	–	3	–	3	1	–	–	–	–	–
Other congenital anomalies of heart - (746)	19	–	2	7	2	5	2	1	–	–	–
Other congenital anomalies of circulatory system - (747)	7	–	–	5	1	1	–	–	–	–	–
Congenital anomalies of respiratory system - (748)	10	–	3	3	3	–	–	1	–	–	–
Cleft palate and cleft lip - (749)	67	–	17	22	15	11	2	–	–	–	–
Other congenital anomalies of upper alimentary tract - (750)	9	–	1	2	4	2	–	–	–	–	–
Other congenital anomalies of digestive system - (751)	16	–	2	8	3	1	2	–	–	–	–
Congenital anomalies of genital organs - (752)	41	–	4	17	14	5	1	–	–	–	–
Congenital anomalies of urinary system - (753)	14	–	3	5	3	3	–	–	–	–	–
Certain congenital musculoskeletal deformities - (754)	74	–	10	29	26	7	1	–	–	–	1
Other congenital anomalies of limbs - (755)	106	1	28	37	25	9	4	2	–	–	–
Other congenital musculoskeletal anomalies - (756)	26	–	6	5	11	2	–	2	–	–	–
Congenital anomalies of the integument - (757)	26	–	4	6	10	3	2	1	–	–	–
Chromosomal anomalies - (758)	21	–	5	6	5	2	2	–	1	–	–
Other and unspecified congenital anomalies - (759)	25	–	4	11	7	2	–	1	–	–	–
Slow fetal growth and fetal malnutrition - (764)	2	–	–	–	–	–	2	–	–	–	–
Infections specific to the perinatal period - (771)	1	–	–	–	1	–	–	–	–	–	–
Conditions involving the integument and temperature regulation of fetus and newborn - (778)	5	–	2	–	3	–	–	–	–	–	–

* This is not an unduplicated count; more than 1 congenital anomaly was specified on some birth certificates.

Table V

Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
TOTAL	6814	1382	1525	1818	2089	1336	1415	4063
ACADIA	75	14	27	16	18	14	16	45
Acadia - St. Landry Hospital	13	1	3	4	5	1	2	10
American Legion Hospital	36	9	16	8	3	6	10	20
Rayne - Branch Hospital	26	4	8	4	10	7	4	15
ALLEN	16	3	4	2	7	1	5	10
Allen Parish Hospital	9	1	4	1	3	1	1	7
Oakdale General Hospital	7	2	–	1	4	–	4	3
ASCENSION	7	1	4	1	1	–	–	7
Prevost Memorial Hospital	7	1	4	1	1	–	–	7
AVOYELLES	24	6	5	5	8	3	6	15
Bunkie General Hospital	7	3	3	-	1	1	2	4
Marksville General Hospital	17	3	2	5	7	2	4	11
BEAUREGARD	36	8	15	4	9	6	8	22
Beauregard Memorial Hospital	36	8	15	4	9	6	8	22
BOSSIER	75	32	30	4	9	9	14	52
Barksdale Air Force Base Hospital	24	6	11	4	3	1	5	18
Bossier City General Hospital	51	26	19	–	6	8	9	34
CADDO	801	111	123	272	295	208	187	406
Louisiana State University Medical Center	541	34	40	224	243	152	120	269
Highland Hospital	27	7	13	4	3	5	7	15
Doctor's Hospital and Research Hospital	17	3	–	8	6	2	8	7
Physicians' and Surgeons' Hospital	26	6	2	7	11	4	10	12
T E. Schumpert Hospital	112	33	50	15	14	26	33	53
Willis - Knighton Memorial Hospital	78	28	18	14	18	19	9	50
CALCASIEU	328	84	105	68	71	65	70	193
Dr. Walter Olin Moss Regional Hospital	93	12	21	27	33	23	12	58
Lake Charles Memorial Hospital	115	32	39	24	20	21	30	64
St. Patrick's Hospital	64	16	31	7	10	9	16	39
West Calcasieu - Cameron Hospital	56	24	14	10	8	12	12	32
CALDWELL	10	5	3	2	–	6	–	4
Caldwell Hospital	10	5	3	2	–	6	–	4
CLAIBORNE	4	–	1	1	2	–	–	4
Homer Memorial Hospital	4	–	1	1	2	–	–	4
CONCORDIA	26	2	2	13	9	4	2	20
Concordia Parish Hospital	26	2	2	13	9	4	2	20
EAST BATON ROUGE	861	170	197	226	268	140	173	548
Earl K. Long Memorial Hospital	385	27	39	145	174	65	73	247
Lane Memorial Hospital	36	8	15	5	8	3	10	23
Our Lady of the Lake Medical Center	1	–	–	–	1	1	–	–
Woman's Hospital	439	135	143	76	85	71	90	278
EAST CARROLL	17	–	1	7	9	1	2	14
East Carroll Parish Hospital	17	–	1	7	9	1	2	14
EVANGELINE	35	12	8	8	7	5	7	23
Ville Platte General Hospital	15	5	3	5	2	2	2	11
Savoy Memorial Hospital	20	7	5	3	5	3	5	12
FRANKLIN	29	1	5	7	16	3	10	16
Franklin Parish Hospital	29	1	5	7	16	3	10	16
IBERIA	78	16	18	26	18	10	16	52
Dauterive Hospital, Inc.	37	8	7	16	6	6	7	24
Iberia Parish Hospital	41	8	11	10	12	4	9	28
IBERVILLE	1	–	–	–	1	1	–	–
Rhodes J. Spedale General Hospital	1	–	–	–	1	1	–	–
JACKSON	42	3	4	15	20	4	12	26
Jackson Parish Hospital	42	3	4	15	20	4	12	26

Table V (continued)
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
JEFFERSON	494	199	199	46	50	107	97	290
East Jefferson General Hospital	44	22	15	4	3	5	7	32
Ochsner Foundation Hospital	94	36	42	9	7	31	22	41
Lakeside Hospital	250	110	103	18	19	54	49	147
West Jefferson General Hospital	106	31	39	15	21	17	19	70
JEFFERSON DAVIS	28	7	10	4	7	8	5	15
Jennings American Legion Hospital	23	6	10	2	5	6	5	12
Welsh General Hospital	5	1	–	2	2	2	–	3
LAFAYETTE	419	75	102	96	146	89	96	234
Lafayette Charity Hospital	228	26	27	69	106	47	52	129
Lafayette General Hospital	191	49	75	27	40	42	44	105
LAFOURCHE	82	39	29	7	7	15	17	50
Lady of the Sea General Hospital	6	4	2	–	–	1	3	2
St. Anne General Hospital	22	14	8	–	–	3	4	15
Thibodaux General Hospital	54	21	19	7	7	11	10	33
LASALLE	10	5	2	2	1	–	4	6
Hardtner Medical Center	10	5	2	2	1	–	4	6
LINCOLN	14	4	3	2	5	1	7	6
Lincoln General Hospital	14	4	3	2	5	1	7	6
LIVINGSTON	5	1	4		–	–	1	4
Dixon Memorial Hospital	5	1	4	–	–	–	1	4
MADISON	14	1	1	9	3	1	4	9
Madison Parish Hospital	14	1	1	9	3	1	4	9
MOREHOUSE	44	12	13	6	13	5	10	29
Morehouse General Hospital	44	12	13	6	13	5	10	29
NATCHITOCHES	28	7	6	10	5	3	5	20
Natchitoches Parish Hospital	28	7	6	10	5	3	5	20
ORLEANS	1715	196	205	624	690	376	337	1002
Jo Ellen Smith Memorial Hospital	123	24	25	34	40	15	24	84
Baptist Hospital	140	59	51	15	15	28	19	93
Charity Hospital of Louisiana	927	53	58	408	408	241	187	499
The New St. Claude General Hospital	101	–	–	43	58	15	25	61
Flint Goodridge Hospital of Dillard University	33	–	–	15	18	9	6	18
Hotel Dieu Hospital	56	7	17	13	19	15	9	32
Pendleton Memorial Methodist Hospital	127	34	32	28	33	28	16	83
Mercy Hospital	3	2	1	–	–	–	2	1
Montelepre Memorial Hospital	2	2	–	–	–	1	–	1
Touro Infirmary	164	13	14	52	85	21	40	103
Tulane Medical Center Hospital	10	1	6	3	–	2	4	4
U.S. Public Health Service Hospital	29	1	1	13	14	1	5	23
OUACHITA	339	77	74	87	101	72	57	210
E.A. Conway Memorial Hospital	183	11	16	71	85	30	31	122
Glenwood Hospital	49	23	18	4	4	8	5	36
St. Francis Hospital	107	43	40	12	12	34	21	52
PLAQUEMINES	2	1	1	–	–	–	–	2
Plaquemines Parish General Hospital	2	1	1	–	–	–	–	2
POINTE COUPEE	15	2	–	6	7	–	4	11
Pointe Coupee General Hospital	15	2	–	6	7	–	4	11
RAPIDES	284	80	73	61	70	53	60	171
Rapides General Hospital	80	35	22	10	13	17	21	42
Doctors' Hospital	1	–	1	–	–	–	–	1
Huey P. Long Charity Hospital	121	12	17	40	52	18	23	80
St. Francis Cabrini Hospital	82	33	33	11	5	18	16	48
RED RIVER	7	3	1	1	2	2	4	1
L.S. Huckabay Memorial Hospital	7	3	1	1	2	2	4	1
RICHLAND	18	2	8	2	6	3	8	7
Richland Parish Hospital (Delhi)	12	1	5	1	5	3	5	4
Richland Parish Hospital (Rayville)	6	1	3	1	1	–	3	3

Table V (continued)
Immature Births Showing Hospital in Which Birth Occurred
Louisiana, 1979

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT		
		Male	Female	Male	Female	3½ Lbs. and Under	Over 3½ Through 4½ Lbs.	Over 4½ Through 5½ Lbs.
SABINE	10	1	2	4	3	–	1	9
Fraser Hospital	2	1	1	–	–	–	–	2
Pleasant Hill General Hospital	8	–	1	4	3	–	1	7
ST. CHARLES	1	–	–	1	–	–	–	1
St. Charles Parish Hospital	1	–	–	1	–	–	–	1
ST. JAMES	8	4	1	1	2	2	–	6
St. James Parish Hospital	8	4	1	1	2	2	–	6
ST. LANDRY	90	24	33	15	18	16	16	58
Moosa Memorial Hospital	40	7	21	6	6	7	7	26
Opelousas General Hospital	50	17	12	9	12	9	9	32
ST. MARTIN	19	4	6	4	5	2	3	14
Gary Memorial Hospital	10	2	4	2	2	1	2	7
St. Martin Infirmary	9	2	2	2	3	1	1	7
ST. MARY	73	16	21	17	19	8	17	48
Franklin Foundation Hospital	25	3	7	5	10	2	6	17
Lakewood Hospital	48	13	14	12	9	6	11	31
ST. TAMMANY	91	33	36	10	12	22	16	53
Highland Park Hospital	9	1	6	1	1	2	–	7
St. Tammany Parish Hospital	49	20	13	8	8	15	8	26
Slidell Memorial Hospital	33	12	17	1	3	5	8	20
TANGIPAHOA	150	31	26	40	53	20	36	94
Lallie Kemp Charity Hospital	81	9	11	24	37	6	25	50
Seventh Ward General Hospital	69	22	15	16	16	14	11	44
TENSAS	4	–	–	1	3	–	–	4
St. Charles Hospital of Tensas Parish	4	–	–	1	3	–	–	4
TERREBONNE	183	45	56	37	45	23	34	126
South Louisiana Medical Center	109	15	27	31	36	12	20	77
Terrebonne Parish General Hospital	74	30	29	6	9	11	14	49
UNION	10	–	2	5	3	–	2	8
Union General Hospital	10	–	2	5	3	–	2	8
VERMILION	56	15	25	9	7	8	13	35
Abrom Kaplan Memorial Hospital	13	4	8	1	–	1	1	11
Abbeville General Hospital	42	11	17	7	7	7	11	24
Erath Memorial Hospital	1	–	–	1	–	–	1	–
VERNON	58	13	18	15	12	8	8	42
United States Army Hospital (Fort Polk)	58	13	18	15	12	8	8	42
WASHINGTON	51	12	12	13	14	6	13	32
Bogalusa Community Medical Center	20	5	9	3	3	3	2	15
Riverside Medical Center	5	2	1	1	1	1	–	4
Washington - St. Tammany Charity Hospital	26	5	2	9	10	2	11	13
WEBSTER	23	5	3	5	10	4	10	9
Minden Medical Center	20	4	2	5	9	3	9	8
Community Hospital	3	1	1	–	1	1	1	1
WEST FELICIANA	2	–	–	–	2	1	1	–
West Feliciana Parish Hospital	2	–	–	–	2	1	1	–
WINN	2	–	1	1	–	1	1	–
Winnfield General Hospital	2	–	1	1	–	1	1	–

Table VI

Live Births by Birth Order by Weight of Child

Louisiana, 1979

(By Residence)

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS									IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
		Through 2½	Over 2½ Through 4½	Over 4½ Through 5½	Over 5½ Through 6½	Over 6½ Through 7½	Over 7½ Through 8½	Over 8½ Through 9½	Over 9½	Not Stated		
TOTAL	79183	688	2049	4060	13826	26035	21557	8539	2310	119	6797	8.6
1	31653	283	820	1649	5844	10882	8497	2977	660	41	2752	8.7
2	24809	199	589	1145	4164	8134	6963	2823	757	35	1933	7.8
3	12554	105	301	636	2016	3958	3454	1585	477	22	1042	8.3
4	5315	56	187	296	951	1615	1383	618	198	11	539	10.1
5	2202	19	53	145	398	686	580	230	89	2	217	9.9
6	1083	14	36	75	173	331	274	126	51	3	125	11.5
7	615	4	27	48	106	179	152	70	29	–	79	12.8
8	319	1	12	25	61	72	92	37	17	2	38	11.9
9	181	3	3	16	38	44	41	22	13	1	22	12.2
10	116	1	7	8	15	32	34	12	7	–	16	13.8
11	63		5	1	7	20	20	4	6	–	6	9.5
12	45	1	1	4	9	13	9	7	1	–	6	13.3
13	33		2		10	5	8	7	1	–	2	6.1
14	14		1	2	2	3	5	1	–	–	3	21.4
15	11		1	1	1	4	2	2	–	–	2	18.2
16	2					2		–	–	–	–	–
17	2				1		1	–		–	–	–
18	1						1			–	–	–
19	1					1		–		–	–	–
Unk.	164	2	4	9	30	54	41	18	4	2	15	9.1

Table VII

Live Births by Weight of Child Shown by Sex and Race

Louisiana, 1979

(By Residence)

WEIGHT	TOTAL	PERCENT	WHITE				NONWHITE			
			Male	Percent	Female	Percent	Male	Percent	Female	Percent
½ lbs. or less	11	0.0	3	0.0		–	3	0.0	5	0.0
Over ½ through 1½ lbs.	223	0.3	41	0.2	46	0.2	62	0.4	74	0.5
Over 1½ through 2½ lbs.	454	0.6	91	0.4	85	0.4	144	0.9	134	0.9
Over 2½ through 3½ lbs.	635	0.8	127	0.5	130	0.6	187	1.2	191	1.2
Over 3½ through 4½ lbs.	1414	1.8	274	1.1	302	1.3	379	2.4	459	3.0
Over 4½ through 5½ lbs.	4060	5.1	825	3.4	949	4.1	1045	6.6	1241	8.0
Over 5½ through 6½ lbs.	13826	17.5	2881	11.8	3809	16.4	3128	19.6	4008	26.0
Over 6½ through 7½ lbs.	26035	32.9	7214	29.4	7904	34.1	5446	34.2	5471	35.5
Over 7½ through 8½ lbs.	21557	27.3	7920	32.3	6787	29.3	3955	24.8	2895	18.8
Over 8½ through 9½ lbs.	8539	10.8	3915	16.0	2565	11.1	1274	8.0	785	5.1
Over 9½ lbs.	2310	2.9	1222	5.0	599	2.6	321	2.0	168	1.1
Total (with weight stated)	79064	100.0	24513	100.0	23176	100.0	15944	100.0	15431	100.0
Weight not stated	119	–	32	–	26	–	32	–	29	–
TOTAL	79183		24545		23202	–	15976	–	15460	–

Table VIII A
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child
Louisiana, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	18150	18133	229.0			391	7695	6343	2353	892	360	87	7	5
				W	3199	61	1495	1106	346	115	63	9	3	1
				NW	14934	330	6200	5237	2007	777	297	78	4	4
ACADIA	190	249	210.8			6	106	94	25	11	7	–	–	–
				W	95	3	43	34	10	4	1	–	–	–
				NW	154	3	63	60	15	7	6	–	–	–
ALLEN	48	52	158.5			1	20	20	7	3	1	–	–	–
				W	19	–	7	5	3	3	1	–	–	–
				NW	33	1	13	15	4	–	–	–	–	–
ASCENSION	14	178	168.2			5	71	63	20	11	7	1	–	–
				W	36	–	18	12	1	2	2	1	–	–
				NW	142	5	53	51	19	9	5	–	–	–
ASSUMPTION	2	93	215.8	–	–	1	34	38	11	5	3	1	–	–
				W	19	–	9	5	3	2	–	–	–	–
				NW	74	1	25	33	8	3	3	1	–	–
AVOYELLES	77	137	195.4			4	56	60	10	4	2	–	–	1
				W	23	1	11	10	–	1	–	–	–	–
				NW	114	3	45	50	10	3	2	–	–	1
BEAUREGARD	72	62	114.2			1	29	21	7	2	2	–	–	–
				W	25	–	14	7	2	1	1	–	–	–
				NW	37	1	15	14	5	1	1	–	–	–
BIENVILLE	–	75	271.7			3	36	22	9	2	3	–	–	–
				W	4	–	3	1	–	–	–	–	–	–
				NW	71	3	33	21	9	2	3	–	–	–
BOSSIER	93	258	169.4			7	126	81	23	13	8	–	–	–
				W	76	–	38	23	11	2	2	–	–	–
				NW	182	7	88	58	12	11	6	–	–	–
CADDO	2330	1478	302.1			46	673	474	170	73	27	13	1	1
				W	196	6	100	54	22	5	8	1	–	–
				NW	1282	40	573	420	148	68	19	12	1	1
CALCASIEU	633	559	168.2			8	250	196	71	27	5	2	–	–
				W	162	3	76	58	16	6	3	–	–	–
				NW	397	5	174	138	55	21	2	2	–	–
CALDWELL	32	40	211.6			3	22	11	1	2	1	–	–	–
				W	17	2	9	5	–	1	–	–	–	–
				NW	23	1	13	6	1	1	1	–	–	–
CAMERON	–	25	143.7			2	12	9	1	–	–	1	–	–
				W	16	1	9	5	–	–	–	1	–	–
				NW	9	1	3	4	1	–	–	–	–	–
CATAHOULA	–	50	197.6			1	23	18	5	2	–	1	–	–
				W	4	–	3	–	1	–	–	–	–	–
				NW	46	1	20	18	4	2	–	1	–	–
CLAIBORNE	25	70	295.4			1	39	17	7	3	2	–	1	–
				W	4	–	2	1	–	–	–	–	1	–
				NW	66	1	37	16	7	3	2	–	–	–
CONCORDIA	145	125	290.7			3	58	44	12	7	1	–		–
				W	6	–	3	3	–	–	–	–	–	–
				NW	119	3	55	41	12	7	1		–	–
DESOTO	1	145	327.3			7	57	53	20	8	–	–	–	–
				W	10	1	5	3	1	–	–	–	–	–
				NW	135	6	52	50	19	8	–	–	–	–
EAST BATON ROUGE	2181	1442	215.1			21	554	537	197	94	29	9	1	–
				W	208	1	83	93	19	10	2	–	–	–
				NW	1234	20	471	444	178	84	27	9	1	–

Table VIII A (continued)

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
EAST CARROLL	102	131	485.2			10	63	37	14	5	2	–	–	–
				W	5	–	2	2	1	–	–	–	–	–
				NW	126	10	61	35	13	5	2	–	–	–
EAST FELICIANA	–	90	278.6			–	35	28	12	10	3	2	–	–
				W	8	–	3	3	1	1	–	–	–	–
				NW	82	–	32	25	11	9	3	2	–	–
EVANGELINE	106	119	192.6			5	43	38	23	7	2	1	–	–
				W	31	2	17	10	1	1	–	–	–	–
				NW	88	3	26	28	22	6	2	1	–	–
FRANKLIN	134	148	346.6			5	69	43	19	7	3	2	–	–
				W	15	–	7	7	1	–	–	–	–	–
				NW	133	5	62	36	18	7	3	2	–	–
GRANT	–	40	153.8			2	18	11	7	1	1	–	–	–
				W	11	–	7	3	1	–	–	–	–	–
				NW	29	2	11	8	6	1	1	–	–	–
IBERIA	185	301	207.4			6	128	99	46	18	4	–	–	–
				W	65	–	36	22	2	5	–	–	–	–
				NW	236	6	92	77	44	13	4	–	–	–
IBERVILLE	12	201	300.0			8	95	59	22	12	3	1	–	1
				W	19	1	13	5	–	–	–	–	–	–
				NW	182	7	82	54	22	12	3	1	–	1
JACKSON	101	67	219.0			1	33	19	9	3	2	–	–	–
				W	8	–	2	3	3	–	–	–	–	–
				NW	59	1	31	16	6	3	2	–	–	–
JEFFERSON	432	1139	140.4			22	517	377	140	53	25	4	1	–
				W	385	6	183	120	45	17	12	1	1	–
				NW	754	16	334	257	95	36	13	3	–	–
JEFFERSON DAVIS	68	115	171.4			–	58	41	11	4	1	–	–	–
				W	48	–	28	15	3	2	–	–	–	–
				NW	67	–	30	26	8	2	1	–	–	–
LAFAYETTE	1016	429	155.8			4	163	167	67	17	8	3	–	–
				W	139	1	60	56	16	5	1	–	–	–
				NW	290	3	103	111	51	12	7	3	–	–
LAFOURCHE	86	193	127.2			4	100	59	19	8	3	–	–	–
				W	63	3	36	20	3	1	–	–	–	–
				NW	130	1	64	39	16	7	3	–	–	–
LASALLE	20	36	140.1			3	13	13	4	2	1	–	–	–
				W	14	2	4	5	1	1	1	–	–	–
				NW	22	1	9	8	3	1	–	–	–	–
LINCOLN	29	138	243.0			8	64	41	16	6	3	–	–	–
				W	14	1	11	1	1	–	–	–	–	–
				NW	124	7	53	40	15	6	3	–	–	–
LIVINGSTON	1	123	108.3			4	48	53	11	5	2	–	–	–
				W	72	1	32	31	4	4	–	–	–	–
				NW	51	3	16	22	7	1	2	–	–	–
MADISON	122	176	536.6			4	82	63	16	5	2	4	–	–
				W	8	–	3	4	–	1	–	–	–	–
				NW	168	4	79	59	16	4	2	4	–	–
MOREHOUSE	153	253	356.3			11	121	87	22	7	4	1	–	–
				W	28	1	15	8	4	–	–	–	–	–
				NW	225	10	106	79	18	7	4	1	–	–
NATCHITOCHES	64	172	261.4			2	73	61	25	7	2	2	–	–
				W	27	–	16	11	–	–	–	–	–	–
				NW	145	2	57	50	25	7	2	2	–	–

Table VIII A (continued)

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
ORLEANS	5584	4066	396.8			64	1532	1499	631	241	86	13	–	–
				W	251	3	76	102	49	18	3	–	–	–
				NW	3815	61	1456	1397	582	223	83	13	–	–
OUACHITA	1052	664	261.0			13	311	222	74	35	6	3	–	–
				W	78	–	45	19	8	4	1	1	–	–
				NW	586	13	266	203	66	31	5	2	–	–
PLAQUEMINES	4	100	181.5			1	52	28	14	4	1	–	–	–
				W	32	1	20	6	3	1	1	–	–	–
				NW	68	–	32	22	11	3	–	–	–	–
POINTE COUPEE	61	125	289.4			2	45	44	19	9	5	1	–	–
				W	11	1	6	2	2	–	–	–	–	–
				NW	114	1	39	42	17	9	5	1	–	–
RAPIDES	771	540	215.7			9	235	194	73	18	10	1	–	–
				W	108	1	59	37	6	2	3	–	–	–
				NW	432	8	176	157	67	16	7	1	–	–
RED RIVER	1	51	277.2			–	26	17	3	3	–	1	–	1
				W	6	–	3	2	1	–	–	–	–	–
				NW	45	–	23	15	2	3	–	1	–	1
RICHLAND	78	176	356.3			5	73	67	20	5	3	3	–	–
				W	10	1	4	4	1	–	–	–	–	–
				NW	166	4	69	63	19	5	3	3	–	–
SABINE	32	74	197.9			1	28	27	14	1	2	1	–	–
				W	19	–	8	7	2	–	1	1	–	–
				NW	55	1	20	20	12	1	1	–	–	–
ST. BERNARD	4	89	79.5			1	36	33	15	1	3	–	–	–
				W	65	1	24	26	10	1	3	–	–	–
				NW	24	–	12	7	5	–	–	–	–	–
ST. CHARLES	4	133	175.0			–	50	50	21	6	6	–	–	–
				W	27	–	12	13	1	–	1	–	–	–
				NW	106	–	38	37	20	6	5	–	–	–
ST. HELENA	–	36	248.3			–	18	8	5	3	2	–	–	–
				W	5	–	2	1	1	–	1	–	–	–
				NW	31	–	16	7	4	3	1	–	–	–
ST. JAMES	9	117	265.3			1	48	34	22	5	6	–	–	1
				W	4	–	2	1	–	–	–	–	–	1
				NW	113	1	46	33	22	5	6	–	–	–
ST. JOHN	–	136	194.0			3	61	48	18	3	1	2	–	–
				W	16	–	9	6	1	–	–	–	–	–
				NW	120	3	52	42	17	3	1	2	–	–
ST. LANDRY	205	385	227.9			7	167	124	52	21	12	1	1	–
				W	67	1	33	15	14	2	2	–	–	–
				NW	318	6	134	109	38	19	10	1	1	–
ST. MARTIN	74	179	212.8			2	81	58	24	5	4	4	1	–
				W	43	–	25	9	6	–	1	1	1	–
				NW	136	2	56	49	18	5	3	3	–	–
ST. MARY	209	296	215.9			10	140	108	23	9	5	1	–	–
				W	68	3	39	19	7	–	–	–	–	–
				NW	228	7	101	89	16	9	5	1	–	–
ST. TAMMANY	167	254	130.7			9	110	90	35	8	1	1	–	–
				W	90	3	40	34	11	1	1	–	–	–
				NW	164	6	70	56	24	7	–	1	–	–
TANGIPAHOA	509	465	282.3			7	203	164	65	18	7	1	–	–
				W	70	1	26	27	10	2	3	1	–	–
				NW	395	6	177	137	55	16	4	–	–	–

Table VIII A (continued)

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child

Louisiana, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TENSAS	39	90	505.6			–	41	38	8	1	1	1	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	89	–	40	38	8	1	1	1	–	–
TERREBONNE	458	298	134.4			9	125	111	29	14	9	1	–	–
				W	113	3	52	38	12	3	5	–	–	–
				NW	185	6	73	73	17	11	4	1	–	–
UNION	45	54	163.6			3	30	15	4	2	–	–	–	–
				W	9	1	5	3	–	–	–	–	–	–
				NW	45	2	25	12	4	2	–	–	–	–
VERMILION	90	135	144.5			3	57	47	20	3	3	1	1	–
				W	54	1	23	21	7	1	1	–	–	–
				NW	81	2	34	26	13	2	2	1	1	–
VERNON	49	98	80.1			5	43	36	10	4	–	–	–	–
				W	57	1	25	25	4	2	–	–	–	–
				NW	41	4	18	11	6	2	–	–	–	–
WASHINGTON	192	201	261.4			2	83	78	23	10	3	2	–	–
				W	49	1	18	19	8	1	1	1	–	–
				NW	152	1	65	59	15	9	2	1	–	–
WEBSTER	28	207	280.1			7	101	56	27	10	6	–	–	–
				W	28	–	14	8	3	2	1	–	–	–
				NW	179	7	87	48	24	8	5	–	–	–
WEST BATON ROUGE	6	109	271.1			2	37	45	12	5	7	1	–	–
				W	11	–	4	5	2	–	–	–	–	–
				NW	98	2	33	40	10	5	7	1	–	–
WEST CARROLL		52	222.2			3	31	12	4	1	1	–	–	–
				W	16	2	7	6	1	–	–	–	–	–
				NW	36	1	24	6	3	1	1	–	–	–
WEST FELICIANA	1	45	316.9			1	17	20	4	3	–	–	–	–
				W	5	–	2	3	–	–	–	–	–	–
				NW	40	1	15	17	4	3	–	–	–	–
WINN	4	49	160.1			2	25	16	5	–	1	–	–	–
				W	6	–	3	3	–	–	–	–	–	–
				NW	43	2	22	13	5	–	1	–	–	–
OUT OF STATE*	112	129	–			3	73	42	7	3	1	–	–	–
				W	88	2	51	29	3	2	1	–	–	–
				NW	41	1	22	13	4	1	–	–	–	–

* Not included in state totals.

Table VIII B

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child Louisiana, by State Planning Districts and Health Service Areas, 1979

STATE PLANNING DISTRICT (SPD) OR HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	AGE Under 15	 15-19	 20-24	 25-29	 30-34	 35-39	 40-44	 45 and Over	 Not Stated
TOTAL................	18150	18133	229.0			391	7695	6343	2353	892	360	87	7	5
				W	3199	61	1495	1106	346	115	63	9	3	1
				NW	14934	330	6200	5237	2007	777	297	78	4	4
SPD 1................	6191	5648	257.1			97	2247	2027	835	307	116	18	1	—
				W	823	14	343	288	118	38	20	1	1	—
				NW	4825	83	1904	1739	717	269	96	17	—	—
SPD 2................	2977	3015	224.5			52	1206	1099	390	180	68	18	1	1
				W	494	6	207	201	48	20	9	3	—	—
				NW	2521	46	999	898	342	160	59	15	1	1
SPD 3................	559	970	159.9			18	418	340	120	41	28	4	—	1
				W	242	6	120	83	20	6	6	—	—	1
				NW	728	12	298	257	100	35	22	4	—	—
SPD 4................	2075	2093	193.1			43	885	735	280	91	45	11	3	—
				W	562	11	276	186	63	18	6	1	1	—
				NW	1531	32	609	549	217	73	39	10	2	—
SPD 5................	821	813	161.3			12	369	287	97	36	9	3	—	—
				W	270	4	134	90	24	12	5	1	—	—
				NW	543	8	235	197	73	24	4	2	—	—
SPD 6................	1066	1075	181.2			29	471	392	126	38	16	2	—	1
				W	229	5	115	86	13	6	4	—	—	—
				NW	846	24	356	306	113	32	12	2	—	1
SPD 7................	2603	2668	269.7			82	1223	849	314	126	53	17	2	2
				W	384	8	200	111	41	9	12	2	1	—
				NW	2284	74	1023	738	273	117	41	15	1	2
SPD 8................	1858	1851	308.0			58	876	614	191	73	25	14	—	—
				W	195	7	100	61	19	6	1	1	—	—
				NW	1656	51	776	553	172	67	24	13	—	—

STATE PLANNING DISTRICT (SPD) OR HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATIO	RACE	TOTAL (By Race)	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL................	18150	18133	229.0			391	7695	6343	2353	892	360	87	7	5
				W	3199	61	1495	1106	346	115	63	9	3	1
				NW	14934	330	6200	5237	2007	777	297	78	4	4
HSA 1................	6750	6618	236.0			115	2655	2367	955	348	144	22	1	1
				W	1065	20	463	371	138	44	26	1	1	1
				NW	5553	95	2202	1996	817	304	118	21	—	—
HSA 2................	5873	5921	202.0			107	2460	2121	767	307	122	32	4	1
				W	1326	21	617	477	135	50	20	5	1	—
				NW	4595	86	1843	1644	632	257	102	27	3	1
HSA 3................	5527	5594	256.2			169	2570	1855	631	237	94	33	2	3
				W	808	20	415	258	73	21	17	3	1	—
				NW	4786	149	2155	1597	558	216	77	30	1	3

FETAL MORTALITY

Table IX A

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race

Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	881	857	10.8			14	216	250	193	108	53	15	4	4
				W	368	2	72	120	89	54	25	5	–	1
				NW	489	12	144	130	104	54	28	10	4	3
ACADIA	5	9	7.6			–	3	2	4	–	–	–	–	–
				W	6	–	2	1	3	–	–	–	–	–
				NW	3	–	1	1	1	–	–	–	–	–
ALLEN	1	7	21.3			–	2	3	2	–	–	–	–	–
				W	2	–	1	1	–	–	–	–	–	–
				NW	5	–	1	2	2	–	–	–	–	–
ASCENSION	–	9	8.5			–	2	2	3	1	–	1	–	–
				W	5	–	2	1	2	–	–	–	–	–
				NW	4	–	–	1	1	1	–	1	–	–
ASSUMPTION	1	7	16.2			–	3	–	4	–	–	–	–	–
				W	3	–	1	–	2	–	–	–	–	–
				NW	4	–	2	–	2	–	–	–	–	–
AVOYELLES	6	15	21.4			–	1	6	1	7	–	–	–	–
				W	8	–	–	4	–	4	–	–	–	–
				NW	7	–	1	2	1	3	–	–	–	–
BEAUREGARD	4	4	7.4			–	2	1	–	1	–	–	–	–
				W	2	–	–	1	–	1	–	–	–	–
				NW	2	–	2	–	–	–	–	–	–	–
BIENVILLE		1	3.6			–	–	–	1	–	–	–	–	–
				W		–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
BOSSIER	8	9	5.9			–	3	2	3	1	–	–	–	–
				W	5	–	1	2	1	1	–	–	–	–
				NW	4	–	2	–	2	–	–	–	–	–
CADDO	112	69	14.1			–	20	20	16	8	4	–	–	1
				W	13	–	2	5	5	–	1	–	–	–
				NW	56	–	18	15	11	8	3	–	–	1
CALCASIEU	60	50	15.0			2	11	12	13	7	3	1	1	–
				W	24	–	5	7	7	3	2	–	–	–
				NW	26	2	6	5	6	4	1	1	1	–
CALDWELL	2	4	21.2			–	3	1	–	–	–	–	–	–
				W	2	–	2	–	–	–	–	–	–	–
				NW	2	–	1	1	–	–	–	–	–	–
CAMERON	–	1	5.7			–	–	–	–	1	–	–	–	–
				W	1	–	–	–	–	1	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	1	4.0			–	–	–	1	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
CLAIBORNE	–	5	21.1			–	1	2	1	–	1	–	–	–
				W	2	–	–	1	1	–	–	–	–	–
				NW	3	–	1	1	–	–	1	–	–	–
CONCORDIA	2	3	7.0			–	2	1	–	–	–	–	–	–
				W	2	–	2	–	–	–	–	–	–	–
				NW	1	–	–	1	–	–	–	–	–	–
DE SOTO	–	3	6.8			–	1	2	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	3	–	1	2	–	–	–	–	–	–
EAST BATON ROUGE	90	55	8.2			–	14	12	17	10	1	–	–	1
				W	29	–	5	7	10	5	1	–	–	1
				NW	26	–	9	5	7	5	–	–	–	–

Table IX A (continued)
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
EAST CARROLL	1	3	11.1			–	2	–	1	–	–	–	–	–
				W	2	–	1	–	1	–	–	–	–	–
				NW	1	–	1	–		–	–	–	–	–
EAST FELICIANA	1	2	6.2			–	–	–	1	1	–	–	–	–
				W	1	–	–	–	–	1	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
EVANGELINE	4	5	8.1			–	1	3	1	–	–	–	–	–
				W	2	–	–	2	–	–	–	–	–	–
				NW	3	–	1	1	1	–	–	–	–	–
FRANKLIN	4	5	11.7			–	–	2	2	–	1	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	4	–	–	1	2	–	1	–	–	–
GRANT	–	3	11.5			–	3	–	–	–	–	–	–	–
				W	2	–	2	–	–	–	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
IBERIA	14	15	10.3			–	4	3	2	3	2	–	1	–
				W	5	–	1	1	1	1	1	–	–	–
				NW	10	–	3	2	1	2	1	–	1	–
IBERVILLE	–	8	11.9			–	2	5	1	–	–	–	–	–
				W	2	–	–	2	–	–	–	–	–	–
				NW	6	–	2	3	1	–	–	–	–	–
JACKSON	9	5	16.3			–	1	2	2	–	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	4	–	1	2	1	–	–	–	–	–
JEFFERSON	62	73	9.0			2	12	19	20	12	7	1	–	–
				W	44	–	3	14	16	7	4	–	–	–
				NW	29	2	9	5	4	5	3	1	–	–
JEFFERSON DAVIS	2	5	7.5			–	1	–	2	–	2	–	–	–
				W	3	–	1	–	–	–	2	–	–	–
				NW	2	–	–	–	2	–	–	–	–	–
LAFAYETTE	52	27	9.8			–	7	5	6	5	3	1	–	–
				W	17	–	4	4	3	3	2	1	–	–
				NW	10	–	3	1	3	2	1	–	–	–
LAFOURCHE	9	13	8.6			–	2	4	4	1	2	–	–	–
				W	10	–	2	3	4	1	–	–	–	–
				NW	3	–	–	1	–	–	2	–	–	–
LASALLE	1	1	3.7			–	–	–	–	1	–	–	–	–
				W	1	–	–	–	–	1	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
LINCOLN	4	7	12.3			1	2	2	1	–	–	1	–	–
				W	2	–	–	1	–	–	–	1	–	–
				NW	5	1	2	1	1	–	–	–	–	–
LIVINGSTON	2	11	9.7			–	1	3	3	4	–	–	–	–
				W	10	–	1	3	2	4	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
MADISON	2	4	12.2			–	1	1	1	1	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	4	–	1	1	1	1	–	–	–	–
MOREHOUSE	7	10	14.1			1	3	4	1	–	1	–	–	–
				W	5	–	1	2	1	–	1	–	–	–
				NW	5	1	2	2	–	–	–	–	–	–
NATCHITOCHES	9	13	19.8			–	4	4	2	1	2	–	–	–
				W	4	–	1	1	1	–	1	–	–	–
				NW	9	–	3	3	1	1	1	–	–	–

Table IX A (continued)
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
ORLEANS	199	137	13.4			3	34	40	27	15	11	4	1	2
				W	18	1	1	6	5	3	2	–	–	–
				NW	119	2	33	34	22	12	9	4	1	2
OUACHITA	39	18	7.1			–	7	7	2	1	1	–	–	–
				W	10	–	3	3	2	1	1	–	–	–
				NW	8	–	4	4	–	–	–	–	–	–
PLAQUEMINES	–	3	5.4			–	1	1	1	–	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	2	–	1	1	–	–	–	–	–	–
POINTE COUPEE	–	1	2.3			–	–	–	1	–	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW		–	–	–	–	–	–	–	–	–
RAPIDES	45	28	11.2			–	12	7	6	2	1	–	–	–
				W	15	–	7	3	2	2	1	–	–	–
				NW	13	–	5	4	4	–	–	–	–	–
RED RIVER		2	10.9			–	1	1	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	2	–	1	1	–	–	–	–	–	–
RICHLAND	1	2	4.0			–	1	1	–	–	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
SABINE	1	4	10.7			–	2	2	–	–	–	–	–	–
				W	3	–	1	2	–	–	–	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
ST. BERNARD	1	9	8.0			–	2	1	3	2	1	–	–	–
				W	9	–	2	1	3	2	1	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
ST CHARLES	–	6	7.9			–	1	4	–	1	–	–	–	–
				W	3	–	–	2	–	1	–	–	–	–
				NW	3	–	1	2	–	–	–	–	–	–
ST. HELENA	–	2	13.8			–	–	–	–	1	–	1	–	–
				W	1	–	–	–	–	–	–	1	–	–
				NW	1	–	–	–	–	1	–	–	–	–
ST. JAMES	1	4	9.1			–	2	–	1	–	–	1	–	–
				W	1	–	1	–	–	–	–	–	–	–
				NW	3	–	1	–	1	–	–	1	–	–
ST. JOHN	–	6	8.6			–	–	4	1	–	1	–	–	–
				W	5	–	–	3	1	–	1	–	–	–
				NW	1	–	–	1	–	–	–	–	–	–
ST. LANDRY	18	21	12.4			–	4	9	5	1	2	–	–	–
				W	8	–	2	5	–	1	–	–	–	–
				NW	13	–	2	4	5	–	2	–	–	–
ST. MARTIN	6	15	17.8			–	6	3	2	3	–	1	–	–
				W	8	–	3	2	1	1	–	1	–	–
				NW	7	–	3	1	1	2	–	–	–	–
ST. MARY	11	13	9.5			–	6	4	1	2	–	–	–	–
				W	7	–	4	2	–	1	–	–	–	–
				NW	6	–	2	2	1	1	–	–	–	–
ST. TAMMANY	18	19	9.8			–	3	6	5	3	1	1	–	–
				W	13	–	2	6	1	2	1	1	–	–
				NW	6	–	1	–	4	1	–	–	–	–
TANGIPAHOA	18	26	15.8			–	3	12	6	3	2	–	–	–
				W	6	–	–	3	1	1	1	–	–	–
				NW	20	–	3	9	5	2	1	–	–	–

Table IX A (continued)
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race
Louisiana, by Parish, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TENSAS	–	–	–			–	–	–	–	–	–	–	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
TERREBONNE	21	17	7.7			2	2	4	2	4	2	–	1	–
				W	10	1	–	4	2	2	1	–	–	–
				NW	7	1	2	–	–	2	1	–	1	–
UNION	2	5	15.2			–	–	2	2	1	–	–	–	–
				W	1	–	–	–	1	–	–	–	–	–
				NW	4	–	–	2	1	1	–	–	–	–
VERMILION	6	10	10.7			1	3	4	1	1	–	–	–	–
				W	6	–	1	3	1	1	–	–	–	–
				NW	4	1	2	1	–	–	–	–	–	–
VERNON	2	5	4.1			–	2	2	–	–	1	–	–	–
				W	4	–	1	2	–	–	1	–	–	–
				NW	1	–	1	–	–	–	–	–	–	–
WASHINGTON	14	15	19.5			–	4	2	6	3	–	–	–	–
				W	8	–	2	1	2	3	–	–	–	–
				NW	7	–	2	1	4	–	–	–	–	–
WEBSTER	3	14	18.9			–	3	7	2	–	1	1	–	–
				W	7	–	2	3	2	–	–	–	–	–
				NW	7	–	1	4	–	–	1	1	–	–
WEST BATON ROUGE	–	3	7.5			–	–	1	2	–	–	–	–	–
				W	3	–	–	1	2	–	–	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
WEST CARROLL	1	2	8.5			1	–	1	–	–	–	–	–	–
				W	1	–	–	1	–	–	–	–	–	–
				NW	1	1	–	–	–	–	–	–	–	–
WEST FELICIANA	–	1	7.0			–	–	–	–	–	–	1	–	–
				W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	–	–	–	1	–	–
WINN	–	7	22.9			1	3	2	1	–	–	–	–	–
				W	2	–	–	2	–	–	–	–	–	–
				NW	5	1	3	–	1	–	–	–	–	–
OUT OF STATE*	–	24	–	–	–	1	7	7	1	6	2	–	–	–
				W	12	–	3	4	1	3	1	–	–	–
				NW	12	1	4	3	–	3	1	–	–	–

* Not included in state totals.

Table IX B

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race Louisiana, by State Planning Districts and Health Service Areas, 1979

STATE PLANNING DISTRICTS (SPD) OR (HSA) HEALTH SERVICE AREA	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	881	857	10.8			14	216	250	193	108	53	15	4	4
				W	368	2	72	120	89	54	25	5	–	1
				NW	489	12	144	130	104	54	28	10	4	3
SPD 1	280	241	11.0			5	52	67	56	32	20	6	1	2
				W	85	1	8	27	26	14	8	1	–	–
				NW	156	4	44	40	30	18	12	5	1	2
SPD 2	125	133	9.9			–	26	37	40	23	3	3	–	1
				W	66	–	10	18	20	14	2	1	–	1
				NW	67	–	16	19	20	9	1	2	–	–
SPD 3	32	53	8.7			2	10	16	12	6	5	1	1	–
				W	32	1	4	12	9	4	2	–	–	–
				NW	21	1	6	4	3	2	3	1	1	–
SPD 4	116	115	10.6			1	34	33	22	15	7	2	1	–
				W	59	–	17	20	9	8	3	2	–	–
				NW	56	1	17	13	13	7	4	–	1	–
SPD 5	67	67	13.3			2	16	16	17	9	5	1	1	–
				W	32	–	7	9	7	5	4	–	–	–
				NW	35	2	9	7	10	4	1	1	1	–
SPD 6	56	63	10.6			1	23	18	9	10	2	–	–	–
				W	34	–	12	11	2	7	2	–	–	–
				NW	29	1	11	7	7	3	–	–	–	–
SPD 7	137	127	12.8			1	37	42	26	10	8	2	–	1
				W	36	–	7	15	10	1	2	1	–	–
				NW	91	1	30	27	16	9	6	1	–	1
SPD 8	68	58	9.7			2	18	21	11	3	3	–	–	–
				W	24	–	7	8	6	1	2	–	–	–
				NW	34	2	11	13	5	2	1	–	–	–
TOTAL	881	857	10.8			14	216	250	193	108	53	15	4	4
				W	368	2	72	120	89	54	25	5	–	1
				NW	489	12	144	130	104	54	28	10	4	3
HSA 1	312	294	10.5			7	62	83	68	38	25	7	2	2
				W	117	2	12	39	35	18	10	1	–	–
				NW	177	5	50	44	33	20	15	6	2	2
HSA 2	308	315	10.7			3	76	86	79	47	15	6	2	1
				W	157	–	34	47	36	27	9	3	–	1
				NW	158	3	42	39	43	20	6	3	2	–
HSA 3	261	248	11.4			4	78	81	46	23	13	2	–	1
				W	94	–	26	34	18	9	6	1	–	–
				NW	154	4	52	47	28	14	7	1	–	1

Table X

Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child Louisiana, 1979

(By Residence)

CAUSE OF STILLBIRTH	TOTAL	RATIO (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE OF MOTHER								
					Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	857	1082.3	W	368	2	72	120	89	54	25	5	–	1
			NW	489	12	144	130	104	54	28	10	4	3
Congenital anomalies - (740-759)	43	54.3	W	31	–	1	16	3	9	1	1	–	–
			NW	12	–	5	4	2	1	–	–	–	–
Anencephalus and similar anomalies - (740)	10	12.6	W	8	–	–	3	1	3	–	1	–	–
			NW	2	–	2	–	–	–	–	–	–	–
Spina bifida - (741)	1	1.3	W	1	–	–	1	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Other congenital anomalies of nervous system - (742)	8	10.1	W	4	–	1	2	–	1	–	–	–	–
			NW	4	–	1	1	1	1	–	–	–	–
Congenital anomalies of heart - (745-746)	1	1.3	W	1	–	–	1	–	–	–	–	–	–
			NW		–	–	–	–	–	–	–	–	–
Congenital anomalies of respiratory system - (748)	1	1.3	W	–	–	–		–	–	–	–	–	–
			NW	1			–	1	–	–	–	–	–
Multiple congenital anomalies - (759.7)	9	11.4	W	7	–	–	5	1	1	–	–	–	–
			NW	2	–	–	2	–	–	–	–	–	–
All other congenital anomalies - (Remainder of 740-759)	13	16.4	W	10	–	–	4	1	4	1	–	–	–
			NW	3	–	2	1	–	–	–	–	–	–
Fetus affected by maternal conditions which may be unrelated to present pregnancy - (760)	39	49.3	W	14		3	6	3	2	–	–	–	–
			NW	25	–	5	6	4	6	2	1	1	–
Maternal hypertensive disorders - (760.0)	32	40.4	W	11	–	3	4	2	2	–	–	–	–
			NW	21	–	3	5	4	5	2	1	1	
Maternal injury - (760.5)	4	5.1	W	2	–	–	1	1	–	–	–	–	–
			NW	2	–	1		–	1	–	–	–	–
Fetus affected by other maternal conditions which may be unrel~~ated to~~ pregnancy - (Remainder of 760)	3	3.8	W	1	–	–	1	–	–	–	–	–	–
			NW	2	–	1	1		–	–	–	–	–
Fetus affected by maternal complications of pregnancy - (761)	62	78.3	W	27	–	7	9	7	4	–	–	–	–
			NW	35	1	7	7	11	4	3	1	1	–
Premature rupture of membranes - (761.1)	29	36.6	W	9	–	2	2	4	1	–	–	–	–
			NW	20	1	2	3	7	4	1	1	1	–
Multiple pregnancy - (761.5)	20	25.3	W	11	–	4	5	2	–	–	–	–	–
			NW	9	–	2	2	3	–	2	–	–	–
Fetus affected by other maternal complications of pregnancy - (Remainder of 761)	13	16.4	W	7		1	2	1	3	–	–	–	–
			NW	6		3	2	1	–	–	–	–	–
Fetus affected by complications of placenta, cord, and membranes - (762)	278	351.1	W	155	1	31	42	49	17	13	2	–	–
			NW	123	4	28	32	26	19	8	4	1	1
Placenta praevia - (762.0)	8	10.1	W	3		2	–	1	–	–	–	–	–
			NW	5	–	–	3	1	–	–	–	–	1
Other forms of placental separation and haemorrhage - (762.1)	118	149.0	W	57	1	13	17	15	6	5	–	–	–
			NW	61	3	19	13	12	10	4	–	–	–
Other and unspecified morphological and functional abnormalities of placenta - (762.2)	45	56.8	W	28	–	5	5	11	4	3	–	–	–
			NW	17	–	1	3	4	2	3	3	1	–
Placental transfusion syndrome - (762.3)	–	–	W		–	–	–	–		–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Prolasped cord - (762.4)	10	12.6	W	5	–	1	1	2	–	1	–	–	–
			NW	5	1	2	1	–	1	–	–	–	–

Table X (continued)

Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child Louisiana, 1979

(By Residence)

CAUSE OF STILLBIRTH	TOTAL	RATIO (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE OF MOTHER								
					Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Other compression of umbilical cord - (762.5)	69	87.1	W	46	–	9	17	11	4	3	2	–	–
			NW	23	–	4	8	5	4	1	1	–	–
Other and unspecified conditions of umbilical cord - (762.6)	24	30.3	W	14	–	1	2	7	3	1	–	–	–
			NW	10	–	2	3	3	2	–	–	–	–
Abnormalities of chorion and amnion - (762.7-762.9)	4	5.1	W	2	–	–	–	2	–	–	–	–	–
			NW	2	–	–	1	1	–	–	–	–	–
Fetus affected by other complications of labour and delivery - (763)	9	11.4	W	3	–	–	3	–	–	–	–	–	–
			NW	6	–	–	2	2	–	2	–	–	–
Slow fetal growth and fetal malnutrition - (764)	2	2.5	W	1	–	1	–	–	–	–	–	–	–
			NW	1	–	–	1	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight - (765)	133	168.0	W	32	–	11	10	5	5	1	–	–	–
			NW	101	3	43	25	22	3	4	–	–	1
Birth trauma - (767)	2	2.5	W	–	–	–	–	–	–	–	–	–	–
			NW	2	–	–	1	–	1	–	–	–	–
Intrauterine hypoxia and birth asphyxia - (768)	51	64.4	W	26	–	1	8	8	6	2	–	–	1
			NW	25	1	8	6	6	3	1	–	–	–
Haemolytic disease of fetus due to isoimmunization, and other perinatal jaundice - (773-774)	9	11.4	W	7	–	2	1	1	2	1	–	–	–
			NW	2	–	–	1	1	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus - (775.0-775.1)	13	16.4	W	6	–	1	3	1	–	1	–	–	–
			NW	7	–	–	2	1	2	1	–	1	–
Unspecified cause - (779.9, 799.9)	183	231.1	W	53	1	13	17	9	6	5	2	–	–
			NW	130	3	42	36	26	13	6	3	–	1
All other causes - (Residual)	33	41.7	W	13	–	1	5	3	3	1	–	–	–
			NW	20	–	6	7	3	2	1	1	–	–

Table XI

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1979

(By Parish of Residence and Parish of Occurrence)

PARISH	BY PARISH OF RESIDENCE	BY PARISH OF OCCURRENCE
TOTAL*	13512	13512
ACADIA	36	–
ALLEN	7	–
ASCENSION	46	–
ASSUMPTION	16	–
AVOYELLES	15	–
BEAUREGARD	4	–
BIENVILLE	1	–
BOSSIER	8	–
CADDO	18	–
CALCASIEU	30	–
CALDWELL	1	–
CAMERON	1	–
CATAHOULA	5	–
CLAIBORNE	1	–
CONCORDIA	10	–
DESOTO	–	–
EAST BATON ROUGE	1423	2414
EAST CARROLL	1	–
EAST FELICIANA	18	–
EVANGELINE	3	–
FRANKLIN	11	–
GRANT	6	–
IBERIA	64	–
IBERVILLE	36	–
JACKSON	4	–
JEFFERSON	2342	3767
JEFFERSON DAVIS	7	–
LAFAYETTE	234	–
LAFOURCHE	163	–
LASALLE	8	–
LINCOLN	22	–
LIVINGSTON	41	–
MADISON	3	–
MOREHOUSE	6	–
NATCHITOCHES	22	–
ORLEANS	5229	7331
OUACHITA	78	–
PLAQUEMINES	85	–
POINTE COUPEE	16	–
RAPIDES	134	–
RED RIVER	2	–
RICHLAND	3	–
SABINE	6	–
ST. BERNARD	199	–
ST. CHARLES	135	–
ST. HELENA	16	–
ST. JAMES	47	–
ST. JOHN	94	–
ST. LANDRY	55	–
ST. MARTIN	23	–
ST. MARY	111	–
ST. TAMMANY	329	–
TANGIPAHOA	190	–
TENSAS	1	–
TERREBONNE	196	–
UNION	3	–
VERMILION	36	–
VERNON	11	–
WASHINGTON	42	–
WEBSTER	3	–
WEST BATON ROUGE	47	–
WEST CARROLL	2	–
WEST FELICIANA	5	–
WINN	6	–
UNKNOWN	869	–
OUT OF STATE	932	–

* Total includes Out of State and Unknown.

Table XII

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1979

(By Woman's State of Residence)

STATE	ABORTIONS
TOTAL	13512
ALABAMA	26
ALASKA	–
ARIZONA	–
ARKANSAS	3
CALIFORNIA	5
COLORADO	–
CONNECTICUT	1
DELAWARE	–
DISTRICT OF COLUMBIA	1
FLORIDA	12
GEORGIA	4
HAWAII	–
IDAHO	–
ILLINOIS	5
INDIANA	1
IOWA	1
KANSAS	–
KENTUCKY	1
LOUISIANA	11711
MAINE	–
MARYLAND	2
MASSACHUSETTS	–
MICHIGAN	2
MINNESOTA	1
MISSISSIPPI	811
MISSOURI	2
MONTANA	–
NEBRASKA	–
NEVADA	1
NEW HAMPSHIRE	–
NEW JERSEY	2
NEW MEXICO	–
NEW YORK	2
NORTH CAROLINA	3
NORTH DAKOTA	–
OHIO	1
OKLAHOMA	–
OREGON	–
PENNSYLVANIA	3
RHODE ISLAND	–
SOUTH CAROLINA	–
SOUTH DAKOTA	–
TENNESSEE	8
TEXAS	23
UTAH	–
VERMONT	–
VIRGINIA	2
WASHINGTON	1
WEST VIRGINIA	–
WISCONSIN	2
WYOMING	–
CANADA	–
MEXICO	–
OTHER	6
UNKNOWN	869

Table XIII

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND WOMAN'S AGE LOUISIANA, 1979

(By Occurrence)

WEEKS OF GESTATION	WOMAN'S AGE								TOTAL
	Under 15	15-19	20-24	25-29	30-34	35-39	40 and Over	Unknown	
8 AND UNDER	65	1828	2749	1737	912	374	102	168	7935
9	7	208	262	171	71	35	8	4	766
10	27	597	752	364	206	127	35	29	2137
11	6	93	147	70	24	23	6	3	372
12	18	357	341	189	98	48	18	6	1075
13	2	48	40	20	10	7	–	4	131
14	7	103	104	45	25	6	3	2	295
15	2	21	25	13	9	1	3	1	75
16	7	54	38	24	13	3	2	3	144
17	2	43	31	14	1	3	–	1	95
18	3	20	28	11	1	–	2	–	65
19	3	14	14	6	1	1	–	–	39
20	1	7	7	–	–	–	–	–	15
21 AND OVER	1	4	7	4	3	4	–	–	23
UNKNOWN	7	60	115	84	33	19	5	22	345
TOTAL	158	3457	4660	2752	1407	651	184	243	13512

Table XIV

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND RACE LOUISIANA, 1979

(By Occurrence)

WEEKS OF GESTATION	RACE			TOTAL
	White	Nonwhite	Unknown	
8 AND UNDER	3124	2701	2110	7935
9	319	286	161	766
10	716	974	447	2137
11	139	170	63	372
12	339	563	173	1075
13	60	50	21	131
14	85	110	100	295
15	39	32	4	75
16	56	84	4	144
17	54	39	2	95
18	18	47	–	65
19	22	16	1	39
20	7	8	–	15
21 AND OVER	8	5	10	23
UNKNOWN	48	235	62	345
TOTAL	5034	5320	3158	13512

Table XV

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY TYPE OF PROCEDURE AND WEEKS OF GESTATION LOUISIANA, 1979

(By Occurrence)

WEEKS OF GESTATION	TYPE OF PROCEDURE								TOTAL
	SUCTION CURETTAGE	SHARP CURETTAGE	AMNIOTIC FLUID REPLACEMENT	HYSTER-OTOMY	HYSTER-ECTOMY	OTHER		UNKNOWN	
						D AND E	OTHER		
8 AND UNDER	7824	68	1	–	–	–	7	35	7935
9	756	3	2	–	–	–	1	4	766
10	2113	13	3	–	–	–	4	4	2137
11	365	3	1	–	–	–	–	3	372
12	1041	6	–	–	–	26	–	2	1075
13	113	1	–	–	–	16	1	–	131
14	275	–	–	–	–	18	–	2	295
15	53	–	–	–	–	22	–	–	75
16	117	–	–	–	–	27	–	–	144
17	64	–	–	–	1	30	–	–	95
18	42	–	–	–	–	23	–	–	65
19	25	1	–	–	–	12	–	1	39
20	10	–	–	–	–	5	–	–	15
21 AND OVER	19	–	–	–	–	4	–	–	23
UNKNOWN	341	–	–	–	1	–	–	3	345
TOTAL	13158	95	7	–	2	183	13	54	13512

Table XVI

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WOMAN'S AGE AND RACE LOUISIANA, 1979

(By Occurrence)

WOMAN'S AGE	RACE			TOTAL
	White	Nonwhite	Unknown	
UNDER 15	48	85	25	158
15	86	124	47	257
16	168	171	86	425
17	240	212	177	629
18	493	357	256	1106
19	468	353	219	1040
(15 – 19)	1455	1217	785	3457
20 – 24	1842	1771	1047	4660
25 – 29	939	1166	647	2752
30 – 34	487	612	308	1407
35 – 39	192	336	123	651
40 AND OVER	59	91	34	184
UNKNOWN	12	42	189	243
TOTAL	5034	5320	3158	13512

Table XVII

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WOMAN'S MARITAL STATUS AND RACE LOUISIANA, 1979

(By Occurrence)

WOMAN'S MARITAL STATUS	RACE			TOTAL
	White	Nonwhite	Unknown	
SINGLE	2688	2989	1582	7259
MARRIED	852	1135	688	2675
WIDOWED	28	81	20	129
DIVORCED	408	390	268	1066
SEPARATED	288	512	145	945
UNKNOWN	770	213	455	1438
TOTAL	5034	5320	3158	13512


NATALITY
MORTALITY
MORBIDITY
0%
0%
0%
'SWISHER'

MORTALITY

Table XVIII A
Deaths (Exclusive of Stillbirths) by Place of Occurrence
Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	35082	34648	8.6			1230	229	123	162	1162	1186	1365	2888	5532	20734	37
				MW	13000	329	70	41	63	578	475	500	1245	2422	7261	16
				FW	10269	246	49	25	29	167	177	256	562	1308	7448	2
				MNW	6346	377	66	35	43	321	370	399	621	1039	3059	16
				FNW	5033	278	44	22	27	96	164	210	460	763	2966	3
ACADIA	406	526	9.5			18	6	–	3	23	13	15	42	78	328	–
				MW	247	10	3	–	1	15	10	7	27	42	132	–
				FW	188	3	2	–	1	4	1	2	7	24	144	–
				MNW	55	3	–	–	1	3	1	6	3	6	32	–
				FNW	36	2	1	–	–	1	1	–	5	6	20	–
Crowley*	184	178	10.0			5	2	–	–	8	3	2	15	27	116	–
				MW	70	4	–	–	–	5	1	1	9	12	38	–
				FW	70	–	1	–	–	–	–	1	3	8	57	–
				MNW	18	1	–	–	–	2	1	–	–	3	11	–
				FNW	20	–	1	–	–	1	1	–	3	4	10	–
ALLEN	197	221	10.5			5	–	1	–	10	5	11	15	41	133	–
				MW	97	1	–	1	–	6	3	7	9	22	48	–
				FW	81	2	–	–	–	1	1	2	4	9	62	–
				MNW	22	1	–	–	–	3	–	2	2	5	9	–
				FNW	21	1	–	–	–	–	1	–	–	5	14	–
ASCENSION	238	324	7.0			11	1	2	3	17	5	14	21	57	193	–
				MW	134	6	–	1	1	11	1	6	6	26	76	–
				FW	89	2	–	–	2	3	–	2	6	15	59	–
				MNW	59	2	1	–	–	2	2	2	3	13	34	–
				FNW	42	1	–	1	–	1	2	4	6	3	24	–
ASSUMPTION	80	180	8.4			4	–	1	–	4	9	9	15	34	104	–
				MW	66	–	–	1	–	2	3	3	5	13	39	–
				FW	40	–	–	–	–	–	–	–	4	5	31	–
				MNW	38	4	–	–	–	2	4	4	4	6	14	–
				FNW	36	–	–	–	–	–	2	2	2	10	20	–
AVOYELLES	315	399	10.1			11	2	2	1	13	17	10	29	52	262	–
				MW	200	3	1	1	–	10	12	6	12	32	123	–
				FW	109	5	–	–	1	2	–	2	3	11	85	–
				MNW	51	1	1	1	–	–	5	1	7	7	28	–
				FNW	39	2	–	–	–	1	–	1	7	2	26	–
BEAUREGARD	204	246	8.9			6	1	–	–	17	3	8	16	39	156	–
				MW	118	3	1	–	–	8	1	6	6	19	74	–
				FW	78	1	–	–	–	1	1	2	5	10	58	–
				MNW	23	2	–	–	–	5	–	–	2	6	8	–
				FNW	27	–	–	–	–	3	1	–	3	4	16	–
BIENVILLE	113	222	13.0			4	1	–	2	6	5	6	13	24	161	–
				MW	71	1	–	–	1	5	1	2	2	8	51	–
				FW	64	–	–	–	–	–	2	1	1	4	56	–
				MNW	49	3	–	–	–	–	2	2	5	6	31	–
				FNW	38	–	1	–	1	1	–	1	5	6	23	–
BOSSIER	335	467	6.4			19	3	–	4	19	14	17	45	80	266	–
				MW	202	7	1	–	2	14	4	11	31	37	95	–
				FW	144	5	2	–	–	–	6	4	8	29	90	–
				MNW	74	3	–	–	2	5	2	1	4	6	51	–
				FNW	47	4	–	–	–	–	2	1	2	8	30	–
Bossier City*	258	281	5.2			13	1	–	2	13	9	11	35	50	147	–
				MW	141	5	–	–	2	11	4	8	26	24	61	–
				FW	102	3	1	–	–	–	4	2	5	21	66	–
				MNW	21	1	–	–	–	2	–	1	3	2	12	–
				FNW	17	4	–	–	–	–	1	–	1	3	8	–
CADDO	3404	2455	10.0			78	13	4	9	58	67	87	178	383	1578	–
				MW	791	12	3	–	3	20	23	22	65	137	506	–
				FW	707	10	3	–	–	8	6	13	29	92	546	–
				MNW	523	37	4	2	4	28	29	31	50	75	263	–
				FNW	434	19	3	2	2	2	9	21	34	79	263	–
Shreveport*	3251	2133	9.8			74	11	4	7	46	57	67	155	334	1378	–
				MW	659	11	2	–	3	12	20	14	49	115	433	–
				FW	608	9	2	–	–	6	5	10	26	77	473	–
				MNW	467	35	4	2	3	26	25	26	47	68	231	–
				FNW	399	19	3	2	1	2	7	17	33	74	241	–
CALCASIEU	1385	1316	8.1			57	10	9	7	50	40	36	122	231	753	1
				MW	571	16	5	6	3	26	15	13	64	116	307	–
				FW	405	20	1	1	2	11	10	12	22	53	273	–
				MNW	187	12	3	1	2	9	9	5	24	36	85	1
				FNW	153	9	1	1	–	4	6	6	12	26	88	–

Table XVIII A (continued)

Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age

Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Lake Charles*	976	705	8.7			25	6	2	3	32	22	19	62	124	410	–
				MW	243	5	3	1	1	13	6	5	21	52	136	–
				FW	210	8	–	–	1	8	5	5	12	27	144	–
				MNW	135	7	2	–	1	8	5	4	20	27	61	–
				FNW	117	5	1	1	–	3	6	5	9	18	69	–
Sulphur*	248	161	N.A.			5	–	–	1	7	4	6	13	28	97	–
				MW	93	2	–	–	1	4	4	1	11	22	48	–
				FW	61	3	–	–	–	3	–	4	2	5	44	–
				MNW	3	–	–	–	–	–	–	–	–	1	2	–
				FNW	4	–	–	–	–	–	–	1	–	–	3	–
CALDWELL	88	112	10.4			2	–	1	–	2	2	3	4	24	74	–
				MW	45	–	–	1	–	2	2	1	3	13	23	–
				FW	45	1	–	–	–	–	–	1	1	7	35	–
				MNW	14	1	–	–	–	–	–	–	–	1	12	–
				FNW	8	–	–	–	–	–	–	1	–	3	4	–
CAMERON	61	86	8.6			2	2	1	2	7	5	2	9	19	37	–
				MW	45	1	1	–	1	5	3	2	5	10	17	–
				FW	35	–	1	1	1	2	2	–	2	9	17	–
				MNW	3	–	–	–	–	–	–	–	1	–	2	–
				FNW	3	1	–	–	–	–	–	–	1	–	1	–
CATAHOULA	111	149	12.7			3	–	–	1	6	4	5	9	17	104	–
				MW	52	2	–	–	1	2	3	3	3	8	30	–
				FW	55	1	–	–	–	2	1	1	3	8	39	–
				MNW	22	–	–	–	–	2	–	–	2	1	17	–
				FNW	20	–	–	–	–	–	–	1	1	–	18	–
CLAIBORNE	153	203	12.1			8	1	1	1	6	5	6	8	23	144	–
				MW	63	–	1	–	–	2	1	1	3	11	44	–
				FW	51	–	–	1	–	1	–	2	1	2	44	–
				MNW	48	6	–	–	–	1	3	3	2	8	25	–
				FNW	41	2	–	–	1	2	1	–	2	2	31	–
CONCORDIA	159	193	8.5			5	–	1	1	3	6	8	17	29	123	–
				MW	63	1	–	–	–	1	3	6	6	14	32	–
				FW	47	2	–	–	1	–	2	–	3	5	34	–
				MNW	39	–	–	–	–	1	1	–	3	5	29	–
				FNW	44	2	–	1	–	1	–	2	5	5	28	–
DESOTO	200	309	12.8			11	2	–	1	3	11	12	19	48	201	1
				MW	96	–	1	–	1	1	6	5	5	22	55	–
				FW	72	3	–	–	–	–	–	1	3	9	56	–
				MNW	82	5	–	–	–	2	5	5	7	7	50	1
				FNW	59	3	1	–	–	–	–	1	4	10	40	–
EAST BATON ROUGE	2608	2189	6.5			78	17	9	12	73	91	90	214	383	1222	–
				MW	717	19	5	3	4	28	42	25	80	144	367	–
				FW	573	14	6	2	1	13	11	15	45	72	394	–
				MNW	500	22	4	2	2	25	24	33	45	101	242	–
				FNW	399	23	2	2	5	7	14	17	44	66	219	–
Baton Rouge*	2336	1768	7.8			65	11	4	9	61	70	73	165	316	994	–
				MW	546	13	3	1	3	23	27	18	58	115	285	–
				FW	469	12	3	2	1	10	8	11	30	60	332	–
				MNW	410	17	3	–	1	22	21	31	35	88	192	–
				FNW	343	23	2	1	4	6	14	13	42	53	185	–
EAST CARROLL	116	139	12.1			7	2	1	–	3	4	4	10	21	87	–
				MW	23	–	–	–	–	2	1	–	1	5	14	–
				FW	19	1	–	–	–	–	–	1	2	1	14	–
				MNW	47	3	1	–	–	1	2	2	3	9	26	–
				FNW	50	3	1	1	–	–	1	1	4	6	33	–
EAST FELICIANA	250	180	11.0			5	2	–	1	3	6	9	18	24	112	–
				MW	56	–	–	–	–	–	–	3	8	9	36	–
				FW	32	–	–	–	–	–	–	–	3	4	25	–
				MNW	51	3	1	–	1	2	4	2	5	6	27	–
				FNW	41	2	1	–	–	1	2	4	2	5	24	–
EVANGELINE	338	395	11.9			18	2	2	3	7	12	21	28	69	233	–
				MW	154	6	2	1	–	3	4	8	12	38	80	–
				FW	148	5	–	–	1	3	–	4	6	14	115	–
				MNW	62	6	–	1	2	–	4	5	6	11	27	–
				FNW	31	1	–	–	–	1	4	4	4	6	11	–
FRANKLIN	206	240	10.0			10	2	1	–	3	7	4	18	36	159	–
				MW	97	–	1	–	–	1	3	1	7	22	62	–
				FW	70	3	–	1	–	1	1	1	6	7	50	–
				MNW	40	3	–	–	–	–	2	2	3	5	25	–
				FNW	33	4	1	–	–	1	1	–	2	2	22	–

Table XVIII A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
GRANT	69	171	11.2			4	1	–	–	4	4	7	16	26	109	–
				MW	79	3	–	–	–	2	4	3	5	15	47	–
				FW	63	1	1	–	–	1	–	2	7	8	43	–
				MNW	14	–	–	–	–	1	–	–	1	1	11	–
				FNW	15	–	–	–	–	–	–	2	3	2	8	–
IBERIA	449	513	7.8			22	7	3	3	20	12	17	37	82	310	–
				MW	194	7	4	–	2	13	7	5	14	37	105	–
				FW	145	4	–	2	–	1	–	2	7	19	110	–
				MNW	105	9	3	–	1	5	3	6	10	17	51	–
				FNW	69	2	–	1	–	1	2	4	6	9	44	–
New Iberia*	377	293	8.5			13	1	1	2	7	7	12	20	50	180	–
				MW	105	4	1	–	1	3	4	2	10	25	55	–
				FW	96	2	–	1	–	–	–	2	2	11	78	–
				MNW	62	6	–	–	1	4	2	5	6	10	28	–
				FNW	30	1	–	–	–	–	1	3	2	4	19	–
IBERVILLE	230	314	10.1			11	3	1	1	10	6	19	11	54	198	–
				MW	79	2	–	1	1	3	2	4	2	20	44	–
				FW	70	3	–	–	–	1	1	2	2	9	52	–
				MNW	79	2	1	–	–	5	3	8	4	14	42	–
				FNW	86	4	2	–	–	1	–	5	3	11	60	–
JACKSON	146	190	11.3			7	–	–	1	4	4	5	14	16	139	–
				MW	74	2	–	–	–	3	2	–	6	8	53	–
				FW	70	2	–	–	–	–	1	3	5	5	54	–
				MNW	31	3	–	–	1	–	1	1	2	3	20	–
				FNW	15	–	–	–	–	1	–	1	1	–	12	–
JEFFERSON	2578	2801	6.5			98	19	9	9	93	119	148	278	503	1523	2
				MW	1324	45	9	2	2	59	68	76	154	270	639	–
				FW	1081	22	6	3	3	16	23	33	75	169	730	1
				MNW	245	20	3	2	4	15	23	25	29	39	84	1
				FNW	151	11	1	2	–	3	5	14	20	25	70	–
Kenner*	32	259	4.5			12	8	2	2	12	9	19	26	39	129	1
				MW	112	4	6	2	1	6	7	9	17	15	45	–
				FW	89	6	2	–	–	4	–	4	5	11	57	–
				MNW	32	2	–	–	1	1	1	5	2	6	13	1
				FNW	26	–	–	–	–	1	1	1	2	7	14	–
Gretna*	25	287	9.2			7	1	–	1	11	15	17	35	53	147	–
				MW	130	4	–	–	–	9	12	7	20	25	53	–
				FW	109	2	1	–	–	–	1	6	11	20	68	–
				MNW	26	1	–	–	1	1	2	3	1	4	13	–
				FNW	22	–	–	–	–	1	–	1	3	4	13	–
Harahan*	10	82	N.A.			1	–	–	–	2	2	3	11	16	47	–
				MW	42	1	–	–	–	2	2	2	8	8	19	–
				FW	40	–	–	–	–	–	–	1	3	8	28	–
				MNW	–	–	–	–	–	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	13	144	11.8			3	1	–	–	10	4	7	19	28	72	–
				MW	77	2	–	–	–	6	2	5	12	18	32	–
				FW	51	1	1	–	–	3	–	1	4	6	35	–
				MNW	12	–	–	–	–	1	1	1	2	3	4	–
				FNW	4	–	–	–	–	–	1	–	1	1	1	–
JEFFERSON DAVIS	265	286	9.0			11	1	1	5	18	4	5	24	39	178	–
				MW	126	3	–	–	3	13	2	4	10	22	69	–
				FW	110	4	–	–	1	1	1	–	6	11	86	–
				MNW	25	2	–	1	1	4	–	–	4	5	8	–
				FNW	25	2	1	–	–	–	1	1	4	1	15	–
Jennings*	185	123	9.8			4	1	1	1	2	2	–	14	16	82	–
				MW	46	1	–	–	–	2	1	–	6	7	29	–
				FW	49	1	–	–	1	–	–	–	3	5	39	–
				MNW	13	1	–	1	–	–	–	–	2	3	6	–
				FNW	15	1	1	–	–	–	1	–	3	1	8	–
LAFAYETTE	1226	816	5.9			42	1	2	2	36	34	31	76	118	473	1
				MW	356	13	–	–	1	23	19	16	38	62	184	–
				FW	263	10	1	2	1	4	6	8	13	32	186	–
				MNW	112	8	–	–	–	8	6	5	19	13	53	–
				FNW	85	11	–	–	–	1	3	2	6	11	50	1
Lafayette*	1139	551	6.4			28	–	1	–	21	20	17	52	92	319	1
				MW	225	9	–	–	–	13	8	8	22	45	120	–
				FW	174	7	–	1	–	3	4	6	9	24	120	–
				MNW	84	5	–	–	–	4	5	3	15	13	39	–
				FNW	68	7	–	–	–	1	3	–	6	10	40	1

Table XVIII A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence
Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
LAFOURCHE	466	494	6.2			28	2	2	4	23	16	24	47	80	267	1
				MW	237	8	–	1	3	16	11	14	27	41	115	1
				FW	180	13	–	–	–	3	2	7	17	28	110	–
				MNW	46	4	2	1	1	3	2	3	3	8	19	–
				FNW	31	3	–	–	–	1	1	–	–	3	23	–
Thibodaux*	199	142	8.1			3	–	–	–	7	2	5	10	22	93	–
				MW	49	–	–	–	–	3	2	4	5	6	29	–
				FW	53	–	–	–	–	–	–	1	3	7	42	–
				MNW	24	2	–	–	–	3	–	–	2	7	10	–
				FNW	16	1	–	–	–	1	–	–	–	2	12	–
LASALLE	128	187	12.1			4	–	–	1	11	2	6	13	26	124	–
				MW	85	2	–	–	1	5	1	3	6	14	53	–
				FW	80	2	–	–	–	5	1	3	6	9	54	–
				MNW	14	–	–	–	–	1	–	–	1	1	11	–
				FNW	8	–	–	–	–	–	–	–	–	2	6	–
LINCOLN	287	270	7.2			9	2	2	1	6	9	8	11	28	194	–
				MW	89	–	1	–	–	3	4	–	7	11	63	–
				FW	73	2	–	1	–	2	2	3	1	3	59	–
				MNW	52	5	1	–	–	1	1	5	3	7	29	–
				FNW	56	2	–	1	1	–	2	–	–	7	43	–
Ruston*	243	119	5.9			3	–	1	–	3	6	3	9	11	83	–
				MW	40	–	–	–	–	2	3	–	6	4	25	–
				FW	28	1	–	–	–	1	1	1	1	–	23	–
				MNW	20	2	–	–	–	–	1	2	2	3	10	–
				FNW	31	–	–	1	–	–	1	–	–	4	25	–
LIVINGSTON	264	366	6.8			4	4	4	3	23	23	18	30	58	199	–
				MW	202	3	1	2	2	17	15	12	17	37	96	–
				FW	137	1	3	1	–	6	7	4	7	20	88	–
				MNW	14	–	–	1	1	–	–	2	3	1	6	–
				FNW	13	–	–	–	–	–	1	–	3	–	9	–
MADISON	105	157	11.0			9	2	–	–	8	5	4	7	20	102	–
				MW	29	–	–	–	–	3	1	–	2	7	16	–
				FW	23	–	–	–	–	–	2	–	–	2	19	–
				MNW	47	4	1	–	–	3	1	2	1	6	29	–
				FNW	58	5	1	–	–	2	1	2	4	5	38	–
MOREHOUSE	294	338	10.1			16	2	3	2	7	9	7	14	48	230	–
				MW	106	2	1	1	–	2	5	4	8	22	61	–
				FW	83	1	1	–	1	1	–	2	4	8	65	–
				MNW	75	4	–	2	1	4	2	1	2	8	51	–
				FNW	74	9	–	–	–	–	2	–	–	10	53	–
Bastrop*	225	181	12.1			9	–	–	–	3	4	3	7	29	126	–
				MW	48	1	–	–	–	1	2	2	5	11	26	–
				FW	38	–	–	–	–	–	–	1	1	3	33	–
				MNW	46	4	–	–	–	2	2	–	1	7	30	–
				FNW	49	4	–	–	–	–	–	–	–	8	37	–
NATCHITOCHES	330	383	10.6			7	1	1	1	9	18	12	24	42	267	1
				MW	126	1	–	1	–	4	9	2	8	15	85	1
				FW	103	1	–	–	–	1	3	3	6	12	77	–
				MNW	78	4	1	–	1	3	5	4	6	6	48	–
				FNW	76	1	–	–	–	1	1	3	4	9	57	–
Natchitoches*	255	166	9.2			7	–	–	–	3	8	7	7	16	118	–
				MW	36	1	–	–	–	1	2	2	–	4	26	–
				FW	49	1	–	–	–	1	1	1	2	5	38	–
				MNW	43	4	–	–	–	1	4	2	4	3	25	–
				FNW	38	1	–	–	–	–	1	2	1	4	29	–
ORLEANS	7534	6141	11.1			214	37	11	18	191	231	241	552	978	3647	21
				MW	1725	20	5	1	1	53	50	48	163	299	1076	9
				FW	1575	15	1	1	1	12	18	24	71	178	1253	1
				MNW	1602	93	17	7	9	92	123	116	181	281	674	9
				FNW	1239	86	14	2	7	34	40	53	137	220	644	2
OUACHITA	1271	1082	8.2			29	10	3	4	29	37	47	75	151	697	–
				MW	386	13	1	1	–	12	17	21	25	71	225	–
				FW	350	4	2	–	3	6	7	10	21	32	265	–
				MNW	171	9	4	2	–	5	6	8	13	26	98	–
				FNW	175	3	3	–	1	6	7	8	16	22	109	–
Monroe*	984	628	9.9			16	6	3	3	14	21	28	40	80	417	–
				MW	163	3	–	1	–	3	11	9	8	29	99	–
				FW	180	3	1	–	2	1	2	5	7	13	146	–
				MNW	142	8	3	2	–	4	3	6	12	21	83	–
				FNW	143	2	2	–	1	6	5	8	13	17	89	–

Table XVIII A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
West Monroe*	200	198	11.3			6	–	–	–	1	3	8	15	29	136	–
				MW	100	6	–	–	–	1	2	6	4	20	61	–
				FW	75	–	–	–	–	–	–	1	8	6	60	–
				MNW	7	–	–	–	–	–	1	1	–	–	5	–
				FNW	16	–	–	–	–	–	–	–	3	3	10	–
PLAQUEMINES	108	175	6.4			9	2	2	2	13	6	7	21	36	72	5
				MW	81	6	–	–	1	5	3	2	13	21	28	2
				FW	36	2	–	–	–	4	1	–	3	6	20	–
				MNW	39	1	–	1	1	3	2	3	2	6	17	3
				FNW	19	–	2	1	–	1	–	2	3	3	7	–
POINTE COUPEE	142	213	9.3			2	1	1	–	6	2	7	14	37	143	–
				MW	71	–	1	–	–	6	1	–	2	11	50	–
				FW	47	–	–	–	–	–	1	2	1	11	32	–
				MNW	44	1	–	1	–	–	–	2	4	9	27	–
				FNW	51	1	–	–	–	–	–	3	7	6	34	–
RAPIDES	1667	1192	9.4			39	4	2	5	45	38	58	112	187	702	–
				MW	413	17	–	1	2	23	8	28	41	78	215	–
				FW	371	7	–	1	1	8	11	8	23	45	267	–
				MNW	228	6	4	–	1	10	12	14	28	44	109	–
				FNW	180	9	–	–	1	4	7	8	20	20	111	–
Alexandria*	913	634	11.9			16	1	–	2	18	16	27	58	109	387	–
				MW	159	6	–	–	–	6	–	10	11	36	90	–
				FW	164	–	–	–	–	5	3	2	10	24	120	–
				MNW	175	5	1	–	1	5	9	10	21	32	91	–
				FNW	136	5	–	–	1	2	4	5	16	17	86	–
RED RIVER	123	121	12.8			5	1	1	3	5	6	1	6	21	72	–
				MW	45	–	1	1	2	1	2	1	3	4	30	–
				FW	30	1	–	–	–	2	–	–	–	6	21	–
				MNW	26	2	–	–	–	2	4	–	1	8	9	–
				FNW	20	2	–	–	1	–	–	–	2	3	12	–
RICHLAND	284	234	10.7			4	1	1	–	3	5	7	16	33	164	–
				MW	71	3	1	–	–	1	1	3	5	11	46	–
				FW	63	1	–	–	–	1	–	2	3	9	47	–
				MNW	53	–	–	1	–	1	3	1	4	4	39	–
				FNW	47	–	–	–	–	–	1	1	4	9	32	–
SABINE	178	213	10.4			10	1	1	–	4	4	6	15	30	142	–
				MW	102	4	–	1	–	2	–	2	6	17	70	–
				FW	68	1	1	–	–	2	2	2	3	5	52	–
				MNW	25	2	–	–	–	–	1	2	5	4	11	–
				FNW	18	3	–	–	–	–	1	–	1	4	9	–
ST. BERNARD	346	505	8.0			14	2	1	3	17	14	19	39	100	296	–
				MW	280	5	1	1	1	15	6	10	30	66	145	–
				FW	201	9	1	–	1	2	6	7	7	28	140	–
				MNW	15	–	–	–	1	–	2	1	2	4	5	–
				FNW	9	–	–	–	–	–	–	1	–	2	6	–
ST. CHARLES	160	230	6.5			9	3	–	–	9	9	9	21	37	132	1
				MW	93	2	2	–	–	5	3	1	11	22	46	1
				FW	63	1	1	–	–	2	2	3	5	7	42	–
				MNW	37	3	–	–	–	2	1	3	3	6	19	–
				FNW	37	3	–	–	–	–	3	2	2	2	25	–
ST. HELENA	57	85	8.4			1	–	–	2	2	1	3	6	12	58	–
				MW	33	–	–	–	2	2	1	1	3	6	18	–
				FW	14	1	–	–	–	–	–	–	–	–	13	–
				MNW	27	–	–	–	–	–	–	2	3	3	19	–
				FNW	11	–	–	–	–	–	–	–	–	3	8	–
ST. JAMES	119	161	8.0			7	2	–	1	7	6	4	10	24	100	–
				MW	40	1	–	–	–	4	2	2	4	5	22	–
				FW	36	2	1	–	1	1	–	–	1	3	27	–
				MNW	41	1	1	–	–	2	3	1	2	9	22	–
				FNW	44	3	–	–	–	–	1	1	3	7	29	–
ST. JOHN	108	213	7.1			7	1	–	–	5	7	13	20	31	128	1
				MW	53	–	–	–	–	3	1	3	9	10	27	–
				FW	51	5	–	–	–	–	–	2	1	8	35	–
				MNW	64	2	–	–	–	1	6	6	5	9	34	1
				FNW	45	–	1	–	–	1	–	2	5	4	32	–
ST. LANDRY	608	799	9.5			20	4	6	5	17	34	45	71	132	465	–
				MW	286	3	1	1	2	9	11	10	27	62	160	–
				FW	201	4	1	–	–	1	6	9	10	19	151	–
				MNW	182	9	–	2	–	7	9	20	20	31	84	–
				FNW	130	4	2	3	3	–	8	6	14	20	70	–

Table XVIII A (continued)
Deaths (Exclusive of Stillbirths) by Place of Occurrence
Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age
Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS										
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Opelousas*	315	232	11.2			2	1	–	3	6	10	9	24	37	140	–
				MW	65	1	–	–	1	3	3	1	8	12	36	–
				FW	57	1	–	–	–	1	2	1	2	5	45	–
				MNW	60	–	–	–	–	2	2	5	7	13	31	–
				FNW	50	–	1	–	2	–	3	2	7	7	28	–
Eunice*	132	123	9.9			3	1	–	–	2	2	4	10	27	74	–
				MW	56	1	–	–	–	2	1	2	4	15	31	–
				FW	39	1	1	–	–	–	–	2	2	2	31	–
				MNW	17	1	–	–	–	–	1	–	1	5	9	–
				FNW	11	–	–	–	–	–	–	–	3	5	3	–
ST. MARTIN	197	293	8.0			14	4	3	2	11	7	13	31	43	165	–
				MW	128	7	2	1	1	6	2	3	19	17	70	–
				FW	72	1	2	–	–	–	1	–	1	11	56	–
				MNW	54	3	–	1	–	4	2	8	8	8	20	–
				FNW	39	3	–	1	1	1	2	2	3	7	19	–
ST. MARY	391	460	7.4			21	3	3	5	22	29	23	39	76	239	–
				MW	176	4	1	2	2	11	11	9	24	31	81	–
				FW	117	4	2	1	1	3	2	4	6	22	72	–
				MNW	99	9	–	–	2	6	12	7	4	19	40	–
				FNW	68	4	–	–	–	2	4	3	5	4	46	–
Morgan City*	159	126	7.3			5	–	1	–	9	10	10	12	23	56	–
				MW	59	–	–	1	–	4	6	3	7	13	25	–
				FW	36	1	–	–	–	1	–	2	3	7	22	–
				MNW	22	4	–	–	–	2	4	3	1	3	5	–
				FNW	9	–	–	–	–	2	–	2	1	–	4	–
ST. TAMMANY	681	754	7.6			27	10	3	6	21	27	33	84	127	416	–
				MW	380	15	4	2	3	13	14	18	52	78	181	–
				FW	250	5	4	1	2	2	5	10	21	29	171	–
				MNW	77	3	1	–	1	5	5	3	7	18	34	–
				FNW	47	4	1	–	–	1	3	2	4	2	30	–
Slidell	229	144	5.5			5	4	–	–	4	6	7	20	21	77	–
				MW	74	4	1	–	–	3	3	5	10	14	34	–
				FW	53	1	3	–	–	–	2	2	7	5	33	–
				MNW	8	–	–	–	–	1	–	–	1	2	4	–
				FNW	9	–	–	–	–	–	1	–	2	–	6	–
TANGIPAHOA	672	726	9.4			34	9	3	4	32	27	32	41	123	421	–
				MW	253	8	3	2	3	10	9	11	16	46	145	–
				FW	214	9	1	–	–	5	7	6	7	24	155	–
				MNW	149	11	3	–	–	15	5	9	13	34	59	–
				FNW	110	6	2	1	1	2	6	6	5	19	62	–
Hammond*	56	125	8.3			8	–	–	1	3	6	6	8	20	73	–
				MW	32	–	–	–	–	1	2	1	4	5	19	–
				FW	26	5	–	–	–	–	–	1	–	2	18	–
				MNW	33	2	–	–	–	1	2	4	3	6	15	–
				FNW	34	1	–	–	1	1	2	–	1	7	21	–
TENSAS	75	124	15.1			5	2	–	–	5	2	2	10	15	83	–
				MW	32	1	–	–	–	1	1	1	4	5	19	–
				FW	17	–	–	–	–	3	–	–	–	3	11	–
				MNW	33	1	1	–	–	1	1	–	2	3	24	–
				FNW	42	3	1	–	–	–	–	1	4	4	29	–
TERREBONNE	563	585	6.4			33	10	6	6	26	23	26	67	105	283	–
				MW	278	8	4	3	2	22	11	16	32	58	122	–
				FW	171	12	4	1	1	2	3	4	17	29	98	–
				MNW	75	10	1	2	2	2	5	6	9	11	27	–
				FNW	61	3	1	–	1	–	4	–	9	7	36	–
Houma*	302	290	7.0			17	5	–	1	9	9	13	30	61	145	–
				MW	121	2	2	–	–	7	4	6	14	32	54	–
				FW	80	3	2	–	–	1	1	1	5	18	49	–
				MNW	48	9	1	–	–	1	1	6	5	7	18	–
				FNW	41	3	–	–	1	–	3	–	6	4	24	–
UNION	195	247	12.1			5	–	–	1	9	6	12	19	34	161	–
				MW	104	1	–	–	–	4	2	3	11	16	67	–
				FW	72	–	–	–	–	1	2	5	1	11	52	–
				MNW	48	3	–	–	–	3	2	4	6	4	26	–
				FNW	23	1	–	–	1	1	–	–	1	3	16	–
VERMILION	389	400	8.3			14	2	2	3	11	8	7	28	76	249	–
				MW	217	5	–	–	3	6	6	5	17	41	134	–
				FW	137	5	–	–	–	4	–	2	8	21	97	–
				MNW	27	1	2	1	–	1	1	–	2	10	9	–
				FNW	19	3	–	1	–	–	1	–	1	4	9	–

Table XVIII A (continued)

Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Abbeville*	160	120	9.3			5	–	2	–	2	4	1	6	21	79	–
				MW	44	–	–	–	–	–	3	–	2	4	35	–
				FW	49	2	–	–	–	1	–	1	3	8	34	–
				MNW	18	1	–	1	–	1	–	–	1	7	7	–
				FNW	9	2	–	1	–	–	1	–	–	2	3	–
VERNON	196	282	5.9			27	3	4	2	10	16	11	24	49	136	–
				MW	129	10	–	–	1	6	8	8	14	23	59	–
				FW	109	8	1	2	1	2	5	2	8	19	61	–
				MNW	25	8	2	2	–	2	2	–	2	1	6	–
				FNW	19	1	–	–	–	–	1	1	–	6	10	–
WASHINGTON	406	478	10.9			13	1	2	3	24	20	14	49	60	292	–
				MW	179	2	–	1	1	12	7	4	20	21	111	–
				FW	160	2	–	–	1	6	3	5	12	20	111	–
				MNW	71	6	1	–	1	2	5	4	10	10	32	–
				FNW	68	3	–	1	–	4	5	1	7	9	36	–
Bogalusa*	243	226	12.5			5	1	1	2	8	13	2	22	27	145	–
				MW	72	1	–	–	1	3	5	1	7	10	44	–
				FW	87	–	–	–	1	2	3	–	6	8	67	–
				MNW	32	2	1	–	–	2	3	1	6	3	14	–
				FNW	35	2	–	1	–	1	2	–	3	6	20	–
WEBSTER	398	495	11.8			17	2	4	2	18	12	16	30	74	320	–
				MW	202	9	–	–	2	10	4	5	13	33	126	–
				FW	149	1	–	3	–	3	1	4	7	19	111	–
				MNW	87	4	2	1	–	4	5	5	7	12	47	–
				FNW	57	3	–	–	–	1	2	2	3	10	36	–
Minden*	200	187	12.9			8	2	–	–	5	6	7	9	26	124	–
				MW	62	3	–	–	–	3	2	1	4	9	40	–
				FW	43	–	–	–	–	–	1	1	1	6	34	–
				MNW	46	3	2	–	–	2	2	3	3	5	26	–
				FNW	36	2	–	–	–	–	1	2	1	6	24	–
WEST BATON ROUGE	71	151	8.2			5	1	–	–	8	5	8	8	23	93	–
				MW	45	2	1	–	–	1	1	2	3	8	27	–
				FW	27	–	–	–	–	–	1	2	–	2	22	–
				MNW	53	3	–	–	–	6	3	2	3	8	28	–
				FNW	26	–	–	–	–	1	–	2	2	5	16	–
WEST CARROLL	82	145	11.4			3	1	–	1	3	2	2	5	13	115	–
				MW	56	1	1	–	1	2	–	1	5	5	40	–
				FW	62	1	–	–	–	1	–	1	–	3	56	–
				MNW	11	1	–	–	–	–	2	–	–	1	7	–
				FNW	16	–	–	–	–	–	–	–	–	4	12	–
WEST FELICIANA	70	73	7.0			3	–	–	–	2	1	6	3	14	44	–
				MW	21	1	–	–	–	2	–	–	–	6	12	–
				FW	13	–	–	–	–	–	–	2	–	3	8	–
				MNW	23	2	–	–	–	–	–	3	2	3	13	–
				FNW	16	–	–	–	–	–	1	1	1	2	11	–
WINN	187	229	13.2			5	–	–	–	2	4	5	20	37	156	–
				MW	103	2	–	–	–	1	1	1	9	21	68	–
				FW	59	1	–	–	–	–	–	2	5	9	42	–
				MNW	34	1	–	–	–	1	2	1	4	4	21	–
				FNW	33	1	–	–	–	–	1	1	2	3	25	–
UNKNOWN	–	5	– –			–	–	–	–	–	1	–	–	2	–	2
				MW	4	–	–	–	–	–	1	–	–	1	–	2
				FW	1	–	–	–	–	–	–	–	–	1	–	–
				MNW	–	–	–	–	–	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–	–	–	–	–	–
OUT OF STATE**	753	1187	– –			63	6	1	4	78	103	89	126	242	475	–
				MW	687	29	4	–	2	56	63	57	93	144	242	–
				FW	300	23	4	–	2	6	16	15	16	51	167	–
				MNW	148	7	–	–	–	14	17	14	14	37	45	–
				FNW	52	4	1	1	–	2	7	3	3	10	21	–

* Cities are included in Parish totals.
** Not included in State total.

Table XVIII B
Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age Louisiana, by State Planning Districts and Health Service Areas, 1979

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	35082	34648	8.6			1230	229	123	162	1162	1186	1365	2888	5532	20734	37
				MW	13000	329	70	41	63	578	475	500	1245	2422	7261	16
				FW	10269	246	49	25	29	167	177	256	562	1308	7448	2
				MNW	6346	377	66	35	43	321	370	399	621	1039	3059	16
				FNW	5033	278	44	22	27	96	164	210	460	763	2966	3
SPD 1	11247	10376	8.8			362	70	26	38	335	397	448	974	1744	5954	28
				MW	3790	91	19	6	8	145	141	154	412	734	2069	11
				FW	3143	53	12	5	7	36	53	74	177	410	2314	2
				MNW	1978	117	21	10	16	115	155	148	221	348	814	13
				FNW	1465	101	18	5	7	39	48	72	164	252	757	2
SPD 2	5008	5099	7.6			167	39	22	29	200	187	220	415	845	2975	–
				MW	1790	43	11	10	14	92	79	68	157	334	982	–
				FW	1376	32	10	3	4	34	31	40	83	180	959	–
				MNW	1070	52	11	4	5	57	46	69	95	202	529	–
				FNW	863	40	7	5	6	17	31	43	80	129	505	–
SPD 3	1496	1863	6.7			88	18	9	11	74	70	85	180	311	1014	3
				MW	767	19	6	5	5	52	31	39	88	149	371	2
				FW	541	33	6	1	2	8	7	16	45	80	343	–
				MNW	301	24	4	3	3	12	21	23	26	49	135	1
				FNW	254	12	2	–	1	2	11	7	21	33	165	–
SPD 4	4004	4202	8.0			169	29	21	26	147	149	172	352	674	2462	1
				MW	1758	55	13	5	12	86	70	63	178	330	946	–
				FW	1271	36	8	5	4	20	16	31	58	162	931	–
				MNW	696	48	5	5	6	34	38	57	72	115	316	–
				NW	477	30	3	6	4	7	25	21	44	67	269	1
SPD 5	2112	2155	8.6			81	14	12	14	102	57	62	186	369	1257	1
				MW	957	24	7	7	7	58	24	32	94	189	515	–
				FW	709	27	2	2	4	16	15	16	39	92	496	–
				MNW	[illegible]	17	3	2	3	21	9	7	33	52	112	1
				FNW	[illegible]	13	2	1	–	7	9	7	20	36	134	–
SPD 6	2832	2802	9.5			98	10	9	11	94	91	110	240	423	1716	–
				MW	1124	40	1	2	5	50	40	58	96	205	627	–
				FW	893	27	2	3	4	20	20	20	58	114	625	–
				MNW	427	16	7	3	1	18	22	16	48	64	232	–
				FNW	358	15	–	1	1	6	9	16	38	40	232	–
SPD 7	5521	5138	9.9			168	27	14	24	134	151	171	349	753	3345	2
				MW	1787	34	8	3	11	62	54	51	143	295	1125	1
				FW	1461	24	6	5	–	19	22	33	59	181	1112	–
				MNW	1044	71	8	3	7	46	57	58	90	139	564	1
				FNW	846	39	5	3	6	7	18	29	57	138	544	–
SPD 8	2862	3008	9.8			97	22	10	9	76	83	97	192	411	2011	–
				MW	1023	23	5	3	1	33	35	35	77	185	626	–
				FW	874	14	3	1	4	14	13	26	43	88	668	–
				MNW	570	32	7	5	2	18	22	21	36	70	357	–
				FNW	541	28	7	1	2	11	13	15	36	68	360	–
UNKNOWN*		5				–	–	–	–	–	1	–	–	2	–	2
				MW	4	–	–	–	–	–	1	–	–	1	–	2
				FW	1	–	–	–	–	–	–	–	–	1	–	–
				MNW	–	–	–	–	–	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	35082	34648	8.6			1230	229	123	162	1162	1186	1365	2888	5532	20734	37
				MW	13000	329	70	41	63	578	475	500	1245	2422	7261	16
				FW	10269	246	49	25	29	167	177	256	562	1308	7448	2
				MNW	6346	377	66	35	43	321	370	399	621	1039	3059	16
				FNW	5033	278	44	22	27	96	164	210	460	763	2966	3
HSA 1	12743	12239	8.4			450	88	35	49	409	467	533	1154	2055	6968	31
				MW	4557	110	25	11	13	197	172	193	500	883	2440	13
				FW	3684	86	18	6	9	44	60	90	222	490	2657	2
				MNW	2279	141	25	13	19	127	176	171	247	397	949	14
				FNW	1719	113	20	5	8	41	59	79	185	285	922	2
HSA 2	11124	11456	7.9			417	82	55	69	449	393	454	953	1888	6694	2
				MW	4505	122	31	22	33	236	173	163	429	853	2443	–
				FW	3356	95	20	10	12	70	62	87	180	434	2386	
				MNW	2026	117	19	11	14	112	93	133	200	369	957	1
				FNW	1569	83	12	12	10	31	65	71	144	232	908	1
HSA 3	11215	10948	9.7			363	59	33	44	304	325	378	781	1587	7072	2
				MW	3934	97	14	8	17	145	129	144	316	685	2378	1
				FW	3228	65	11	9	8	53	55	79	160	383	2405	
				MNW	2041	119	22	11	10	82	101	95	174	273	1153	1
				FNW	1745	82	12	5	9	24	40	60	131	246	1136	
UNKNOWN*	–	5	–								1			2		2
				MW	4	–					1			1		2
				FW	1	–								1		
				MNW		–										
				FNW		–										

* Parish of residence unknown, assumed Louisiana residence.

Table XIX
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1979

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
TOTAL	35082	1272	226	118	155	483	698	1237	1398	2915	5640	20903	37
ACADIA	406	10	1	-	2	8	4	7	7	31	48	288	-
Acadia - St. Landry Hospital	46	-	-	-	-	-	-	-	-	2	5	39	-
American Legion Hospital	124	4	1	-	1	2	1	1	-	8	17	89	-
Rayne - Branch Hospital	96	3	-	-	-	-	1	-	2	10	12	68	-
Not in Hospital	140	3	-	-	1	6	2	6	5	11	14	92	-
ALLEN	197	2	-	1	-	4	-	2	4	11	25	148	-
Allen Parish Hospital	65	1	-	1	-	-	-	1	-	3	4	55	-
Oakdale General Hospital	67	1	-	-	-	1	-	1	1	4	9	50	-
Not in Hospital	65	-	-	-	-	3	-	-	3	4	12	43	-
ASCENSION	238	2	-	2	1	2	6	5	10	13	35	162	-
East Ascension General Hospital	47	1	-	-	-	-	2	1	2	2	8	31	-
Prevost Memorial Hospital	55	-	-	-	-	-	-	-	-	4	4	47	-
Not in Hospital	136	1	-	2	1	2	4	4	8	7	23	84	-
ASSUMPTION	80	-	-	-	-	2	2	7	6	7	13	43	-
Assumption General Hospital	29		-	-	-	-	-	1	3	4	4	17	-
Not in Hospital	51		-	-	-	2	2	6	3	3	9	26	-
AVOYELLES	315	3	2	1	1	3	4	14	6	19	38	224	-
Bunkie General Hospital	82	1	1	-	-	-	-	2	-	7	9	62	-
Marksville General Hospital	62	2		1	1	-	-	1	-	6	7	44	-
Not in Hospital	171		1	-	-	3	4	11	6	6	22	118	-
BEAUREGARD	204	4	-	-	-	3	6	6	6	12	23	144	-
Beauregard Memorial Hospital	136	3	-	-	-	-	3	2	4	8	18	98	-
Merryville General Hospital	18		-	-	-	1	-	-	-	1	-	16	-
Not in Hospital	50	1	-	-	-	2	3	4	2	3	5	30	-
BIENVILLE	113	2	1	-	1	3	4	7	4	7	8	76	-
Bienville General Hospital	36	-	-	-	-	-	-	-	-	1	1	34	-
Fletcher Clinic	1	-	-	-	-	-	-	-	-	1	-	-	-
Not in Hospital	76	2	1	-	1	3	4	7	4	5	7	42	-
BOSSIER	335	7	4	1	4	4	7	13	10	29	51	205	-
Barksdale Air Force Base Hospital	22	2	-	-	-	2	-	1	-	8	5	4	-
Bossier City General Hospital	117	2	2	1	1	-	1	3	5	8	19	75	-
Not in Hospital	196	3	2	-	3	2	6	9	5	13	27	126	-
CADDO	3404	209	19	5	11	33	52	87	117	256	591	2024	-
L.S.U. Medical Center	786	137	9	1	9	16	25	32	47	63	135	312	-
Highland Hospital	119	3	-	-	-	-	-	4	2	11	16	83	-
North Caddo Memorial Hospital	32	-	1	-	-	-	-	-	1	1	5	24	-
Doctor's Hospital and Research Center	119	-	-	-	-	2	1	1	6	7	24	78	-
Physicians' and Surgeons' Hospital	160	2	-	-	-	1	2	5	3	10	23	114	-
T.E. Schumpert Hospital	579	49	3	1	-	6	4	9	14	41	89	363	-
Veterans Administration Hospital	376	-	-	-	-	-	-	1	7	48	145	175	-
Willis - Knighton Memorial Hospital	327	14	4	1	1	2	4	5	5	23	51	217	-
Not in Hospital	906	4	2	2	1	6	16	30	32	52	103	658	-
CALCASIEU	1385	65	8	9	6	28	23	42	46	118	243	796	1
DeQuincy General Hospital	36	-	-	1	-	-	-	-	1	1	9	24	-
Dr. Walter Olin Moss Regional Hospital	107	18	2	2	-	3	3	7	4	6	29	33	-
Lake Charles Memorial Hospital	298	28	2	2	2	7	5	11	10	28	50	153	-
St. Patrick's Hospital	332	6	-	-	2	2	5	9	10	34	68	196	-
West Calcasieu Cameron Hospital	204	12	-	-	1	3	1	4	5	17	29	132	-
Not in Hospital	408	1	4	4	1	13	9	11	16	32	58	258	1
CALDWELL	88	-	-	1	-	2	-	1	2	2	13	67	-
Caldwell Hospital	56	-	-	-	-	-	-	-	-	1	9	46	-
Columbia Heights Hospital	2	-	-	-	-	-	-	-	-	-	-	2	-
Not in Hospital	30	-	-	1	-	2	-	1	2	1	4	19	-
CAMERON	61	-	2	-	2	1	9	10	2	7	16	12	-
South Cameron Memorial Hospital	24	-	-	-	-	1	5	2	1	5	6	4	-
Not in Hospital	37	-	2	-	2	-	4	8	1	2	10	8	-
CATAHOULA	111	-	-	-	-	2	2	2	2	6	9	88	-
Catahoula Parish Hospital	64	-	-	-	-	1	-	1	2	3	4	53	-
Not in Hospital	47	-	-	-	-	1	2	1	-	3	5	35	-
CLAIBORNE	153	3	-	-	-	1	1	5	3	5	24	111	-
Homer Memorial Hospital	60	1	-	-	-	-	-	2	1	2	8	46	-
North Claiborne Hospital	25	-	-	-	-	-	-	1	-	1	6	17	-
Not in Hospital	68	2	-	-	-	1	1	2	2	2	10	48	-
CONCORDIA	159	2	-	1	3	2	5	2	4	14	21	105	-
Concordia Parish Hospital	87	1	-	1	-	1	1	-	1	5	7	70	-
Not in Hospital	72	1	-	-	3	1	4	2	3	9	14	35	-

Table XIX (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1979

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
DESOTO	200	2	1	1	1	–	–	10	6	10	26	142	1
DeSoto General Hospital	89	–	1	–	–	–	–	–	2	1	12	73	–
Not in Hospital	111	2	–	1	1	–	–	10	4	9	14	69	1
EAST BATON ROUGE	2608	99	15	8	13	33	59	100	106	227	463	1485	–
Baton Rouge General Hospital	735	6	1	2	2	8	12	25	26	65	139	449	–
Doctor's Memorial Hospital	76	2	1	–	1	1	–	3	3	10	11	44	–
Earl K. Long Memorial Hospital	356	38	4	–	4	5	11	22	32	40	75	125	–
Greenwell Springs Hospital	3	–	–	–	–	–	–	–	–	–	2	1	–
Lane Memorial Hospital	127	2	–	–	–	–	1	2	7	14	15	86	–
Our Lady of the Lake Medical Center	536	2	5	5	2	8	10	11	14	39	98	342	–
Woman's Hospital	45	44	–	–	–	–	–	–	1	–	–	–	–
Not in Hospital	730	5	4	1	4	11	25	37	23	59	123	438	–
East Carroll	116	5	2	–	–	1	2	3	3	6	12	82	–
East Carroll Parish Hospital	58	4	1	–	–	–	–	1	2	3	5	42	–
Not in Hospital	58	1	1	–	–	1	2	2	1	3	7	40	–
EAST FELICIANA	250	1	–	–	1	–	4	5	5	21	30	183	–
Clinton Infirmary, Inc	48	–	–	–	1	–	–	2	1	2	7	35	–
East Louisiana State Hospital	55	–	–	–	–	–	–	1	1	11	7	35	–
Jackson Special Hospital	2	–	–	–	–	–	–	–	–	2	–	–	–
Villa Feliciana Geriatric Hospital	103	–	–	–	–	–	–	2	1	3	10	87	–
Not in Hospital	42	1	–	–	–	–	4	–	2	3	6	26	–
EVANGELINE	338	6	2	1	3	3	3	8	15	23	60	214	–
Ville Platte General	109	3	–	–	–	–	–	2	4	8	15	77	–
Savoy Memorial Hospital	110	–	1	–	–	–	1	2	5	8	25	68	–
Not in Hospital	119	3	1	1	3	3	2	4	6	7	20	69	–
FRANKLIN	206	5	3	1	–	4	1	7	3	12	22	148	–
Franklin Parish Hospital	121	2	1	1	–	1	1	3	1	6	13	92	–
Not in Hospital	85	3	2	–	–	3	–	4	2	6	9	56	–
GRANT	69	–	1	–	–	4	2	3	1	8	11	39	–
Not in Hospital	69	–	1	–	–	4	2	3	1	8	11	39	–
IBERIA	449	10	2	3	2	5	8	9	17	28	68	297	–
Dauterive Hospital, Inc.	115	2	2	–	–	1	–	1	4	8	22	75	–
Iberia Parish Hospital	143	4	–	–	–	1	–	3	10	7	21	97	–
Not in Hospital	191	4	–	3	2	3	8	5	3	13	25	125	–
IBERVILLE	230	–	3	2	–	1	5	7	16	10	37	149	–
Rhodes J. Spedale General Hospital	107	–	–	–	–	–	–	–	6	6	13	82	–
White Castle Hospital	3	–	–	–	–	–	–	–	–	1	1	1	–
U.S. Public Health Service Hospital	3	–	–	–	–	–	–	–	–	–	1	2	–
Not in Hospital	117	–	3	2	–	1	5	7	10	3	22	64	–
JACKSON	146	1		–	1	1	1	2	3	8	13	116	–
Jackson Parish Hospital	70	–	–	–	–	–	–	–	–	2	8	60	–
Not in Hospital	76	1	–	–	1	1	1	2	3	6	5	56	–
JEFFERSON	2578	157	22	10	[illegible]	27	60	108	125	229	432	1396	3
East Jefferson General Hospital	812	5	5	2	2	9	13	24	40	78	139	495	–
Ochsner Foundation Hospital	576	101	13	3	3	5	6	18	20	47	114	245	1
Lakeside Hospital	60	40	–	–	–	–	–	–	–	1	5	14	–
Metairie General Hospital	64	–	–	–	–	–	–	–	1	1	7	55	–
South Jefferson General Hospital	6	–	–	–	–	–	–	–	1	–	1	4	–
West Jefferson General Hospital	654	9	2	4	3	5	21	30	35	59	121	365	–
Not in Hospital	406	2	2	1	1	8	20	36	28	43	45	218	2
JEFFERSON DAVIS	265	3	–	–	4	8	8	2	6	22	35	177	–
Jennings American Legion Hospital	120	2	–	–	1	2	3	1	3	13	20	75	–
Welsh General Hospital	35	–	–	–	–	–	–	–	1	3	4	27	–
Not in Hospital	110	1	–	–	3	6	5	1	2	6	11	75	–
LAFAYETTE	1226	86	8	6	5	26	30	61	51	115	199	638	1
Lafayette Charity Hospital	250	49	2	–	1	2	7	21	22	33	47	66	–
Lafayette General Hospital	337	29	1	2	2	6	7	12	9	35	62	172	–
Our Lady of Lourdes Hospital	340	–	5	4	–	11	5	8	12	30	57	207	1
St. Ann's Infirmary	1	–	–	–	–	–	–	–	1	–	–	–	–
Not in Hospital	298	8	–	–	2	7	11	20	7	17	33	193	–
LAFOURCHE	466	13	3	3	4	10	15	19	23	49	69	257	1
Lady of the Sea Hospital	67	2	1	–	1	1	1	–	3	10	15	33	–
St. Anne General Hospital	75	–	–	1	–	–	3	2	3	9	15	42	–
Thibodaux General Hospital	164	7	1	–	–	2	2	2	3	19	22	106	–
Not in Hospital	160	4	1	2	3	7	9	15	14	11	17	76	1
LASALLE	128	–	–	–	1	–	1	–	2	6	18	100	–
Hardtner Medical Center	37	–	–	–	–	–	–	–	–	2	4	31	–
LaSalle General Hospital	69	–	–	–	1	–	–	–	1	2	10	55	–
Not in Hospital	22	–	–	–	–	–	1	–	1	2	4	14	–

Table XIX (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1979

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
LINCOLN	287	4	1	2	–	4	2	7	7	12	30	218	–
Lincoln General Hospital	186	4	1	2	–	4	1	3	5	10	23	133	–
Not in Hospital	101	–	–	–	–	–	1	4	2	2	7	85	–
LIVINGSTON	264	1	2	2	5	6	5	14	8	18	33	170	–
Dixon Memorial Hospital	151	1	2	–	2	2	1	2	2	7	20	112	–
Not in Hospital	113	–	–	2	3	4	4	12	6	11	13	58	–
MADISON	105	5	1	–	–	2	3	3	3	3	15	70	–
Madison Parish Hospital	23	–	–	–	–	–	–	–	–	–	5	18	–
Not in Hospital	82	5	1	–	–	2	3	3	3	3	10	52	–
MOREHOUSE	294	4	1	2	3	4	6	9	9	10	36	210	–
Morehouse General Hospital	144	1	–	–	–	1	1	3	5	4	24	105	–
Not in Hospital	150	3	1	2	3	3	5	6	4	6	12	105	–
NATCHITOCHES	330	–	2	1	–	6	7	18	7	16	37	235	1
Natchitoches Parish Hospital	167	–	1	–	–	2	2	4	4	4	15	134	1
Not in Hospital	163	–	1	1	–	4	5	14	3	12	22	101	–
ORLEANS	7534	336	65	11	22	82	145	284	340	758	1360	4109	22
Jo Ellen Smith Memorial Hospital	177	8	1	1	–	1	2	6	7	11	23	117	–
Baptist Hospital	595	64	8	–	–	2	3	11	9	37	100	361	–
Charity Hospital of New Orleans	1513	167	29	2	8	31	47	107	126	203	283	506	4
Children's Hospital	12	3	4	–	2	3	–	–	–	–	–	–	–
De Paul Hospital and Community Mental Health Center	1	–	–	–	–	–	–	–	–	–	–	1	–
The New St. Claude General Hospital	140	10	1	1	1	–	1	1	7	8	19	91	–
Flint Goodridge Hospital of Dillard University	87	1	–	–	–	1	–	1	1	6	15	62	–
Hotel Dieu Hospital	346	5	1	–	–	–	1	4	12	30	63	230	–
Pendleton Memorial Methodist Hospital	300	12	4	1	1	5	5	7	10	33	38	184	–
Mercy Hospital	357				–	–	–	4	6	22	66	259	–
Montelepre Memorial Hospital	47				–	–	–	–	1	3	13	30	–
Sara Mayo Hospital	14				–	–	–	1	–	2	3	8	–
St. Charles General Hospital	131				–	–	–	2	2	8	21	98	–
Touro Infirmary	495	4			–	–	2	3	10	32	77	367	–
Tulane Medical Center Hospital	180	35	4	1	2	2	1	8	6	21	32	68	–
U.S. Public Health Service Hospital	100	1	–	–	1	–	2	1	4	24	26	41	–
Veterans Administration Hospital	519	–	–	–	–	–	–	8	18	94	221	178	–
Not in Hospital	2520	26	13	5	7	37	81	120	121	224	360	1508	18
OUACHITA	1271	45	11	4	3	16	13	38	58	88	186	809	–
E.A. Conway Memorital Hospital	259	9	2	1	–	3	2	14	19	25	59	125	–
Glenwood Hospital	155	1	1	–	–	–	2	4	5	11	22	109	–
St. Francis Hospital	452	32	7	1	1	7	2	8	17	31	64	282	–
Sterlington General Hospital	17	–	–	–	–	–	–	–	–	–	2	15	–
Not in Hospital	388	3	1	2	2	6	7	12	17	21	39	278	–
PLAQUEMINES	108	4	1	2	–	7	12	16	6	19	14	22	5
Plaquemines Parish General Hospital	65	4	–	1	–	6	6	8	6	12	8	9	5
Not in Hospital	43	–	1	1	–	1	6	8	–	7	6	13	–
POINTE COUPEE	142	1	–	1	–	2	5	2	10	9	25	87	–
Pointe Coupee General Hospital	82	1	–	–	–	–	–	–	3	4	13	61	–
Not in Hospital	60	–	–	1	–	2	5	2	7	5	12	26	–
RAPIDES	1667	38	10	3	7	20	30	47	84	173	325	930	–
Rapides General Hospital	394	8	1	–	1	7	9	16	23	24	59	246	–
Hair, Carlton and Luke Clinic	2	–	–	–	1	–	–	–	–	–	1	–	–
Doctors' Hospital	13	–	–	–	–	–	–	–	3	–	2	8	–
England Air Force Base Hospital	4	–	–	–	–	–	–	–	1	2	1	–	–
Huey P. Long Charity Hospital	182	13	–	–	1	3	4	6	21	39	35	60	–
St. Francis Cabrini Hospital	286	11	1	1	–	3	1	2	6	20	46	195	–
State Colony Training School	22	5	5	–	2	2	–	5	–	–	1	2	–
Veterans Administration Hospital	284	–	–	–	–	–	–	2	8	37	118	119	–
Not in Hospital	452	1	3	1	2	5	16	15	16	44	56	293	–
RED RIVER	123	2	–	1	1	4	3	3	1	3	16	89	–
L.S. Huckabay Memorial Hospital	61	2	–	–	–	–	1	1	–	2	10	45	–
Hanna Clinic and Hospital	6	–	–	–	–	1	–	1	–	–	1	3	–
Not in Hospital	56	–	–	1	1	3	2	1	1	1	5	41	–
RICHLAND	284	4	–	1	1	–	4	4	6	14	36	214	–
Richland Parish Hospital (Delhi)	71	1	–	1	–	–	1	1	1	4	15	47	–
Richland Parish Hospital (Rayville)	100	1	–	–	–	–	–	1	3	6	10	79	–
Not in Hospital	113	2	–	–	1	–	3	2	2	4	11	88	–
SABINE	178	2	–	1	–	1	3	4	4	13	18	132	–
Allen Sanitarium	10	–	–	–	–	–	–	–	–	1	–	9	–
Fraser Hospital, Inc.	76	–	–	–	–	–	–	1	1	4	8	62	–
Pleasant Hill General Hospital	31	–	–	–	–	–	–	–	–	2	3	26	–
Not in Hospital	61	2	–	1	–	1	3	3	3	6	7	35	–

Table XIX (continued)

Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1979

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
ST. BERNARD	346	2	1	–	3	8	2	16	13	20	59	222	–
St. Bernard General Hospital	6	–	–	–	–	–	–	1	–	1	1	3	–
Chalmette General Hospital	190	1	–	–	2	6	–	9	10	11	39	112	–
Not in Hospital	150	1	1	–	1	2	2	6	3	8	19	107	–
ST. CHARLES	160	1	–	–	2	–	5	11	10	15	24	91	1
St. Charles Parish Hospital	58	–	–	–	–	–	–	–	1	4	15	38	–
Not in Hospital	102	1	–	–	2	–	5	11	9	11	9	53	1
ST. HELENA	57	–	1	–	2	1	2	2	4	4	10	31	–
St. Helena Parish Hospital	23	–	1	–	–	–	–	–	2	2	5	13	–
Not in Hospital	34	–	–	–	2	1	2	2	2	2	5	18	–
ST. JAMES	119	1	1	–	1	2	2	6	8	5	10	83	–
St. James Parish Hospital	35	1	–	–	–	–	–	–	2	1	2	29	–
West St. James Parish Hospital	22	–	1	–	1	–	–	–	2	1	–	17	–
Not in Hospital	62	–	–	–	–	2	2	6	4	3	8	37	–
ST. JOHN	108	1	1	–	–	2	2	5	5	8	11	72	1
Not in Hospital	108	1	1	–	–	2	2	5	5	8	11	72	1
ST. LANDRY	608	12	2	6	3	7	5	19	31	48	93	382	–
Moosa Memorial Hospital	97	4	–	–	–	1	1	1	4	9	19	58	–
Opelousas General Hospital	221	3	–	2	2	–	1	5	10	16	34	148	–
Doctor's Hospital	2	–	–	–	–	–	–	–	–	1	–	1	–
St. Luke Hospital	40	–	–	–	–	–	–	–	1	1	7	31	–
Not in Hospital	248	5	2	4	1	6	3	13	16	21	33	144	–
ST. MARTIN	197	4	2	–	2	3	3	6	6	17	24	130	–
Gary Memorial Hospital	54	4	1	–	–	–	–	–	1	4	5	39	–
St. Martin Infirmary	42	–	1	–	–	–	–	1	1	3	5	31	–
Not in Hospital	101	–	–	–	2	3	3	5	4	10	14	60	–
ST. MARY	391	13	2	2	4	8	14	25	21	40	52	210	–
Fairview Hospital	16	–	–	–	–	–	–	–	–	2	2	12	–
Franklin Foundation Hospital	97	4	–	–	–	–	–	4	2	3	17	67	–
Lakewood Hospital	126	6	–	2	1	2	5	4	7	14	14	71	–
Not in Hospital	152	3	2	–	3	6	9	17	12	21	19	60	–
ST. TAMMANY	681	13	2	3	4	7	14	26	22	67	94	429	–
Highland Park Hospital	54	–	–	–	–	–	–	1	1	6	11	35	–
St. Tammany Parish Hospital	181	4	–	–	2	1	1	4	6	12	20	131	–
Slidell Memorial Hospital	185	6	–	–	–	–	1	2	6	18	25	127	–
Southeast Louisiana State Hospital	4	–	–	–	–	–	1	1	–	1	1	–	–
Not in Hospital	257	3	2	3	2	6	11	18	9	30	37	136	–
TANGIPAHOA	672	19	5	3	3	20	19	26	27	39	97	414	–
Hood Memorial Hospital	63	–	–	–	–	–	–	1	1	–	10	51	–
Lallie Kemp Charity Hospital	125	8	2	1	2	2	7	8	10	16	26	43	–
E.S. Pike Memorial Hospital	43	–	–	–	–	1	–	1	2	5	4	30	–
Seventh Ward General Hospital	191	6	–	–	–	2	3	5	3	7	26	139	–
Not in Hospital	250	5	3	2	1	15	9	11	11	11	31	151	–
TENSAS	75	1	–	–	–	1	–	4	1	6	10	52	–
St. Charles Hospital of Tensas Parish	30	–	–	–	–	–	–	1	–	2	5	22	–
Not in Hospital	45	1	–	–	–	1	–	3	1	4	5	30	–
TERREBONNE	563	23	8	7	6	12	22	23	30	63	94	275	–
South Louisiana Medical Center	98	11	1	–	1	1	2	6	7	12	18	39	–
Terrebonne Parish General Hospital	204	10	5	3	2	4	1	5	8	22	38	106	–
Not in Hospital	261	2	2	4	3	7	19	12	15	29	38	130	–
UNION	195	2	–	–	1	4	3	6	8	10	22	139	–
Tri-Ward General Hospital	54	–	–	–	–	–	–	–	–	1	4	49	–
Union General Hospital	53	1	–	–	–	–	1	1	1	1	8	40	–
Not in Hospital	88	1	–	–	1	4	2	5	7	8	10	50	–
VERMILION	389	4	1	1	2	4	12	17	5	27	62	254	–
Abrom Kaplan Memorial Hosptial	65	–	1	–	–	–	–	1	1	3	11	48	–
Abbeville General Hospital	137	2	–	–	–	1	4	4	–	13	19	94	–
Erath General Hospital	41	–	–	–	–	–	–	–	–	3	5	33	–
Gueydan Memorial Hospital	12	1	–	–	–	–	–	–	1	–	3	7	–
Not in Hospital	134	1	–	1	2	3	8	12	3	8	24	72	–
VERNON	196	15	3	4	2	5	7	12	10	16	28	94	–
Leesville General Hospital	40	–	–	–	–	1	–	–	1	2	8	28	–
U.S. Army Community Hospital	37	13	–	1	–	1	3	4	4	7	4	–	–
Byrd Memorial Hospital	42	–	–	–	2	1	–	2	1	2	3	31	–
Not in Hospital	77	2	3	3	–	2	4	6	4	5	13	35	–
WASHINGTON	406	5	2	1	1	11	6	11	14	34	54	267	–
Bogalusa Community Medical Center	111	–	1	–	–	–	2	2	2	6	18	80	–
Riverside Medical Center	97	2	–	–	–	1	1	2	5	4	15	67	–
Washington - St. Tammany Charity Hospital	73	2	1	1	–	1	1	4	3	13	9	38	–
Not in Hospital	125	1	–	–	1	9	2	3	4	11	12	82	–

Table XIX (continued)
Deaths Showing Hospital in Which Death Occurred, by Age
Louisiana, 1979

HOSPITAL	TOTAL	AGE											
		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
WEBSTER	398	4	2	4	2	9	1	4	13	18	53	288	–
Minden Medical Center	117	2	–	–	1	1	–	–	4	8	17	84	–
Community Hospital	113	–	–	–	–	1	–	–	4	5	15	88	–
Not in Hospital	168	2	2	4	1	7	1	4	5	5	21	116	–
WEST BATON ROUGE	71	2	–	–	–	2	10	7	4	6	9	31	–
Not in Hospital	71	2	–	–	–	2	10	7	4	6	9	31	–
WEST CARROLL	82	2	–	–	–	–	2	2	1	6	6	63	–
West Carroll Parish Hospital	38	1	–	–	–	–	–	–	–	3	2	32	–
Not in Hospital	44	1	–	–	–	–	2	2	1	3	4	31	–
WEST FELICIANA	70	1	–	–	–	2	3	1	6	2	14	41	–
Angola General Hospital	4	–	–	–	–	–	–	–	1	–	2	1	–
West Feliciana Parish Hospital	37	–	–	–	–	–	–	–	1	1	11	24	–
Not in Hospital	29	1	–	–	–	2	3	1	4	1	1	16	–
WINN	187	4	–	–	–	–	2	5	5	17	30	124	–
Winnfield General Hospital	126	1	–	–	–	–	–	2	3	12	20	88	–
Not in Hospital	61	3	–	–	–	–	2	3	2	5	10	36	–

Table XX
Principal Causes of Death by Parish
Louisiana, 1979
(By Residence)

PARISH	TOTAL		Diseases of Heart (390-398, 402 (404-429)		Malignant Neoplasms (140-209)		Cerebrovascular Disease (430-438)		Accidents and Adverse Effects (E800-E949)		Diabetes Mellitus (250)	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
TOTAL	34648	862.4	12646	314.8	6828	170.0	3134	78.0	2406	59.9	768	19.1
ACADIA	526	948.0	184	331.6	95	171.2	49	88.3	33	59.5	6	10.8
ALLEN	221	1053.1	80	381.2	40	190.6	26	123.9	19	90.5	5	23.8
ASCENSION	324	701.9	126	273.0	80	173.3	23	49.8	30	65.0	7	15.2
ASSUMPTION	180	843.4	80	374.8	35	164.0	16	75.0	16	75.0	4	18.7
AVOYELLES	399	1009.8	138	349.2	74	187.3	45	113.9	40	101.2	10	25.3
BEAUREGARD	246	894.5	105	381.8	41	149.1	21	76.4	13	47.3	6	21.8
BIENVILLE	222	1304.2	94	552.2	43	252.6	26	152.7	11	64.6	8	47.0
BOSSIER	467	644.3	175	241.5	79	109.0	35	48.3	36	49.7	7	9.7
CADDO	2455	1000.5	938	382.3	490	199.7	217	88.4	124	50.5	79	32.2
CALCASIEU	1316	815.0	422	261.3	258	159.8	140	86.7	84	52.0	31	19.2
CALDWELL	112	1041.7	50	465.0	19	176.7	8	74.4	8	74.4	3	27.9
CAMERON	86	858.2	31	309.4	17	169.6	5	49.9	7	69.9	–	– –
CATAHOULA	149	1273.2	58	495.6	23	196.5	24	205.1	9	76.9	5	42.7
CLAIBORNE	203	1211.4	87	519.2	33	196.9	21	125.3	9	53.7	6	35.8
CONCORDIA	194	858.7	53	234.6	40	177.0	34	150.5	21	92.9	4	17.7
DESOTO	309	1278.2	98	405.4	55	227.5	47	194.4	22	91.0	1	4.1
EAST BATON ROUGE	2189	647.7	893	264.2	406	120.1	169	50.0	129	38.2	41	12.1
EAST CARROLL	139	1209.9	45	391.7	26	226.3	16	139.3	7	60.9	5	43.5
EAST FELICIANA	180	1103.1	75	459.6	31	190.0	16	98.1	16	98.1	10	61.3
EVANGELINE	395	1188.3	128	385.1	85	255.7	35	105.3	36	108.3	2	6.0
FRANKLIN	240	1002.9	97	405.3	44	183.9	26	108.6	11	46.0	3	12.5
GRANT	171	1120.4	61	399.7	38	249.0	15	98.3	8	52.4	3	19.7
IBERIA	513	783.7	164	250.5	113	172.6	44	67.2	39	59.6	11	16.8
IBERVILLE	314	1014.0	109	352.0	57	184.1	29	93.7	23	74.3	11	35.5
JACKSON	190	1128.2	71	421.6	38	225.6	36	213.8	8	47.5	1	5.9
JEFFERSON	2801	648.2	987	228.4	631	146.0	242	56.0	187	43.3	62	14.3
JEFFERSON DAVIS	286	906.8	90	285.4	54	171.2	32	101.5	26	82.4	5	15.9
LAFAYETTE	816	593.4	254	184.7	151	109.8	59	42.9	74	53.8	21	15.3
LAFOURCHE	494	624.7	192	242.8	96	121.4	23	29.1	52	65.8	16	20.2
LASALLE	187	1208.0	78	503.9	34	219.6	17	109.8	21	135.7	1	6.5
LINCOLN	270	724.2	79	211.9	55	147.5	44	118.0	13	34.9	3	8.0
LIVINGSTON	366	682.9	128	238.8	53	98.9	21	39.2	53	98.9	7	13.1
MADISON	157	1095.5	67	467.5	28	195.4	8	55.8	16	111.6	2	14.0
MOREHOUSE	338	1007.8	120	357.8	64	190.8	37	110.3	22	65.6	3	8.9
NATCHITOCHES	383	1058.3	142	392.4	59	163.0	75	207.2	18	49.7	8	22.1
ORLEANS	6141	1111.6	2128	385.2	1283	232.2	467	84.5	312	56.5	183	33.1
OUACHITA	1082	818.9	407	308.0	212	160.4	80	60.5	71	53.7	28	21.2
PLAQUEMINES	175	644.2	57	209.8	32	117.8	7	25.8	26	95.7	3	11.0
POINTE COUPEE	213	932.4	76	332.7	49	214.5	26	113.8	15	65.7	3	13.1
RAPIDES	1192	944.2	465	368.3	228	180.6	113	89.5	80	63.4	20	15.8
RED RIVER	121	1278.7	58	612.9	12	126.8	9	95.1	17	179.6	5	52.8
RICHLAND	234	1074.3	101	463.7	39	179.1	33	151.5	7	32.1	1	4.6
SABINE	213	1041.9	73	357.1	43	210.3	29	141.9	12	58.7	6	29.3
ST. BERNARD	505	798.8	216	341.6	107	169.2	34	53.8	30	47.5	5	7.9
ST. CHARLES	230	653.4	93	264.2	51	144.9	14	39.8	17	48.3	4	11.4
ST. HELENA	85	836.9	34	334.7	14	137.8	8	78.8	7	68.9	2	19.7
ST. JAMES	161	798.6	54	267.9	34	168.7	20	99.2	13	64.5	1	5.0
ST. JOHN	213	713.0	69	231.0	43	143.9	33	110.5	17	56.9	4	13.4
ST. LANDRY	799	950.3	327	388.9	143	170.1	59	70.2	56	66.6	23	27.4
ST. MARTIN	293	799.9	102	278.5	68	185.7	29	79.2	27	73.7	4	10.9
ST. MARY	460	739.6	164	263.7	100	160.8	22	35.4	75	120.6	7	11.3
ST. TAMMANY	754	760.6	278	280.5	158	159.4	55	55.5	67	67.6	11	11.1
TANGIPAHOA	725	933.9	265	341.4	122	157.2	123	158.4	51	65.7	8	10.3
TENSAS	124	1505.2	52	631.2	17	206.4	12	145.7	8	97.1	–	– –
TERREBONNE	585	637.7	186	202.7	117	127.5	49	53.4	63	68.7	9	9.8
UNION	247	1210.3	86	421.4	53	259.7	24	117.6	23	112.7	6	29.4
VERMILION	400	830.0	162	336.1	76	157.7	23	47.7	28	58.1	8	16.6
VERNON	282	588.7	99	206.7	38	79.3	22	45.9	27	56.4	6	12.5
WASHINGTON	478	1088.6	172	391.7	68	154.9	49	111.6	45	102.5	5	11.4
WEBSTER	495	1178.8	187	445.3	114	271.5	50	119.1	33	78.6	10	23.8
WEST BATON ROUGE	151	820.1	51	277.0	34	184.7	12	65.2	19	103.2	2	10.9
WEST CARROLL	145	1138.4	53	416.1	26	204.1	24	188.4	7	55.0	3	23.6
WEST FELICIANA	73	699.9	35	335.6	16	153.4	2	19.2	2	19.2	2	19.2
WINN	229	1323.2	97	560.5	46	265.8	24	138.7	8	46.2	2	11.6
UNKNOWN	5	– –	–	– –	–	– –	1	– –	2	– –	–	– –
OUT OF STATE*	1187	– –	333	– –	209	– –	62	– –	228	– –	13	– –

Rates equal deaths per 100,000 population.
* Not included in state totals.

Table XX (continued)

Principal Causes of Death by Parish
Louisiana, 1979

(By Residence)

PARISH	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	Homicide and Legal Intervention (E960-E978)	Pneumonia and Influenza (480-487)	Certain Conditions Originating in the Perinatal Period (760-779)	Atherosclerosis (440)	Suicide (E950-E959)	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	Chronic Liver Disease and Cirrhosis (571)	Congenital Anomalies (740-759)	Septicemia (038)	All Other Causes (Residual)
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
TOTAL	731	718	692	654	631	504	390	385	286	245	3630
ACADIA	12	7	9	11	23	9	4	7	4	2	71
ALLEN	7	–	7	3	2	3	2	2	1	–	24
ASCENSION	1	3	1	7	6	4	5	–	1	1	29
ASSUMPTION	2	4	1	4	4	1	–	1	–	1	11
AVOYELLES	11	1	8	6	14	8	3	4	2	1	34
BEAUREGARD	7	2	4	3	7	5	3	3	1	1	24
BIENVILLE	1	1	3	–	2	1	–	–	1	3	28
BOSSIER	12	7	9	9	6	11	7	5	7	3	59
CADDO	74	62	59	41	9	28	28	25	16	19	246
CALCASIEU	32	30	23	39	60	26	20	16	11	5	119
CALDWELL	4	–	2	1	3	–	1	3	–	–	10
CAMERON	3	–	2	1	–	5	1	2	3	–	9
CATAHOULA	3	1	5	1	1	–	3	1	1	–	14
CLAIBORNE	5	4	6	5	–	2	3	1	2	2	17
CONCORDIA	3	2	5	3	4	6	3	2	–	–	14
DESOTO	3	6	12	6	8	2	4	4	4	2	35
EAST BATON ROUGE	41	51	35	48	38	35	25	33	19	12	214
EAST CARROLL	4	3	2	2	9	3	2	1	5	1	8
EAST FELICIANA	3	–	5	1	–	1	1	1	–	2	18
EVANGELINE	15	3	8	9	4	14	6	4	4	4	38
FRANKLIN	5	4	14	5	1	3	3	–	–	–	24
GRANT	6	1	2	2	2	2	–	2	–	3	26
IBERIA	9	6	7	9	22	10	5	4	6	4	60
IBERVILLE	4	2	9	8	5	3	5	1	2	2	44
JACKSON	5	3	3	2	8	–	1	–	1	1	12
JEFFERSON	40	58	38	59	38	62	29	48	25	21	274
JEFFERSON DAVIS	8	3	12	7	8	1	5	3	1	1	30
LAFAYETTE	23	11	18	26	48	23	9	8	6	4	81
LAFOURCHE	8	7	10	16	12	6	3	5	3	3	42
LASALLE	1	–	4	1	4	1	3	1	2	3	16
LINCOLN	6	4	5	5	6	4	4	4	5	3	30
LIVINGSTON	15	7	4	2	3	7	5	1	1	4	55
MADISON	1	1	1	3	5	3	–	–	3	–	19
MOREHOUSE	13	5	15	7	4	3	6	2	4	1	32
NATCHITOCHES	6	7	4	3	7	7	4	1	4	1	37
ORLEANS	105	256	114	132	69	75	85	85	33	55	759
OUACHITA	28	8	18	17	14	11	9	8	7	5	159
PLAQUEMINES	3	4	8	3	4	2	4	2	4	1	15
POINTE COUPEE	5	1	3	–	2	1	4	2	1	3	22
RAPIDES	23	22	27	13	13	12	12	20	16	6	122
RED RIVER	5	1	–	2	2	1	3	–	1	–	5
RICHLAND	6	6	10	–	2	2	3	3	1	–	20
SABINE	5	4	5	6	5	1	2	2	2	1	17
ST. BERNARD	14	3	4	6	7	6	5	6	5	6	51
ST. CHARLES	5	3	2	4	3	1	3	4	4	2	20
ST. HELENA	–	1	4	1	1	–	–	1	–	1	11
ST. JAMES	1	3	3	5	4	3	3	–	2	–	15
ST. JOHN	4	4	6	2	5	1	2	1	3	1	18
ST. LANDRY	26	15	19	9	10	14	13	7	2	8	68
ST. MARTIN	3	–	2	3	2	6	1	4	9	1	32
ST. MARY	6	5	5	9	7	5	2	4	5	1	43
ST. TAMMANY	19	11	12	18	20	15	8	8	3	6	65
TANGIPAHOA	9	19	14	13	4	10	7	5	6	10	59
TENSAS	4	1	6	2	2	–	1	1	2	–	16
TERREBONNE	16	12	11	18	34	11	–	4	6	6	43
UNION	9	2	5	–	1	3	3	–	3	–	29
VERMILION	7	5	16	5	13	4	1	3	4	2	43
VERNON	3	2	4	10	5	6	3	3	7	4	43
WASHINGTON	12	11	18	4	16	3	8	7	6	6	48
WEBSTER	6	5	7	11	6	6	–	2	4	6	48
WEST BATON ROUGE	3	3	2	2	5	1	–	2	2	–	13
WEST CARROLL	5	1	2	1	1	1	–	3	1	2	15
WEST FELICIANA	3	–	4	2	–	–	–	–	–	–	7
WINN	3	4	9	1	1	4	5	2	2	2	19
UNKNOWN	–	–		–	–	–	–	1	–	–	1
OUT OF STATE*	19	42	20	36	7	18	14	33	17	14	122

* Not included in state totals.

Table XXI

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
ALL CAUSES	34648	862.4			1230	229	123	162	487	675	1186	1365	2888	5532	8320	7970	4444	37
			MW	13000	329	70	41	63	257	321	475	500	1245	2422	3453	2740	1068	16
			FW	10269	246	49	25	29	84	83	177	256	562	1308	2232	3019	2197	2
			MNW	6346	377	66	35	43	112	209	370	399	621	1039	1478	1109	472	16
			FNW	5033	278	44	22	27	34	62	164	210	460	763	1157	1102	707	3
I. Infectious and parasitic diseases - (001-139)	443	11.0			29	14	8	4	3	8	17	22	40	76	97	83	42	
			MW	118	6	4	1	–	2	–	4	7	12	26	28	21	7	
			FW	115	10	3	5	–	–	3	4	2	6	16	23	29	14	
			MNW	115	8	5	1	4	–	4	2	8	11	17	30	19	6	
			FNW	95	5	2	1	–	1	1	7	5	11	17	16	14	15	
A. Intestinal infectious diseases - (001-009)	11	0.3			3	–	1	–	–	–	1	–	–	2	1	1	2	
			MW	3	1	–	–	–	–	–	1	–	–	1	–	–	–	
			FW	2	–	–	–	–	–	–	–	–	–	1	–	–	1	
			MNW	3	1	–	–	–	–	–	–	–	–	–	1	–	1	
			FNW	3	1	–	1	–	–	–	–	–	–	–	–	1	–	
1. Cholera and typhoid and paratyphoid fevers - (001-002)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2. Shigellosis - (004)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3. Other salmonella infections and other food poisoning (bacterial) - (003, 005)	4	0.1			–	–	1	–	–	–	–	–	–	1	–	1	1	
			MW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	
			FW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	2	–	–	1	–	–	–	–	–	–	–	–	1	–	
4. Amebiasis - (006)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5. Intestinal infections due to other specified organisms - (007-008)	6	0.1			3	–	–	–	–	–	1	–	–	1	–	–	1	–
			MW	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			MNW	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			FNW	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
6. Ill-defined intestinal infections - (009)	1	0.0			–	–	–	–	–	–	–	–	–	–	1	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. Tuberculosis - (010-018)	59	1.5			–	–	–	–	–	–	–	4	14	11	19	8	3	–
			MW	20	–	–	–	–	–	–	–	–	7	4	5	4	–	–
			FW	7	–	–	–	–	–	–	–	1	–	1	4	–	1	–
			MNW	25	–	–	–	–	–	–	–	2	6	5	8	4	–	–
			FNW	7	–	–	–	–	–	–	–	1	1	1	2	–	2	–
1. Tuberculosis of respiratory system - (010-012)	43	1.1			–	–	–	–	–	–	–	2	13	6	15	6	1	–
			MW	17	–	–	–	–	–	–	–	–	7	2	5	3	–	–
			FW	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–
			MNW	20	–	–	–	–	–	–	–	1	5	4	7	3	–	–
			FNW	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–
2. Other tuberculosis - (013-018)	16	0.4			–	–	–	–	–	–	–	2	1	5	4	2	2	–
			MW	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–
			FW	4	–	–	–	–	–	–	–	1	–	1	1	–	1	–
			MNW	5	–	–	–	–	–	–	–	1	1	1	1	1	–	–
			FNW	4	–	–	–	–	–	–	–	–	–	1	2	–	1	–
C. Zoonotic and other bacterial diseases - (020-041)	280	7.0			22	11	2	3	1	3	4	8	20	44	66	61	35	–
			MW	68	3	4	1	–	–	–	1	3	3	15	18	14	6	–
			FW	86	9	3	1	–	–	3	1	–	6	10	16	25	12	–
			MNW	65	6	4	–	3	–	–	2	2	3	10	19	11	5	–
			FNW	61	4	–	–	–	1	–	–	3	8	9	13	11	12	–
1. Brucellosis - (023)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXI (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Diphtheria - (032)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Whooping cough - (033)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Streptococcal sore throat, scarlatina, and erysipelas - (034-035)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Meningococcal infection - (036)	20	0.5			8	8	1	-	-	-	-	-	1	2	-	-	-	-
			MW	9	3	3	1	-	-	-	-	-	1	1	-	-	-	-
			FW	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	4	-	3	-	-	-	-	-	-	-	1	-	-	-	-
			FNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Tetanus - (037)	4	0.1			-	-	-	-	-	-	-	-	-	1	1	2	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
7. Septicemia - (038)	245	6.1			14	3	1	3	1	3	4	8	19	40	62	54	33	-
			MW	55	-	1	-	-	-	-	1	3	2	14	18	11	5	-
			FW	75	5	1	1	-	-	3	1	-	6	9	15	23	11	-
			MNW	59	6	1	-	3	-	-	2	2	3	8	19	10	5	-
			FNW	56	3	-	-	-	1	-	-	3	8	9	10	10	12	-
8. All other bacterial diseases - (020-022, 024-031, 039-041)	11	0.3			-	-	-	-	-	-	-	-	-	1	3	5	2	-
			MW	4	-	-	-	-	-	-	-	-	-	-	-	3	1	-
			FW	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
D. Viral diseases - (045-079)	43	1.1			4	3	4	1	1	3	6	4	1	4	6	6	-	-
			MW	13	2	-	-	-	1	-	2	1	1	1	4	1	-	-
			FW	13	1	-	3	-	-	-	2	1	-	2	2	2	-	-
			MNW	11	1	1	1	1	-	2	-	2	-	-	-	3	-	-
			FNW	6	-	2	-	-	-	1	2	-	-	1	-	-	-	-
1. Acute poliomyelitis - (045)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Smallpox - (050)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Measles - (055)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Rubella - (056)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Arthropod-borne encephalitis - (062-064)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Viral hepatitis - (070)	13	0.3			-	-	-	-	-	2	3	1	-	2	3	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	5	-	-	-	-	-	-	1	-	-	2	2	-	-	-
			MNW	4	-	-	-	-	-	1	-	1	-	-	-	2	-	-
			FNW	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
7. Other viral diseases - (046-049, 051-054, 057-061, 065-066, 071-079)	29	0.7			4	3	4	1	1	1	2	3	1	2	3	4	–	–
			MW	12	2	–	–	–	1	–	2	1	1	1	3	1	–	–
			FW	7	1	–	3	–	–	–	–	1	–	–	–	2	–	–
			MNW	7	1	1	1	1	–	1	–	1	–	–	–	1	–	–
			FNW	3	–	2	–	–	–	–	–	–	–	1	–	–	–	–
E. Rickettsioses and other arthropod-borne diseases - (080-088)	1	0.0			–	–	1	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1. Typhus and other rickettsioses - (080-083)	1	0.0			–	–	1	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Malaria - (084)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. All other arthropod-borne diseases - (085-088)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
F. Syphilis and other venereal diseases - (090-099)	5	0.1			–	–	–	–	–	–	–	1	–	2	–	1	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			FNW	4	–	–	–	–	–	–	–	1	–	1	–	1	1	–
1. Syphilis - (090-097)	4	0.1			–	–	–	–	–	–	–	–	–	2	–	1	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
a. Cardiovascular syphilis - (093)	2	0.0			–	–	–	–	–	–	–	–	–	1	–	–	1	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
b. Neurosyphilis - (094)	2	0.0			–	–	–	–	–	–	–	–	–	1	–	1	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
c. All other syphilis - (090-091, 095-097)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Gonococcal infections - (098)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Other venereal diseases - (099)	1	0.0			–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
G. Other infectious and parasitic diseases and late effects of infectious and parasitic diseases - (100-139)	44	1.1			–	–	–	–	1	2	6	5	5	13	5	6	1	–
			MW	14	–	–	–	–	1	–	–	3	1	5	1	2	1	–
			FW	6	–	–	–	–	–	–	1	–	–	2	1	2	–	–
			MNW	10	–	–	–	–	–	2	–	2	2	1	2	1	–	–
			FNW	14	–	–	–	–	–	–	5	–	2	5	1	1	–	–
1. Mycoses - (110-118)	15	0.4			–	–	–	–	1	1	1	1	2	6	2	1	–	–
			MW	5	–	–	–	–	1	–	–	1	–	2	1	–	–	–
			FW	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
			MNW	4	–	–	–	–	–	1	–	–	2	1	–	–	–	–
			FNW	4	–	–	–	–	–	–	1	–	–	2	–	1	–	–

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Helminthiases - (120-129)	2	0.0			–	–	–	–	–	–	1	–	–	–	1	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Late effects of tuberculosis - (137)	6	0.1			–	–	–	–	–	–	–	–	1	1	1	3	–	–
			MW	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Late effects of acute poliomyelitis - (138)	1	0.0			–	–	–	–	–	–	–	1	–	–	–	–	–	–
			MW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases - (100-104, 130-136, 139)	20	0.5			–	–	–	–	–	1	4	3	2	6	1	2	1	–
			MW	4	–	–	–	–	–	–	–	1	–	2	–	–	1	–
			FW	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
			MNW	4	–	–	–	–	–	1	–	2	–	–	–	1	–	–
			FNW	10	–	–	–	–	–	–	4	–	2	3	1	–	–	–
II. Neoplasms - (140-239)	6936	172.6			3	12	11	15	25	29	96	256	840	1657	2105	1428	459	–
			MW	2770	2	5	2	2	10	9	31	68	327	683	877	607	147	–
			FW	2074	–	2	3	4	5	5	31	87	233	468	601	446	189	–
			MNW	1180	1	3	2	5	6	10	11	49	144	277	385	227	60	–
			FNW	912	–	2	4	4	4	5	23	52	136	229	242	148	63	–
A. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues - (140-208)	6828	170.0			3	11	11	14	25	27	92	251	826	1634	2078	1403	453	–
			MW	2731	2	5	2	2	10	9	30	67	321	673	868	598	144	–
			FW	2041	–	1	3	4	5	5	30	86	229	463	590	438	187	–
			MNW	1164	1	3	2	4	6	8	10	47	143	276	380	225	59	–
			FNW	892	–	2	4	4	4	5	22	51	133	222	240	142	63	–
1. Malignant neoplasms of lip, oral cavity, and pharynx - (140-149)	151	3.8			–	–	–	–	–	3	1	7	26	46	43	14	11	–
			MW	74	–	–	–	–	–	–	1	1	12	29	20	6	5	–
			FW	26	–	–	–	–	–	–	–	1	3	5	11	3	3	–
			MNW	38	–	–	–	–	–	2	–	4	9	8	9	4	2	–
			FNW	13	–	–	–	–	–	1	–	1	2	4	3	1	1	–
a. Of lip - (140)	–	– –			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Of tongue - (141)	35	0.9			–	–	–	–	–	–	–	4	5	14	8	2	2	–
			MW	19	–	–	–	–	–	–	–	1	3	9	4	1	1	–
			FW	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–
			MNW	10	–	–	–	–	–	–	–	2	2	3	2	1	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
c. Of pharynx - (146-149.0)	77	1.9			–	–	–	–	–	2	1	2	16	23	23	6	4	–
			MW	36	–	–	–	–	–	–	1	–	6	15	10	2	2	–
			FW	10	–	–	–	–	–	–	–	–	2	2	5	1	–	–
			MNW	25	–	–	–	–	–	2	–	2	6	4	6	3	2	–
			FNW	6	–	–	–	–	–	–	–	–	2	2	2	–	–	–
d. Of other and ill-defined sites within the lip, oral cavity, and pharynx - (142-145, 149.1-149.9)	39	1.0			–	–	–	–	–	1	–	1	5	9	12	6	5	–
			MW	19	–	–	–	–	–	–	–	–	3	5	6	3	2	–
			FW	12	–	–	–	–	–	–	–	–	1	2	4	2	3	–
			MNW	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–
			FNW	5	–	–	–	–	–	1	–	1	–	1	1	1	–	–
2. Malignant neoplasms of digestive organs and peritoneum - (150-159)	1725	42.9			–	–	–	–	1	–	13	52	149	358	564	432	156	–
			MW	645	–	–	–	–	–	–	5	20	61	142	210	162	45	–
			FW	531	–	–	–	–	1	–	1	8	33	94	171	151	72	–
			MNW	317	–	–	–	–	–	–	5	16	35	70	106	66	19	–
			FNW	232	–	–	–	–	–	–	2	8	20	52	77	53	20	–
a. Of esophagus - (150)	133	3.3			–	–	–	–	–	–	–	3	21	47	40	17	5	–
			MW	48	–	–	–	–	–	–	–	1	6	16	19	4	2	–
			FW	12	–	–	–	–	–	–	–	1	–	4	6	1	–	–
			MNW	60	–	–	–	–	–	–	–	1	12	23	13	8	3	–
			FNW	13	–	–	–	–	–	–	–	–	3	4	2	4	–	–
b. Of stomach - (151)	268	6.7			–	–	–	–	–	–	3	12	23	58	91	58	23	–
			MW	86	–	–	–	–	–	–	1	6	10	15	31	15	8	–
			FW	58	–	–	–	–	–	–	1	–	3	11	19	17	7	–
			MNW	76	–	–	–	–	–	–	1	4	5	17	29	15	5	–
			FNW	48	–	–	–	–	–	–	–	2	5	15	12	11	3	–

Table XXI (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Of small intestine, including duodenum - (152)	4	0.1			–	–	–	–	–	–	–	–	–	–	2	1	1	–
			MW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
d. Of colon - (153)	644	16.0			–	–	–	–	–	–	6	20	51	113	214	168	72	–
			MW	248	–	–	–	–	–	–	3	9	25	50	74	70	17	–
			FW	238	–	–	–	–	–	–	–	4	14	38	79	63	40	–
			MNW	68	–	–	–	–	–	–	2	4	8	10	22	17	5	–
			FNW	90	–	–	–	–	–	–	1	3	4	15	39	18	10	–
1) Hepatic and splenic flexures and transverse colon - (153.0-153.1, 153.7)	10	0.2			–	–	–	–	–	–	–	–	–	–	4	6	–	–
			MW	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–
			FW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
			MNW	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–
2) Descending colon - (153.2)	14	0.3			–	–	–	–	–	–	–	–	2	4	4	4	–	–
			MW	8	–	–	–	–	–	–	–	–	2	2	2	2	–	–
			FW	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
3) Sigmoid colon - (153.3)	26	0.6			–	–	–	–	–	–	1	–	1	–	13	10	1	–
			MW	7	–	–	–	–	–	–	1	–	–	–	4	2	–	–
			FW	14	–	–	–	–	–	–	–	–	–	–	6	7	1	–
			MNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FNW	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–
4) Cecum, appendix, and ascending colon - (153.4-153.6)	34	0.8			–	–	–	–	–	–	–	2	1	2	11	13	5	–
			MW	11	–	–	–	–	–	–	–	1	1	1	1	6	1	–
			FW	12	–	–	–	–	–	–	–	1	–	1	5	4	1	–
			MNW	7	–	–	–	–	–	–	–	–	–	–	2	3	2	–
			FNW	4	–	–	–	–	–	–	–	–	–	–	3	–	1	–
5) Other and colon, unspecified - (153.8-153.9)	560	13.9			–	–	–	–	–	–	5	18	47	107	182	135	66	–
			MW	219	–	–	–	–	–	–	2	8	22	47	66	58	16	–
			FW	207	–	–	–	–	–	–	–	3	14	36	68	48	38	–
			MNW	57	–	–	–	–	–	–	2	4	8	10	16	14	3	–
			FNW	77	–	–	–	–	–	–	1	3	3	14	32	15	9	–
e. Of rectum, rectosigmoid junction, and anus - (154)	107	2.7			–	–	–	–	–	–	1	4	7	22	32	28	13	–
			MW	49	–	–	–	–	–	–	1	1	5	12	16	9	5	–
			FW	32	–	–	–	–	–	–	–	1	1	5	7	11	7	–
			MNW	14	–	–	–	–	–	–	–	2	1	2	5	4	–	–
			FNW	12	–	–	–	–	–	–	–	–	–	3	4	4	1	–
f. Of liver and intrahepatic bile ducts - (155)	108	2.7			–	–	–	–	1	–	1	3	8	32	37	21	5	–
			MW	37	–	–	–	–	–	–	–	1	2	12	13	7	2	–
			FW	31	–	–	–	–	1	–	–	–	1	9	11	7	2	–
			MNW	27	–	–	–	–	–	–	1	2	4	8	10	2	–	–
			FNW	13	–	–	–	–	–	–	–	–	1	3	3	5	1	–
1) Liver, primary - (155.0)	44	1.1			–	–	–	–	1	–	–	2	4	14	16	6	1	–
			MW	17	–	–	–	–	–	–	–	–	2	5	7	3	–	–
			FW	11	–	–	–	–	1	–	–	–	1	4	2	2	1	–
			MNW	12	–	–	–	–	–	–	–	2	–	3	6	1	–	–
			FNW	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–
2) Intrahepatic bile ducts - (155.1)	2	0.0			–	–	–	–	–	–	–	–	–	–	2	–	–	–
			MW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
3) Liver, not specified as primary or secondary - (155.2)	62	1.5			–	–	–	–	–	–	1	1	4	18	19	15	4	–
			MW	19	–	–	–	–	–	–	–	1	–	7	5	4	2	–
			FW	20	–	–	–	–	–	–	–	–	–	5	9	5	1	–
			MNW	15	–	–	–	–	–	–	1	–	4	5	4	1	–	–
			FNW	8	–	–	–	–	–	–	–	–	–	1	1	5	1	–
g. Of gallbladder and extrahepatic bile ducts - (156)	52	1.3			–	–	–	–	–	–	2	–	4	8	13	18	7	–
			MW	13	–	–	–	–	–	–	–	–	1	3	2	5	2	–
			FW	26	–	–	–	–	–	–	–	–	1	4	4	13	4	–
			MNW	8	–	–	–	–	–	–	1	–	1	1	4	–	1	–
			FNW	5	–	–	–	–	–	–	1	–	1	–	3	–	–	–
h. Of pancreas - (157)	382	9.5			–	–	–	–	–	–	–	8	34	77	129	107	27	–
			MW	158	–	–	–	–	–	–	–	2	12	34	51	50	9	–
			FW	120	–	–	–	–	–	–	–	1	12	23	43	31	10	–
			MNW	59	–	–	–	–	–	–	–	3	4	9	23	17	3	–
			FNW	45	–	–	–	–	–	–	–	2	6	11	12	9	5	–

Table XXI (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
i. Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum - (158-159)	27	0.7										2	1	1	6	14	3	
			MW	5											3	2		
			FW	11								1	1		1	7	1	
			MNW	5												3	2	
			FNW	6								1		1	2	2		
3. Malignant neoplasms of respiratory and intrathoracic organs - (160-165)	1880	46.8							1	1	4	55	285	576	599	297	62	
			MW	1039					1		1	23	149	310	352	176	27	
			FW	335							1	12	52	111	94	48	17	
			MNW	387						1	1	15	60	119	122	57	12	
			FNW	119							1	5	24	36	31	16	6	
a. Of larynx - (161)	56	1.4											13	18	18	5	2	
			MW	34									5	13	13	3		
			FW	4									2	1	1			
			MNW	16									5	3	4	2	2	
			FNW	2									1	1				
b. Of trachea, bronchus, and lung - (162)	1805	44.9								1	4	55	270	556	572	288	59	
			MW	995							1	23	143	296	335	171	26	
			FW	329							1	12	50	109	93	47	17	
			MNW	368						1	1	15	54	116	117	54	10	
			FNW	113							1	5	23	35	27	16	6	
c. Of all other and ill-defined sites within the respiratory system and intrathoracic organs - (160, 163-165)	19	0.5							1				2	2	9	4	1	
			MW	10					1				1	1	4	2	1	
			FW	2										1		1		
			MNW	3									1		1	1		
			FNW	4											4			
4. Malignant neoplasms of bone, connective tissue, skin, and breast - (170-175)	642	16.0			1			3	3	3	18	59	112	162	157	84	40	
			MW	70					1		3	5	10	17	21	11	2	
			FW	403					2	1	10	35	64	103	105	58	25	
			MNW	16	1			2		1		1	2	4	2	2	1	
			FNW	153				1		1	5	18	36	38	29	13	12	
a. Of bone and articular cartilage - (170)	11	0.3							2	2	1		1		3	2		
			MW	3							1					2		
			FW	4					2	1					1			
			MNW	3						1			1		1			
			FNW	1											1			
b. Of connective and other soft tissue - (171)	32	0.8						3	1	1		2	3	12	4	5	1	
			MW	12					1			1	1	3	3	2	1	
			FW	12								1	2	5	1	3		
			MNW	4				2						2				
			FNW	4				1		1				2				
c. Melanoma of skin - (172)	72	1.8			1						5	6	16	17	17	8	2	
			MW	39							2	4	9	10	10	3	1	
			FW	25							3	2	7	5	6	2		
			MNW	6	1									2	1	1	1	
			FNW	2												2		
d. Other malignant neoplasms of skin - (173)	28	0.7										1	2	5	10	6	4	
			MW	14										4	7	3		
			FW	10										1	3	2	4	
			MNW	3								1	1			1		
			FNW	1									1					
e. Of female breast - (174)	497	12.4									12	50	90	128	122	62	33	
			MW	-														
			FW	352							7	32	55	92	94	51	21	
			MNW	-														
			FNW	145							5	18	35	36	28	11	12	
f. Of male breast - (175)	2	0.0													1	1		
			MW	2											1	1		
			FW	-														
			MNW	-														
			FNW	-														
5. Malignant neoplasms of genital organs - (170-187)	700	17.4							2	5	14	20	48	119	222	201	69	
			MW	219					1	4	3	1	5	16	69	91	29	
			FW	213						1	4	9	24	49	61	42	23	
			MNW	144							2		3	21	52	53	13	
			FNW	124					1		5	10	16	33	40	15	4	
a. Of cervix uteri - (180)	92	2.3							1	1	7	11	11	23	21	13	4	
			MW	-														
			FW	47						1	3	4	5	9	12	9	4	
			MNW	-														
			FNW	45					1		4	7	6	14	9	4		

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Of other parts of uterus - (179, 181-182)	90	2.2			-	-	-	-	-	-	-	3	5	23	31	18	10	
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FW	48	-	-	-	-	-	-	-	3	2	10	14	11	8	
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	42	-	-	-	-	-	-	-	-	3	13	17	7	2	
c. Of ovary and other uterine adnexa - (183)	143	3.6			-	-	-	-	-	-	1	5	25	33	47	23	9	
			MW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
			FW	107	-	-	-	-	-	-	1	2	17	27	34	19	7	
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	35	-	-	-	-	-	-	-	3	7	6	13	4	2	
d. Of other and unspecified female genital organs - (184)	13	0.3			-	-	-	-	-	-	1	-	-	3	2	3	4	
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FW	11	-	-	-	-	-	-	-	-	-	3	1	3	4	
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	2	-	-	-	-	-	-	1	-	-	-	1	-	-	
e. Of prostate - (185)	342	8.5			-	-	-	-	-	-	-	-	4	36	118	142	42	
			MW	207	-	-	-	-	-	-	-	-	3	15	69	91	29	
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			MNW	135	-	-	-	-	-	-	-	-	1	21	49	51	13	
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
f. Of testis - (186)	13	0.3			-	-	-	-	1	4	5	1	1	1	-			
			MW	11	-	-	-	-	1	4	3	1	1	1	-			
			FW	-	-	-	-	-	-	-	-	-	-	-	-			
			MNW	2	-	-	-	-	-	-	2	-	-	-	-			
			FNW	-	-	-	-	-	-	-	-	-	-	-	-			
g. Of penis and other male genital organs - (187)	7	0.2			-	-	-	-	-	-	-	-	2	-	3	2		
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-		
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-		
			MNW	7	-	-	-	-	-	-	-	-	2	-	3	2	-	
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-		
6. Malignant neoplasms of urinary organs - (188-189)	289	7.2			-	2	4	-	-	1	2	3	31	59	85	81	21	
			MW	141	-	-	1	-	-	-	-	1	13	31	41	43	11	
			FW	75	-	1	1	-	-	-	-	1	8	14	24	23	3	
			MNW	42	-	1	1	-	-	-	-	-	6	8	17	7	2	
			FNW	31	-	-	1	-	-	1	2	1	4	6	3	8	5	
a. Of bladder - (188)	160	4.0			-	-	-	-	-	-	-	1	10	25	55	54	15	
			MW	81	-	-	-	-	-	-	-	-	2	11	28	32	8	
			FW	31	-	-	-	-	-	-	-	-	1	6	10	12	2	
			MNW	31	-	-	-	-	-	-	-	-	4	4	16	6	1	
			FNW	17	-	-	-	-	-	-	-	1	3	4	1	4	4	
b. Of kidney and other and unspecified urinary organs - (189)	129	3.2			-	2	4	-	-	1	2	2	21	34	30	27	6	
			MW	60	-	-	1	-	-	-	-	1	11	20	13	11	3	
			FW	44	-	1	1	-	-	-	-	1	7	8	14	11	1	
			MNW	11	-	1	1	-	-	-	-	-	2	4	1	1	1	
			FNW	14	-	-	1	-	-	1	2	-	1	2	2	4	1	
7. Malignant neoplasms of other and unspecified sites - (190-199)	867	21.6			2	6	3	2	5	6	20	41	111	200	241	174	56	
			MW	305	2	3	-	1	1	2	9	12	44	79	84	57	11	
			FW	265	-	-	1	-	-	1	7	14	26	58	67	66	25	
			MNW	148	-	1	-	-	2	1	1	8	18	34	52	23	8	
			FNW	149	-	2	2	1	2	2	3	7	23	29	38	28	12	
a. Of eye - (190)	4	0.1			-	1	-	-	-	-	-	-	-	-	2	1		
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-		
			FW	3	-	-	-	-	-	-	-	-	-	-	2	1		
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-		
			FNW	1	-	1	-	-	-	-	-	-	-	-	-	-		
b. Of brain - (191)	128	3.2			2	2	3	1	5	4	5	14	20	30	28	13	1	
			MW	57	2	1	-	-	1	2	3	6	9	17	12	4		
			FW	45	-	-	1	-	-	-	2	5	9	9	12	7		
			MNW	9	-	1	-	-	2	-		3	-	1	1	1		
			FNW	17	-	-	2	1	2	2		-	2	3	3	1	1	
c. Of other and unspecified parts of nervous system - (192)	6	0.1			-	-	-	-	-	-	2	-	1	3	-	-		
			MW	2	-	-	-	-	-	-	2	-	-	-	-	-		
			FW	3	-	-	-	-	-	-	-	-	-	3	-	-		
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-		
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-		
d. Of thyroid gland and other endocrine glands and related structures - (193-194)	18	0.4			-	2	-	-	-	-	1	-	4	1	3	6	1	
			MW	6	-	1	-	-	-	-	1	-	1	-	-	2	1	
			FW	5	-	-	-	-	-	-	-	-	-	-	2	3		
			MNW	2	-	-	-	-	-	-	-	-	1	-	1	-		
			FNW	5	-	1	-	-	-	-	-	-	2	1	-	1		

Table XXI (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	35-54	55-64	65-74	75-84	85 and Over	Not Stated
e. Of all other and unspecified sites - (195-199)	711	17.7			–	1	–	1	–	2	12	27	86	166	208	154	54	–
			MW	240	–	1	–	1	–	–	3	6	34	62	72	51	10	–
			FW	209	–	–	–	–	–	1	5	9	17	46	51	55	25	–
			MNW	136	–	–	–	–	–	1	1	5	16	33	50	22	8	–
			FNW	126	–	–	–	–	–	–	3	7	19	25	33	26	11	–
8. Malignant neoplasms of lymphatic and hematopoietic tissues - (200-208)	574	14.3			–	3	4	9	13	8	20	14	64	114	167	120	38	–
			MW	238	–	2	1	1	6	3	8	4	27	49	71	52	14	–
			FW	193	–	–	1	4	2	2	7	6	19	29	57	47	19	–
			MNW	72	–	1	1	2	4	3	1	3	10	12	20	13	2	–
			FNW	71	–	–	1	2	1	–	4	1	8	24	19	8	3	–
a. Lymphosarcoma and reticulosarcoma - (200)	83	2.1			–	–	–	–	1	–	3	3	5	15	28	24	4	–
			MW	43	–	–	–	–	–	–	1	1	3	7	14	14	3	–
			FW	29	–	–	–	–	–	–	1	2	–	5	11	9	1	–
			MNW	5	–	–	–	–	–	–	–	–	1	2	2	–	–	–
			FNW	6	–	–	–	–	1	–	1	–	1	1	1	1	–	–
b. Hodgkin's disease - (201)	30	0.7			–	–	–	1	1	1	4	2	5	5	6	3	2	–
			MW	17	–	–	–	–	1	–	3	2	4	1	4	1	1	–
			FW	9	–	–	–	–	–	1	1	–	–	3	2	1	1	–
			MNW	3	–	–	–	1	–	–	–	–	1	–	–	1	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
c. Other malignant neoplasms of lymphoid and histiocytic tissue - (202)	87	2.2			–	1	1	–	2	1	4	2	13	23	20	15	5	–
			MW	39	–	1	–	–	1	–	1	–	6	12	8	8	2	–
			FW	28	–	–	–	–	–	–	2	–	4	5	8	7	2	–
			MNW	11	–	–	1	–	1	1	–	2	2	2	2	–	–	–
			FNW	9	–	–	–	–	–	–	1	–	1	4	2	–	1	–
d. Multiple myeloma and immunoproliferative neoplasms - (203)	95	2.4			–	–	–	–	–	–	–	1	10	24	36	18	6	–
			MW	32	–	–	–	–	–	–	–	1	3	9	11	7	1	–
			FW	23	–	–	–	–	–	–	–	–	2	3	9	6	3	–
			MNW	17	–	–	–	–	–	–	–	–	3	3	7	3	1	–
			FNW	23	–	–	–	–	–	–	–	–	2	9	9	2	1	–
e. Leukemia - (204-208)	279	6.9			–	2	3	8	9	6	9	6	31	47	77	60	21	–
			MW	107	–	1	1	1	4	3	3	–	11	20	34	22	7	–
			FW	104	–	–	1	4	2	1	3	4	13	13	27	24	12	–
			MNW	36	–	1	–	1	3	2	1	1	3	5	9	9	1	–
			FNW	32	–	–	1	2	–	–	2	1	4	9	7	5	1	–
1) Lymphoid leukemia - (204)	68	1.7			–	1	–	5	3	3	–	1	1	10	15	22	7	–
			MW	32	–	–	–	1	2	2	–	–	1	6	8	11	1	–
			FW	19	–	–	–	2	1	1	–	–	–	2	4	4	5	–
			MNW	9	–	1	–	–	–	–	–	–	–	1	1	6	–	–
			FNW	8	–	–	–	2	–	–	–	1	–	1	2	1	1	–
2) Myeloid leukemia - (205)	132	3.3			–	1	1	3	2	1	7	3	22	22	41	21	8	–
			MW	45	–	1	–	–	–	–	3	–	7	11	14	5	4	–
			FW	58	–	–	–	2	1	–	3	3	10	7	18	11	3	–
			MNW	13	–	–	–	1	1	1	–	–	3	–	5	1	1	–
			FNW	16	–	–	1	–	–	–	1	–	2	4	4	4	–	–
3) Monocytic leukemia - (206)	6	0.1			–	–	–	–	–	–	–	1	–	1	2	–	2	–
			MW	4	–	–	–	–	–	–	–	–	–	–	2	–	2	–
			FW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			MNW	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4) Other and unspecified leukemia - (207-208)	73	1.8			–	–	2	–	4	2	2	1	8	14	19	17	4	–
			MW	26	–	–	1	–	2	1	–	–	3	3	10	6	–	–
			FW	26	–	–	1	–	–	–	–	1	3	3	5	9	4	–
			MNW	13	–	–	–	–	2	1	1	–	–	4	3	2	–	–
			FNW	8	–	–	–	–	–	–	1	–	2	4	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature - (210-239)	108	2.7			–	1	–	1	–	2	4	5	14	23	27	25	6	–
			MW	39	–	–	–	–	–	–	1	1	6	10	9	9	3	–
			FW	33	–	1	–	–	–	–	1	1	4	5	11	8	2	–
			MNW	16	–	–	–	1	–	2	1	2	1	1	5	2	1	–
			FNW	20	–	–	–	–	–	–	1	1	3	7	2	6	–	–
1. Benign neoplasms - (210- 229)	21	0.5			–	–	–	–	–	–	2	1	3	5	6	3	1	–
			MW	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–
			FW	8	–	–	–	–	–	–	1	–	2	–	4	1	–	–
			MNW	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–
			FNW	6	–	–	–	–	–	–	–	–	1	3	1	1	–	–
a. Of female genital organs - (218-221)	2	0.0			–	–	–	–	–	–	–	–	–	–	2	–	–	–
			MW		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			MNW		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Of eye, brain, and other parts of nervous system - (224-225)	9	0.2			–	–	–	–	–	–	–	–	3	2	2	2	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	5	–	–	–	–	–	–	–	–	2	–	2	1	–	–
			MNW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			FNW	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–
c. Of all other and unspecified sites - (210-217, 222-223, 226-229)	10	0.2			–	–	–	–	–	–	2	1	–	3	2	1	1	–
			MW	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–
			FW	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
			MNW	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
2. Carcinoma in situ - (230-234)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
a. Of breast and genitourinary system - (233)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b. Of all other and unspecified sites - (230-232, 234)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Neoplasms of uncertain behavior - (235-238)	16	0.4			–	1	–	–	–	1	–	1	2	3	6	1	1	–
			MW	6	–	–	–	–	–	–	–	1	–	2	2	–	1	–
			FW	6	–	1	–	–	–	–	–	–	1	1	2	1	–	–
			MNW	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–
			FNW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
4. Neoplasms of unspecified nature - (239)	71	1.8			–	–	–	1	–	1	2	3	9	15	15	21	4	–
			MW	29	–	–	–	–	–	–	1	–	6	7	6	8	1	–
			FW	19	–	–	–	–	–	–	–	1	1	4	5	6	2	–
			MNW	10	–	–	–	1	–	1	–	1	–	–	4	2	1	–
			FNW	13	–	–	–	–	–	–	1	1	2	4	–	5	–	–
III. Endocrine, nutritional, and metabolic diseases and immunity disorders - (240-279)	997	24.8			16	8	4	2	3	8	25	26	85	171	273	253	122	1
			MW	257	4	5	3	2	1	3	5	4	24	46	73	60	26	1
			FW	336	1	2	1	–	–	3	6	5	23	51	90	105	49	–
			MNW	151	4	1	–	–	–	–	9	8	17	25	41	28	18	–
			FNW	253	7	–	–	–	2	2	5	9	21	49	69	60	29	–
A. Endocrine and metabolic diseases and immunity disorders - (240-259, 270-279)	944	23.5			14	8	4	2	3	7	24	23	82	169	266	236	106	–
			MW	245	3	5	3	2	1	3	4	4	23	44	72	58	23	–
			FW	315	1	2	1	–	–	2	6	4	21	51	88	96	43	–
			MNW	143	3	1	–	–	–	–	9	7	17	25	40	26	15	–
			FNW	241	7	–	–	–	2	2	5	8	21	49	66	56	25	–
1. Disorders of thyroid gland - (240-246)	17	0.4			1	–	–	–	–	–	1	3	–	1	3	6	2	–
			MW	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–
			FW	8	1	–	–	–	–	–	–	1	–	1	2	3	–	–
			MNW	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
			FNW	4	–	–	–	–	–	–	–	2	–	–	–	2	–	–
2. Diabetes mellitus - (250)	768	19.1			–	–	2	1	2	4	16	13	62	152	232	197	87	–
			MW	198	–	–	1	1	1	3	2	3	17	40	65	47	18	–
			FW	261	–	–	1	–	–	–	4	2	12	44	78	84	36	–
			MNW	107	–	–	–	–	–	–	7	4	13	23	31	18	11	–
			FNW	202	–	–	–	–	1	1	3	4	20	45	58	48	22	–
3. Disorders of the pituitary gland and its hypothalamic control - (253)	1	0.0			–	–	–	–	–	–	–	–	–	1	–	–	–	–
			MW	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. Diseases of thymus gland - (254)	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Disorders of adrenal glands - (255)	3	0.1			–	–	–	–	–	–			1	–	1	1	–	–
			MW	1	–	–	–	–	–	–			–	–	1	–	–	–
			FW	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
6. Cystic fibrosis - (277.0)	4	0.1				1		1		2								
			MW	1				1										
			FW	3		1				2								
			MNW															
			FNW															
7. Obesity - (278.0)	22	0.5								1	3	2	9	4	3			
			MW	5									4	1				
			FW	7							1		2	2	2			
			MNW	4							2		2					
			FNW	6						1		2	1	1	1			
8. All other endocrine and metabolic diseases and immunity disorders - (251-252, 256-259, 270-276, 277.1-277.9, 278.1-279)	129	3.2			13	7	2		1		4	5	10	11	27	32	17	
			MW	36	3	5	2				1	1	2	2	5	11	4	
			FW	34		1					1	1	6	4	6	8	7	
			MNW	30	3	1						3	2	2	9	7	3	
			FNW	29	7				1		2			3	7	6	3	
B. Nutritional deficiencies - (260-269)	53	1.3			2					1	1	3	3	2	7	17	16	1
			MW	12	1						1		1	2	1	2	3	1
			FW	21						1		1	2		2	9	6	
			MNW	8	1							1			1	2	3	
			FNW	12								1			3	4	4	
1. Nutritional marasmus - (261)	10	0.2										2			1	5	1	1
			MW	3												1	1	1
			FW	4								1				3		
			MNW	3								1			1	1		
			FNW															
2. Other protein-calorie malnutrition - (262-263)	40	1.0			2							1	3	2	6	11	15	
			MW	8	1								1	2	1	1	2	
			FW	15									2		2	5	6	
			MNW	5	1											1	3	
			FNW	12								1			3	4	4	
3. All other nutritional deficiencies - (260, 264-269)	3	0.1								1	1					1		
			MW	1							1							
			FW	2						1						1		
			MNW															
			FNW															
IV. Diseases of blood and blood-forming organs - (280-289)	135	3.4			8	3			3	6	7	4	12	19	29	31	13	
			MW	44	3					2	2	1	3	8	12	9	4	
			FW	39	1					1	3	1	4	4	6	12	7	
			MNW	27	3	2			1	2	1	2		4	7	4	1	
			FNW	25	1	1			2	1	1		5	3	4	6	1	
A. Anemias - (280-285)	71	1.8			2	3			3	2	4	2	2	6	15	19	13	
			MW	22	1					1	1		1	1	6	7	4	
			FW	17							1	1		1	2	5	7	
			MNW	16	1	2			1		1	1		3	3	3	1	
			FNW	16		1			2	1	1		1	1	4	4	1	
1. Deficiency anemias - (280-281)	6	0.1												1	2	1	2	
			MW	1												1		
			FW	2										1			1	
			MNW	2											1		1	
			FNW	1											1			
2. Hemolytic anemias - (282-283)	17	0.4			2	2			1	1	3	2	1	1	3	1		
			MW	2	1											1		
			FW	3							1	1			1			
			MNW	8	1	2			1		1	1		1	1			
			FNW	4						1	1		1		1			
3. Aplastic anemia - (284)	21	0.5				1			2	1	1			1	1	8	6	
			MW	10						1	1			1	1	4	2	
			FW	7												3	4	
			MNW															
			FNW	4		1			2							1		
4. Other and unspecified anemias - (285)	27	0.7											1	3	9	9	5	
			MW	9									1		5	1	2	
			FW	5											1	2	2	
			MNW	6										2	1	3		
			FNW	7										1	2	3	1	
B. Purpura and other hemorrhagic conditions - (287)	12	0.3			2						1		1	2	3	3		
			MW	2										1	1			
			FW	4							1				1	2		
			MNW	2	1										1			
			FNW	4	1								1	1		1		

Table XXI (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
C. All other diseases of blood and blood-forming organs - (286, 288-289)	52	1.3			4	–	–	–	–	4	2	2	9	11	11	9	–	
			MW	20	2	–	–	–	–	1	1	1	2	6	5	2	–	
			FW	18	1	–	–	–	–	1	1	–	4	3	3	5	–	
			MNW	9	1	–	–	–	–	2	–	1	–	1	3	1	–	
			FNW	5	–	–	–	–	–	–	–	–	3	1	–	1	–	
V. Mental disorders - (290-319)	186	4.6			2	2	–	–	1	3	15	23	32	25	27	36	18	
			MW	69	–	1	–	–	–	1	6	8	11	14	11	14	2	
			FW	48	1	–	–	–	1	1	2	2	6	2	5	15	13	
			MNW	42	–	1	–	–	–	1	6	8	9	7	6	2	1	
			FNW	27	1	–	–	–	–	–	1	5	6	2	5	5	2	
A. Senile and presenile organic psychotic conditions - (290)	15	0.4			–	–	–	–	–	–	–	–	–	–	3	9	3	
			MW	2	–	–	–	–	–	–	–	–	–	–	–	2	–	
			FW	10	–	–	–	–	–	–	–	–	–	–	2	5	3	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	3	–	–	–	–	–	–	–	–	–	–	1	2	–	
B. Alcoholic psychoses - (291)	8	0.2			–	–	–	–	–	–	–	2	3	1	1	1	–	
			MW	3	–	–	–	–	–	–	–	–	1	–	1	1	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	2	–	–	–	–	–	–	–	1	1	–	–	–	–	
			FNW	3	–	–	–	–	–	–	–	1	1	1	–	–	–	
C. All other psychoses - (292-299)	3	0.1			–	–	–	–	–	–	–	–	–	1	2	–	–	
			MW	2	–	–	–	–	–	–	–	–	–	1	1	–	–	
			FW	1	–	–	–	–	–	–	–	–	–	–	1	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
D. Alcohol dependence syndrome - (303)	73	1.8			–	–	–	–	–	–	8	15	24	16	6	3	–	1
			MW	31	–	–	–	–	–	–	2	6	8	8	3	3	–	1
			FW	5	–	–	–	–	–	–	–	–	4	1	–	–	–	
			MNW	27	–	–	–	–	–	–	5	6	8	6	2	–	–	
			FNW	10	–	–	–	–	–	–	1	3	4	1	1	–	–	
E. Drug dependence - (304)	2	0.0			–	–	–	–	–	–	1	–	1	–	–	–	–	
			MW	2	–	–	–	–	–	–	1	–	1	–	–	–	–	
			FW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			MNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
			FNW	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
F. Other neurotic, personality, and nonpsychotic mental disorders - (300-302, 305-316)	74	1.8								1	3	6	4	6	15	23	15	1
			MW	27						1	2	2	1	5	6	8	2	
			FW	27							1	2	2	–	2	10	10	
			MNW	10							–	1	–	1	4	2	1	1
			FNW	10							–	1	1	–	3	3	2	
G. Mental retardation - (317-319)	11	0.3			2	2			1	2	3	–	–	1	–		–	
			MW	2	–	1			–	–	1	–	–	–	–		–	
			FW	5	1	–			1	1	1	–	–	1	–		–	
			MNW	3	–	1			–	1	1	–	–	–	–		–	
			FNW	1	1	–			–	–	–	–	–	–	–		–	
VI. Diseases of the nervous system and sense organs - (320-389)	358	8.9			35	23	9	9	8	16	29	23	33	55	55	47	16	
			MW	112	5	7	3	4	3	6	11	8	11	13	22	13	6	
			FW	102	8	1	1	1	2	1	5	3	7	21	21	25	6	
			MNW	75	10	9	1	–	3	5	6	9	7	13	4	5	3	
			FNW	69	12	6	4	4	–	4	7	3	8	8	8	4	1	
A. Diseases of the nervous system - (320-359)	358	8.9			35	23	9	9	8	16	29	23	33	55	55	47	16	
			MW	112	5	7	3	4	3	6	11	8	11	13	22	13	6	
			FW	102	8	1	1	1	2	1	5	3	7	21	21	25	6	
			MNW	75	10	9	1	–	3	5	6	9	7	13	4	5	3	
			FNW	69	12	6	4	4	–	4	7	3	8	8	8	4	1	
1. Meningitis - (320-322)	44	1.1			18	7	1	1	1		1	4	4	3	2	1	1	
			MW	8	2	1	–	1	–		1	–	2	–	1	–	–	
			FW	11	5	–	–	–	–		–	2	1	1	1	1	–	
			MNW	11	3	2	–	–	1		–	2	1	1	–	–	1	
			FNW	14	8	4	1	–	–		–	–	–	1	–	–	–	
2. Parkinson's disease - (332)	39	1.0			–	–					–	–	–	4	14	14	7	
			MW	21	–	–					–	–	–	2	9	6	4	
			FW	14	–	–					–	–	–	2	2	7	3	
			MNW		–	–					–	–	–	–	–	–	–	
			FNW	4	–	–					–	–	–	–	3	1	–	
3. Other hereditary and degenerative diseases of the central nervous system - (330-331, 333-337)	98	2.4			7	6	3	3	3	2	2	2	7	21	21	16	5	
			MW	26	1	1	1	–	1	1	–	2	2	7	5	4	1	
			FW	37	–	–	1	1	–	–	1	–	1	9	12	10	2	
			MNW	22	5	5	–	–	2	1	–	–	2	2	2	2	1	
			FNW	13	1	–	1	2	–	–	1	–	2	3	2	–	1	

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes , Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Multiple sclerosis - (340)	15	0.4									1	3	5	5		1		
			MW	5								1	3	1				
			FW	6								1	1	3		1		
			MNW	1										1				
			FNW	3							1	1	1					
5. Infantile cerebral palsy - (343)	19	0.5			4	4		3	1	2	2			2	1			
			MW	6	1	2		1		1	1							
			FW	4	1	1			1						1			
			MNW	3	1	1								1				
			FNW	6	1			2		1	1			1				
6. Epilepsy - (345)	39	1.0			2	1	1		1	4	10	8	6	2	2	2		
			MW	12	1	1			1		3	2	2		2			
			FW	4							2		1	1				
			MNW	14	1		1			2	4	4	1	1				
			FNW	9						2	1	2	2			2		
7. Other diseases of the nervous system - (323-326, 341-342, 344, 346-359)	104	2.6			4	5	4	2	2	8	13	6	11	18	15	13	3	
			MW	34		2	2	2	1	4	6	3	2	3	5	3	1	
			FW	26	2				1	1	2		3	5	5	6	1	
			MNW	24		1				2	2	3	3	7	2	3	1	
			FNW	20	2	2	2			1	3		3	3	3	1		
B. Disorders of the eye and adnexa - (360-379)																		
			MW															
			FW															
			MNW															
			FNW															
C. Diseases of the ear and mastoid process - (380-389)																		
			MW															
			FW															
			MNW															
			FNW															
VII. Diseases of the circulatory system - (390-459)	16927	421.3			31	9	4	7	15	30	123	377	1139	2606	4530	4912	3138	6
			MW	6130	7	1		2	2	8	36	149	552	1205	1894	1564	706	4
			FW	5554	8	4	3	1	4	5	21	61	153	525	1173	1994	1602	
			MNW	2651	11	3		1	5	8	31	92	242	529	779	638	311	1
			FNW	2592	5	1	1	3	4	9	35	75	192	347	684	716	519	1
A. Rheumatic fever and rheumatic heart disease - (390-398)	52	1.3							1		1	12	8	12	11	6	1	
			MW	9								2		5	2			
			FW	22								3	2	3	9	4	1	
			MNW	9					1			3	3	2				
			FNW	12							1	4	3	2		2		
1. Acute rheumatic fever - (390-392)																		
			MW															
			FW															
			MNW															
			FNW															
2. Chronic rheumatic heart disease - (393-398)	52	1.3							1		1	12	8	12	11	6	1	
			MW	9								2		5	2			
			FW	22								3	2	3	9	4	1	
			MNW	9					1			3	3	2				
			FNW	12							1	4	3	2		2		
a. Diseases of mitral valve - (394)	27	0.7									1	8	3	5	5	5		
			MW	5								1		3	1			
			FW	11								1	2	1	4	3		
			MNW	3								3						
			FNW	8							1	3	1	1		2		
b. Diseases of aortic valve - (395)	1	0.0															1	
			MW															
			FW	1													1	
			MNW															
			FNW															
c. Diseases of mitral and aortic valves - (396)	8	0.2										3	1	2	2			
			MW	2										1	1			
			FW	3								2			1			
			MNW	2									1	1				
			FNW	1								1						
d. All other chronic rheumatic heart disease - (393, 397-398)	16	0.4							1			1	4	5	4	1		
			MW	2								1		1				
			FW	7										2	4	1		
			MNW	4					1				2	1				
			FNW	3									2	1				

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
B. Hypertensive disease - (401-404)	794	19.8			–	–	–	–	–	–	2	30	64	132	241	208	117	–
			MW	149	–	–	–	–	–	–	–	4	11	30	49	39	16	–
			FW	216	–	–	–	–	–	–	–	4	12	15	65	72	48	–
			MNW	193	–	–	–	–	–	–	–	8	20	43	62	43	17	–
			FNW	236	–	–	–	–	–	–	2	14	21	44	65	54	36	–
1. Essential hypertension - (401)	48	1.2			–	–	–	–	–	–	–	1	5	11	15	7	9	–
			MW	9	–	–	–	–	–	–	–	–	–	2	2	3	2	–
			FW	12	–	–	–	–	–	–	–	–	–	1	4	3	4	–
			MNW	9	–	–	–	–	–	–	–	–	3	2	3	1	–	–
			FNW	18	–	–	–	–	–	–	–	1	2	6	6	–	3	–
2. Hypertensive heart disease - (402)	583	14.5			–	–	–	–	–	–	2	21	48	105	191	150	66	–
			MW	112	–	–	–	–	–	–	–	2	11	28	38	26	7	–
			FW	151	–	–	–	–	–	–	–	4	10	11	52	47	27	–
			MNW	150	–	–	–	–	–	–	–	5	13	34	52	36	10	–
			FNW	170	–	–	–	–	–	–	2	10	14	32	49	41	22	–
3. Hypertensive renal disease - (403)	81	2.0			–	–	–	–	–	–	–	4	6	9	19	23	20	–
			MW	15	–	–	–	–	–	–	–	–	–	–	6	5	4	–
			FW	27	–	–	–	–	–	–	–	–	–	2	4	11	10	–
			MNW	15	–	–	–	–	–	–	–	2	2	3	3	3	2	–
			FNW	24	–	–	–	–	–	–	–	2	4	4	6	4	4	–
4. Hypertensive heart and renal disease - (404)	82	2.0			–	–	–	–	–	–	–	4	5	7	16	28	22	–
			MW	13	–	–	–	–	–	–	–	2	–	–	3	5	3	–
			FW	26	–	–	–	–	–	–	–	–	2	1	5	11	7	–
			MNW	19	–	–	–	–	–	–	–	1	2	4	4	3	5	–
			FNW	24	–	–	–	–	–	–	–	1	1	2	4	9	7	–
C. Ischemic heart disease - (410-414)	9006	224.2			–	–	–	–	1	7	37	183	715	1596	2547	2488	1437	5
			MW	3897	–	–	–	–	–	2	22	104	413	863	1252	888	350	3
			FW	2748	–	–	–	–	1	2	3	28	81	306	610	989	728	–
			MNW	1289	–	–	–	–	–	2	7	32	132	268	394	303	150	1
			FNW	1072	–	–	–	–	–	1	5	19	89	149	291	308	209	1
1. Acute myocardial infarction - (410)	4962	123.5			–	–	–	–	1	4	32	140	512	1088	1549	1170	462	4
			MW	2481	–	–	–	–	–	1	18	82	311	635	811	476	144	3
			FW	1356	–	–	–	–	1	1	3	24	58	211	387	463	208	–
			MNW	641	–	–	–	–	–	2	6	23	85	164	204	117	40	–
			FNW	484	–	–	–	–	–	–	5	11	58	78	147	114	70	1
2. Other acute and subacute forms of ischemic heart disease - (411)	52	1.3			–	–	–	–	–	–	–	–	6	7	18	15	6	–
			MW	19	–	–	–	–	–	–	–	–	3	4	8	3	1	–
			FW	14	–	–	–	–	–	–	–	–	1	1	5	5	2	–
			MNW	12	–	–	–	–	–	–	–	–	2	2	3	3	2	–
			FNW	7	–	–	–	–	–	–	–	–	–	–	2	4	1	–
3. Angina pectoris - (413)	18	0.4*			–	–	–	–	–	–	–	1	1	5	7	3	1	–
			MW	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–
			FW	5	–	–	–	–	–	–	–	–	1	1	1	1	1	–
			MNW	4	–	–	–	–	–	–	–	1	–	1	1	1	–	–
			FNW	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–
4. Old myocardial infarction and other forms of chronic ischemic heart disease - (412, 414)	3974	98.9			–	–	–	–	–	3	5	42	196	486	973	1300	968	1
			MW	1393	–	–	–	–	–	1	4	22	99	222	431	409	205	–
			FW	1373	–	–	–	–	–	1	–	4	21	93	217	520	517	–
			MNW	632	–	–	–	–	–	–	1	8	45	101	186	182	108	1
			FNW	576	–	–	–	–	–	1	–	8	31	70	139	189	138	–
D. Diseases of pulmonary circulation - (415-417)	276	6.9			–	–	–	–	2	2	5	13	25	59	74	69	27	–
			MW	79	–	–	–	–	–	2	1	2	7	19	18	23	7	–
			FW	84	–	–	–	–	–	–	–	3	3	12	22	28	16	–
			MNW	53	–	–	–	–	1	–	2	4	7	10	18	8	3	–
			FNW	60	–	–	–	–	1	–	2	4	8	18	16	10	1	–
E. Other forms of heart disease - (420-429)	2647	65.9			24	7	4	5	6	13	36	70	152	367	641	769	553	–
			MW	762	5	–	–	2	2	2	4	20	65	137	222	184	119	–
			FW	919	7	4	3	–	1	–	7	10	22	73	187	327	278	–
			MNW	465	7	2	–	1	2	6	12	22	36	96	111	115	55	–
			FNW	501	5	1	1	2	1	5	13	18	29	61	121	143	101	–
1. Acute and subacute endocarditis - (421)	14	0.3			–	–	–	–	–	4	–	2	2	2	3	1	–	–
			MW	6	–	–	–	–	–	2	–	1	1	1	–	1	–	–
			FW	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–
			MNW	3	–	–	–	–	–	1	–	1	–	–	1	–	–	–
			FNW	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
2. Acute pericarditis, acute myocarditis, and other diseases of pericardium - (420, 422-423)	18	0.4			2	1	2	–	1	–	1	3	1	4	2	1	–	–
			MW	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–
			FW	8	1	–	2	–	1	–	–	2	–	2	–	–	–	–
			MNW	5	1	1	–	–	–	–	1	–	–	1	1	–	–	–
			FNW	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana ,1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3. Other diseases of endocardium - (424)	79	2.0			-	-	-	1	-	-	4	3	9	10	26	22	4	-
			MW	30	-	-	-	1	-	-	-	3	2	6	12	5	1	-
			FW	27	-	-	-	-	-	-	2	-	3	2	4	14	2	-
			MNW	8	-	-	-	-	-	-	2	-	1	-	4	1	-	-
			FNW	14	-	-	-	-	-	-	-	-	3	2	6	2	1	-
a. Mitral valve disorders - (424.0)	7	0.2			-	-	-	-	-	-	1	-	1	2	1	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-
			MNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
b. Aortic valve disorders - (424.1)	54	1.3			-	-	-	-	-	-	1	2	5	7	20	17	2	-
			MW	24	-	-	-	-	-	-	-	2	1	6	11	3	1	-
			FW	17	-	-	-	-	-	-	-	-	2	-	3	11	1	-
			MNW	6	-	-	-	-	-	-	1	-	1	-	3	1	-	-
			FNW	7	-	-	-	-	-	-	-	-	1	1	3	2	-	-
c. All other diseases of endocardium - (424.2-424.9)	18	0.4			-	-	-	1	-	-	2	1	3	1	5	3	2	-
			MW	5	-	-	-	1	-	-	-	1	1	-	-	2	-	-
			FW	6	-	-	-	-	-	-	2	-	1	-	1	1	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	6	-	-	-	-	-	-	-	-	1	1	3	-	1	-
4. Heart failure - (428)	744	18.5			4	-	-	-	1	1	3	7	25	101	192	235	175	-
			MW	189	2	-	-	-	-	-	-	2	9	35	49	53	39	-
			FW	270	1	-	-	-	-	-	-	-	1	20	63	101	84	-
			MNW	136	1	-	-	-	1	1	1	4	7	30	38	31	22	-
			FNW	149	-	-	-	-	-	-	2	1	8	16	42	50	30	-
5. Myocarditis, unspecified and myocardial degeneration - (429.0-429.1)	51	1.3			-	1	-	-	-	-	1	1	4	10	9	11	14	-
			MW	11	-	-	-	-	-	-	-	-	1	4	2	-	4	-
			FW	17	-	1	-	-	-	-	-	-	-	1	3	6	6	-
			MNW	13	-	-	-	-	-	-	1	-	1	5	2	4	-	-
			FNW	10	-	-	-	-	-	-	-	1	2	-	2	1	4	-
6. All other and ill defined forms of heart disease - (425-427, 429.2-429.9)	1741	43.3			18	5	2	4	4	8	27	54	111	240	409	499	360	-
			MW	523	3	-	-	1	2	-	4	13	51	90	159	125	75	-
			FW	593	5	3	1	-	-	-	5	8	17	47	115	206	186	-
			MNW	300	5	1	-	1	1	4	7	17	27	60	65	79	33	-
			FNW	325	5	1	1	2	1	4	11	16	16	43	70	89	66	-
F. Cerebrovascular diseases - (430-438)	3134	78.0			5	2	-	2	3	5	33	49	139	341	787	1049	718	1
			MW	894	1	1	-	-	-	1	5	11	41	101	261	316	155	1
			FW	1156	1	-	-	1	1	2	10	8	26	90	215	433	369	-
			MNW	523	3	1	-	-	1	-	8	19	36	89	154	146	66	-
			FNW	561	-	-	-	1	1	2	10	11	36	61	157	154	128	-
1. Subarachnoid hemorrhage - (430)	126	3.1			-	-	-	1	1	1	13	17	25	34	25	9	-	-
			MW	35	-	-	-	-	-	-	3	6	7	9	7	3	-	-
			FW	48	-	-	-	1	1	1	4	4	5	15	12	5	-	-
			MNW	14	-	-	-	-	-	-	2	1	6	3	2	-	-	-
			FNW	29	-	-	-	-	-	-	4	6	7	7	4	1	-	-
2. Intracerebral and other intracranial hemorrhage - (431-432)	347	8.6			2	-	-	-	1	1	7	17	41	60	101	75	41	1
			MW	96	1	-	-	-	-	1	-	2	7	21	34	20	9	1
			FW	106	-	-	-	-	-	-	1	3	10	13	27	32	20	-
			MNW	75	1	-	-	-	1	-	3	9	11	17	17	13	3	-
			FNW	70	-	-	-	-	-	-	3	3	13	9	23	10	9	-
3. Occlusion and stenosis of precerebral arteries - (433)	26	0.6			-	-	-	-	-	-	3	-	-	7	9	4	3	-
			MW	13	-	-	-	-	-	-	1	-	-	5	3	1	3	-
			FW	8	-	-	-	-	-	-	1	-	-	-	5	2	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
			FNW	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-
4. Cerebral thrombosis and unspecified occlusion of cerebral arteries - (434.0, 434.9)	559	13.9			-	1	-	-	-	2	4	2	16	42	129	205	158	-
			MW	156	-	-	-	-	-	-	-	-	9	14	44	61	28	-
			FW	237	-	-	-	-	-	1	1	-	1	12	42	91	89	-
			MNW	81	-	1	-	-	-	-	2	2	5	10	22	28	11	-
			FNW	85	-	-	-	-	-	1	1	-	1	6	21	25	30	-
5. Cerebral embolism - (434.1)	10	0.2			-	-	-	-	-	-	-	-	1	1	3	4	1	-
			MW	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-
			FW	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
6. Acute but ill-defined cerebrovascular disease - (436)	1710	42.6			-	-	-	1	-	1	5	12	45	178	453	620	395	-
			MW	473	-	-	-	-	-	-	1	3	15	45	144	185	80	-
			FW	590	-	-	-	-	-	-	2	1	5	41	106	244	191	-
			MNW	317	-	-	-	-	-	-	1	7	12	55	102	92	48	-
			FNW	330	-	-	-	1	-	1	1	1	13	37	101	99	76	-

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
7. Other and late effects of cerebrovascular diseases - (435, 437-438)	356	8.9			3	1	–	–	1	–	1	1	11	19	67	132	120	
			MW	116	–	1	–	–	–	–	–	–	3	7	26	44	35	
			FW	164	1	–	–	–	–	–	1	–	4	8	23	58	69	
			MNW	33	2	–	–	–	–	–	–	–	2	3	11	11	4	
			FNW	43	–	–	–	–	1	–	–	1	2	1	7	19	12	
G. Diseases of arteries, arterioles, and capillaries - (440-448)	934	23.2			–	–	–	–	1	3	6	13	32	89	202	306	282	
			MW	307	–	–	–	–	–	1	3	3	12	39	80	111	58	
			FW	389	–	–	–	–	–	1	1	4	7	22	60	134	160	
			MNW	105	–	–	–	–	–	–	–	3	8	17	36	21	20	
			FNW	133	–	–	–	–	1	1	2	3	5	11	26	40	44	
1. Atherosclerosis - (440)	631	15.7			–	–	–	–	–	–	1	3	11	44	104	216	252	
			MW	164	–	–	–	–	–	–	1	1	5	16	26	65	50	
			FW	305	–	–	–	–	–	–	–	2	2	12	38	107	144	
			MNW	70	–	–	–	–	–	–	–	–	4	10	24	16	16	
			FNW	92	–	–	–	–	–	–	–	–	–	6	16	28	42	
2. Aortic aneurysm - (441)	194	4.8			–	–	–	–	–	–	1	3	8	28	68	69	17	
			MW	101	–	–	–	–	–	–	1	–	2	17	39	36	6	
			FW	54	–	–	–	–	–	–	–	–	1	5	17	23	8	
			MNW	21	–	–	–	–	–	–	–	2	4	4	5	3	3	
			FNW	18	–	–	–	–	–	–	–	1	1	2	7	7		
3. All other diseases of arteries, arterioles, and capillaries - (442-448)	109	2.7			–	–	–	–	1	3	4	7	13	17	30	21	13	
			MW	42	–	–	–	–	–	1	1	2	5	6	15	10	2	
			FW	30	–	–	–	–	–	1	1	2	4	5	5	4	8	
			MNW	14	–	–	–	–	–	–	–	1	–	3	7	2	1	
			FNW	23	–	–	–	–	1	1	2	2	4	3	3	5	2	
H. Diseases of veins and lymphatics, and other diseases of circulatory system - (451-459)	84	2.1			2	–	–	–	1	–	3	7	4	20	27	17	3	
			MW	33	1	–	–	–	–	–	1	3	3	11	10	3	1	
			FW	20	–	–	–	–	1	–	–	1	–	4	5	7	2	
			MNW	14	1	–	–	–	–	–	2	1	–	4	4	2		
			FNW	17		–	–	–	–	–	–	2	1	1	8	5		
1. Phlebitis, thrombophlebitis, and venous embolism and thrombosis - (451-453)	40	1.0				–	–	–	1	–	1	4	2	8	13	9	2	
			MW	13		–	–	–	–	–	–	2	1	4	5		1	
			FW	12		–	–	–	1	–	–	1	–	2	1	6	1	
			MNW	6		–	–	–	–	–	1	1	–	1	3	–		
			FNW	9		–	–	–	–	–	–	–	1	1	4	3		
2. Other diseases of veins and lymphatics and all other diseases of circulatory system - (454-459)	44	1.1			2	–	–	–	–	–	2	3	2	12	14	8	1	
			MW	20	1	–	–	–	–	–	1	1	2	7	5	3	–	
			FW	8	–	–	–	–	–	–	–	–	–	2	4	1	1	
			MNW	8	1	–	–	–	–	–	1	–	–	3	1	2	–	
			FNW	8	–	–	–	–	–	–	–	2	–	–	4	2	–	
VIII. Diseases of the respiratory system - (460-519)	1787	44.5			86	19	6	8	6	9	31	45	112	253	479	468	265	
			MW	764	16	6	2	2	2	6	9	7	39	125	248	213	89	
			FW	517	16	1	–	2	3	2	4	7	23	51	124	154	130	
			MNW	318	36	4	4	1	1	1	10	19	29	50	76	59	28	
			FNW	188	18	8	–	3	–	–	8	12	21	27	31	42	18	
A. Diseases of the upper respiratory tract - (460-465, 470-478)	15	0.4			4	1	1		–	–	2	1	–	2	2	1	1	
			MW	5	1	1	–	–	–	–	2	–	–	–	1	–	–	
			FW	3	1	–	–	–	–	–	–	–	–	–	1	–	1	
			MNW	3	2	–	1	–	–	–	–	–	–	–	–	–	–	
			FNW	4	–	–	–	–	–	–	–	1	–	2	–	1		
1. Acute upper respiratory infections - (460-465)	8	0.2			2	–	1	–	–	–	1	–	–	1	1	1	1	
			MW	2	1	–	–	–	–	–	1	–	–	–	–	–	–	
			FW	2	–	–	–	–	–	–	–	–	–	–	1	–	1	
			MNW	2	1	–	1	–	–	–	–	–	–	–	–	–		
			FNW	2	–	–	–	–	–	–	–	–	–	1	–	1		
2. Other diseases of upper respiratory tract - (470-478)	7	0.2			2	1	–	–	–	–	1	1	–	1	1	–		
			MW	3	–	1	–	–	–	–	1	–	–	–	1	–		
			FW	1	1	–	–	–	–	–	–	–	–	–	–	–		
			MNW	1	1	–	–	–	–	–	–	–	–	–	–	–		
			FNW	2	–	–	–	–	–	–	–	1	–	1	–	–		
B. Other diseases of the respiratory system - (466, 480-519)	1772	44.1			82	18	5	8	6	9	29	44	112	251	477	467	264	
			MW	759	15	5	2	2	2	6	7	7	39	125	247	213	89	
			FW	514	15	1	–	2	3	2	4	7	23	51	123	154	129	
			MNW	315	34	4	3	1	1	1	10	19	29	50	76	59	28	
			FNW	184	18	8	–	3	–	–	8	11	21	25	31	41	18	
1. Acute bronchitis and bronchiolitis - (466)	13	0.3			1	1	–		–	1	2	–	3	2	2	1		
			MW	5	–	–	–	–	–	1	–	–	2	1	1	–		
			FW	2	–	–	–	–	–	–	–	–	–	1	–	1		
			MNW	3	1	–	–	–	–	–	1	–	–	–	1	–		
			FNW	3	–	1	–	–	–	–	1	–	1	–	–	–		

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana,1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Pneumonia - (480-486)	681	17.0			51	10	3	3	4	3	10	22	50	56	117	184	168	
			MW	238	12	3	2	1	2	3	-	4	16	26	50	70	49	
			FW	204	5	1	-	-	1	-	-	3	6	8	33	61	86	
			MNW	140	22	2	1	-	1	-	4	10	16	14	20	32	18	
			FNW	99	12	4	-	2	-	-	6	5	12	8	14	21	15	
a. Viral pneumonia - (480)	19	0.5			14	1	-	1	-	-	-	-	-	1	1	1	-	
			MW	9	6	1	-	1	-	-	-	-	-	1			-	
			FW	5	3	-	-	-	-	-	-	-	-		1	1	-	
			MNW	5	5	-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Pneumococcal and other bacterial pneumonia - (481-482)	63	1.6			1	2	-			-		1	7	10	11	10	12	9	
			MW	17	-	1				-		-	1	2	4	1	6	2	
			FW	15	-	-				-		-	1	-	1	5	3	5	
			MNW	16	1	-				-		-	5	3	2	2	2	1	
			FNW	15	-	1				-		1	-	5	4	2	1	1	
c. Bronchopneumonia, organism unspecified - (485)	137	3.4			10	2	-	-	1	-	2	5	15	14	21	32	35	
			MW	46	1	-	-	-	-	-	-	1	5	7	9	12	11	
			FW	40	1	-	-	-	1	-	-	1	1	2	7	11	16	
			MNW	32	3	1	-	-	-	-	1	2	7	4	5	5	4	
			FNW	19	5	1	-	-	-	-	1	1	2	1	-	4	4	
d. Pneumonia due to other and unspecified organism - (483, 486)	462	11.5			26	5	3	2	3	3	7	10	25	30	85	139	124	
			MW	166	5	1	2	-	2	3	-	2	9	14	40	52	36	
			FW	144	1	1	-	-	-	-	-	1	5	5	20	46	65	
			MNW	87	13	1	1	-	1	-	3	3	6	8	13	25	13	
			FNW	65	7	2	-	2	-	-	4	4	5	3	12	16	10	
3. Influenza - (487)	11	0.3			-	-	-	-	-	1	1	-	-	-	2	5	2	
			MW	4	-	-	-	-	-	1	1	-	-	-	-	1	1	
			FW	5	-	-	-	-	-	-	-	-	-	-	1	3	1	
			MNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
			FNW		-	-	-	-	-	-	-	-	-	-	-	-	-	
4. Chronic obstructive pulmonary diseases and allied conditions - (490-496)	731	18.2			5		2	2	1		4	5	34	129	276	209	64	
			MW	403	-		-	-	-	-	2	1	15	73	158	123	31	
			FW	202	1		-	1	1	-	-	1	10	29	73	62	24	
			MNW	92	3		2	-	-	-	1	3	5	20	34	17	7	
			FNW	34	1		-	1	-	-	1	-	4	7	11	7	2	
a. Bronchitis, chronic and unspecified emphysema and asthma - (490-493)	294	7.3			5		2	2	1		3	1	14	55	110	76	25	
			MW	155							1	-	7	34	59	40	14	
			FW	79	1		-	1	1		-	1	3	9	28	27	8	
			MNW	42	3		2	-			1		2	8	17	7	2	
			FNW	18	1			1			1	-	2	4	6	2	1	
1) Bronchitis, not specified as acute or chronic - (490)	7	0.2			4							-	-	1			2	
			MW	2									-	1			1	
			FW	2	1								-	-			1	
			MNW	2	2									-				
			FNW	1	1													
2) Chronic bronchitis - (491)	42	1.0			1						1	-	-	10	16	11	3	
			MW	25							1			5	10	7	2	
			FW	17										3	4	3	1	
			MNW	6	1								-	2	2	1		
			FNW															
3) Emphysema - (492)	195	4.9											8	35	80	53	19	
			MW	119									6	23	48	31	11	
			FW	49									1	6	18	18	6	
			MNW	21									1	3	12	3	2	
			FNW	6										3	2	1		
4) Asthma - (493)	50	1.2					2	2	1		2	1	6	9	14	12	1	
			MW	9									1	5	1	2		
			FW	17				1	1			1	2		6	6		
			MNW	13			2				1		1	3	3	3		
			FNW	11				1			1		2	1	4	1	1	
b. Bronchiectasis and extrinsic allergic alveolitis - (494-495)	8	0.2									1		-	1	1	4	1	
			MW	2							1				1			
			FW	6									-	1		4	1	
			MNW															
			FNW															
c. Chronic airways obstruction, not elsewhere classified - (496)	429	10.7										4	20	73	165	129	38	
			MW	246								1	8	39	98	83	17	
			FW	117									7	19	45	31	15	
			MNW	50								3	3	12	17	10	5	
			FNW	16									2	3	5	5	1	

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
5. Pneumoconioses and other lung diseases due to external agents - (500-508)	76	1.9			6	2	-	-	-	3	2	2	10	12	18	12	9	
			MW	25	1	1	-	-	-	1	-	-	3	5	7	3	4	
			FW	13	-	-	-	-	-	1	1	-	1	1	3	3	3	
			MNW	27	3	-	-	-	-	1	1	2	5	4	6	4	1	
			FNW	11	2	1	-	-	-	-	-	-	1	2	2	2	1	
6. Empyema and abscess of lung and mediastinum - (510-513)	25	0.6			-	-	-	-	1	-	-	2	2	10	5	4	1	
			MW	5	-	-	-	-	-	-	-	-	-	2	2	-	1	
			FW	7	-	-	-	-	1	-	-	-	1	1	1	3	-	
			MNW	8	-	-	-	-	-	-	-	1	-	6	1	-	-	
			FNW	5	-	-	-	-	-	-	-	1	1	1	1	1	-	
7. Pleurisy - (511)	17	0.4			1	-	-	1	-	-	1	1	1	2	7	2	1	
			MW	5	-	-	-	-	-	-	1	-	-	1	3	-	-	
			FW	4	-	-	-	-	-	-	-	-	-	1	1	1	1	
			MNW	5	1	-	-	1	-	-	-	1	-	-	2	-	-	
			FNW	3	-	-	-	-	-	-	-	-	1	-	1	1	-	
8. All other diseases of respiratory system - (512, 514-519)	218	5.4			18	5	-	2	-	1	9	12	12	40	50	50	19	
			MW	74	2	1	-	1	-	-	3	2	3	17	26	16	3	
			FW	77	9	-	-	1	-	1	3	3	5	10	11	20	14	
			MNW	38	4	2	-	-	-	-	3	2	3	6	11	5	2	
			FNW	29	3	2	-	-	-	-	-	5	1	7	2	9	-	
IX. Diseases of the digestive system - (520-579)	1159	28.8			23	6	1	2	4	7	41	105	175	231	230	217	116	1
			MW	443	5	1	-	-	-	3	8	38	74	103	104	79	27	1
			FW	358	3	2	-	-	2	-	10	18	34	72	66	86	65	
			MNW	205	10	1	-	2	2	1	12	37	46	31	30	22	11	
			FNW	153	5	2	1	-	-	3	11	12	21	25	30	30	13	
A. Diseases of oral cavity, salivary glands, and jaws - (520-529)	4	0.1			1	-	-	-	-	-	-	-	-	1	-	1	1	
			MW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
			MNW		-	-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	2	-	-	-	-	-	-	-	-	-	1	-	-	1	
B. Diseases of other parts of the digestive system - (530-579)	1155	28.7			22	6	1	2	4	7	41	105	175	230	230	216	115	1
			MW	442	4	1	-	-	-	3	8	38	74	103	104	79	27	1
			FW	357	3	2	-	-	2	-	10	18	34	72	66	85	65	
			MNW	205	10	1	-	2	2	1	12	37	46	31	30	22	11	
			FNW	151	5	2	1	-	-	3	11	12	21	24	30	30	12	
1. Ulcer of stomach and duodenum - (531-533)	88	2.2			1	-	-	-	-	1	1	6	10	15	19	22	13	
			MW	41	-	-	-	-	-	-	-	4	3	11	7	11	5	
			FW	23	-	-	-	-	-	-	-	1	2	-	5	8	7	
			MNW	13	1	-	-	-	-	1	1	1	4	2	3	-	-	
			FNW	11	-	-	-	-	-	-	-	-	1	2	4	3	1	
a. Gastric ulcer - (531)	38	0.9			1	-	-	-	-	-	1	2	2	10	8	8	6	
			MW	15	-	-	-	-	-	-	-	1	-	7	2	4	1	
			FW	10	-	-	-	-	-	-	-	-	1	-	3	2	4	
			MNW	6	1	-	-	-	-	-	1	1	-	2	1	-	-	
			FNW	7	-	-	-	-	-	-	-	-	1	1	2	2	1	
b. Duodenal ulcer - (532)	25	0.6			-	-	-	-	-	1	-	2	5	5	6	5	1	
			MW	12	-	-	-	-	-	-	-	2	2	4	1	3	-	
			FW	5	-	-	-	-	-	-	-	-	1	-	2	1	1	
			MNW	5	-	-	-	-	-	1	-	-	2	-	2	-	-	
			FNW	3	-	-	-	-	-	-	-	-	-	1	1	1	-	
c. Peptic ulcer, site unspecified - (533)	25	0.6			-	-	-	-	-	-	-	2	3	-	5	9	6	
			MW	14	-	-	-	-	-	-	-	1	1	-	4	4	4	
			FW	8	-	-	-	-	-	-	-	1	-	-	-	5	2	
			MNW	2	-	-	-	-	-	-	-	-	2	-	-	-	-	
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
2. Gastritis and duodenitis - (535)	12	0.3			-	-	-	-	-	-	-	2	3	2	-	4	1	
			MW	6	-	-	-	-	-	-	-	-	2	1	-	2	1	
			FW	4	-	-	-	-	-	-	-	2	-	1	-	1	-	
			MNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	
			FNW		-	-	-	-	-	-	-	-	-	-	-	-	-	
3. Appendicitis - (540-543)	14	0.3			-	-	-	-	-	2	1	1	1	4	2	2	1	
			MW	7	-	-	-	-	-	1	1	1	-	3	-	1	-	
			FW	3	-	-	-	-	-	-	-	-	-	1	1	-	1	
			MNW	3	-	-	-	-	-	-	-	-	1	-	1	1	-	
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
4. Hernia of abdominal cavity and intestinal obstruction without mention of hernia - (550-553, 560)	85	2.1			4	-	-	-	1	2	4	2	5	8	17	24	18	
			MW	24	2	-	-	-	-	1	3	2	1	-	6	7	2	
			FW	38	1	-	-	-	1	-	-	-	3	4	8	9	12	
			MNW	11	1	-	-	-	-	-	1	-	1	2	2	2	2	
			FNW	12	-	-	-	-	-	1	-	-	-	2	1	6	2	

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
5. Regional enteritis and idiopathic proctocolitis - (555-556)	9	0.2			-	-	-	-	1	-	2	1	-	2	1	2	-	-
			MW	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-
			FW	4	-	-	-	-	1	-	2	-	-	-	-	1	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
6. All other non-infective gastroenteritis and colitis - (557-558)	99	2.5			7	1	-	-	-	-	2	1	4	14	29	21	20	-
			MW	32	1	1	-	-	-	-	-	1	2	7	11	6	3	-
			FW	36	-	-	-	-	-	-	1	-	-	5	11	11	8	-
			MNW	18	5	-	-	-	-	-	-	-	2	-	3	3	5	-
			FNW	13	1	-	-	-	-	-	1	-	-	2	4	1	4	-
7. Diverticula of intestine - (562)	53	1.3			-	-	-	-	-	-	-	-	1	8	14	21	9	-
			MW	14	-	-	-	-	-	-	-	-	-	1	8	4	1	-
			FW	26	-	-	-	-	-	-	-	-	1	6	2	12	5	-
			MNW	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-
			FNW	10	-	-	-	-	-	-	-	-	-	1	3	5	1	-
8. Chronic liver disease and cirrhosis - (571)	385	9.6			1	1	-	-	-	1	12	61	99	108	65	30	6	1
			MW	174	1	-	-	-	-	1	3	20	44	53	37	12	2	1
			FW	100	-	1	-	-	-	-	1	10	20	35	17	13	3	-
			MNW	72	-	-	-	-	-	-	4	26	20	13	6	3	-	-
			FNW	39	-	-	-	-	-	-	4	5	15	7	5	2	1	-
a. Chronic liver disease and cirrhosis, specified as alcoholic - (571.0-571.3)	96	2.4			-	-	-	-	-	-	4	27	26	25	11	2	-	1
			MW	36	-	-	-	-	-	-	1	8	8	11	6	1	-	1
			FW	22	-	-	-	-	-	-	-	4	6	8	4	-	-	-
			MNW	25	-	-	-	-	-	-	2	11	5	5	1	1	-	-
			FNW	13	-	-	-	-	-	-	1	4	7	1	-	-	-	-
b. Chronic hepatitis and biliary cirrhosis - (571.4, 571.6)	19	0.5			-	-	-	-	-	-	1	2	5	2	4	4	1	-
			MW	8	-	-	-	-	-	-	-	-	3	1	2	1	1	-
			FW	8	-	-	-	-	-	-	1	1	1	1	1	3	-	-
			MNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
c. Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol - (571.5, 571.8-571.9)	270	6.7			1	1	-	-	-	1	7	32	68	81	50	24	5	-
			MW	130	1	-	-	-	-	1	2	12	33	41	29	10	1	-
			FW	70	-	1	-	-	-	-	-	5	13	26	12	10	3	-
			MNW	46	-	-	-	-	-	-	2	14	15	8	5	2	-	-
			FNW	24	-	-	-	-	-	-	3	1	7	6	4	2	1	-
9. Cholelithiasis and other disorders of gallbladder - (574-575)	43	1.1			-	-	-	-	-	1	-	-	1	1	14	14	12	-
			MW	15	-	-	-	-	-	-	-	-	-	1	5	4	5	-
			FW	16	-	-	-	-	-	-	-	-	1	-	3	5	7	-
			MNW	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-
			FNW	7	-	-	-	-	-	1	-	-	-	-	3	3	-	-
10. All other diseases of digestive system - (530, 534, 536-537, 564-570, 572-573, 576-579)	367	9.1			9	4	1	2	2	-	19	31	51	68	69	76	35	-
			MW	126	-	-	-	-	-	-	1	10	22	24	30	31	8	-
			FW	107	2	1	-	-	-	-	6	5	7	20	19	25	22	-
			MNW	77	3	1	-	2	2	-	6	10	17	14	10	10	2	-
			FNW	57	4	2	1	-	-	-	6	6	5	10	10	10	3	-
X. Diseases of the genitourinary system - (580-629)	649	16.2			10	1	-	-	4	3	16	16	31	66	156	215	131	-
			MW	171	2	1	-	-	-	-	6	3	4	19	53	58	25	-
			FW	202	3	-	-	-	2	1	2	4	5	18	40	64	63	-
			MNW	158	5	-	-	-	2	1	6	7	12	8	37	60	20	-
			FNW	118	-	-	-	-	-	1	2	2	10	21	26	33	23	-
A. Diseases of urinary system - (580-599)	617	15.4			10	1	-	-	3	3	15	16	31	64	140	209	125	-
			MW	158	2	1	-	-	-	-	6	3	4	18	46	56	22	-
			FW	197	3	-	-	-	1	1	2	4	5	17	38	64	62	-
			MNW	144	5	-	-	-	2	1	5	7	12	8	30	56	18	-
			FNW	118	-	-	-	-	-	1	2	2	10	21	26	33	23	-
1. Nephritis, nephrotic syndrome, and nephrosis - (580-589)	390	9.7			10	1	-	-	3	1	14	10	23	53	88	116	71	-
			MW	107	2	1	-	-	-	-	5	3	3	15	31	33	14	-
			FW	101	3	-	-	-	1	1	2	2	3	13	18	27	31	-
			MNW	106	5	-	-	-	2	-	5	5	10	7	21	37	14	-
			FNW	76	-	-	-	-	-	-	2	-	7	18	18	19	12	-
a. Acute glomerulonephritis - (580)	3	0.1			1	-	-	-	-	-	-	-	-	-	1	-	1	-
			MW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Nephrotic syndrome - (581)	5	0.1			-	-	-	-	1	-	-	-	-	1	1	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race , and Age

Louisiana,1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal aclerosis, unspecified - (582-583, 587)	62	1.5							1		2	1	3	3	17	18	17	
			MW	21									2	1	7	7	4	
			FW	15							1		1	2	2	4	5	
			MNW	15					1			1			6	3	4	
			FNW	11							1				2	4	4	
d. Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause - (584-586, 588-589)	320	8.0			9	1			1	1	12	9	20	49	69	96	53	
			MW	84	2	1					5	3	1	14	23	25	10	
			FW	84	3				1	1	1	2	2	11	16	22	25	
			MNW	89	4						5	4	10	7	15	34	10	
			FNW	63							1		7	17	15	15	8	
2. Infections of kidney - (590)	56	1.4										2	2	1	13	26	12	
			MW	9											3	4	2	
			FW	28								2		1	7	10	8	
			MNW	5									1			4		
			FNW	14									1		3	8	2	
3. Urinary calculus - (592, 594)	12	0.3											2		5	4	1	
			MW	1											1			
			FW	8									1		3	3	1	
			MNW	1											1			
			FNW	2									1			1		
4. All other diseases of urinary system - (591, 593, 595-599)	159	4.0								2	1	4	4	10	34	63	41	
			MW	41							1		1	3	11	19	6	
			FW	60									1	3	10	24	22	
			MNW	32						1		2	1	1	8	15	4	
			FNW	26						1		2	1	3	5	5	9	
B. Diseases of male genital organs - (600-608)	26	0.6												1	14	6	5	
			MW	13										1	7	2	3	
			FW															
			MNW	13											7	4	2	
			FNW															
1. Hyperplasia of prostate - (600)	14	0.3												1	6	3	4	
			MW	6										1	2		3	
			FW															
			MNW	8											4	3	1	
			FNW															
2. Other diseases of male genital organs - (601-608)	12	0.3													8	3	1	
			MW	7											5	2		
			FW															
			MNW	5											3	1	1	
			FNW															
C. Diseases of breast and other diseases of female genital organs - (610-629)	6	0.1									1			1	2		1	
			MW															
			FW	5					1					1	2		1	
			MNW	1							1							
			FNW															
1. Disorders of breast - (610-611)	1	0.0									1							
			MW															
			FW															
			MNW	1							1							
			FNW															
2. Other diseases of female genital organs - (614-629)	5	0.1							1					1	2		1	
			MW															
			FW	5					1					1	2		1	
			MNW															
			FNW															
XI. Complications of pregnancy, childbirth, and the puerperium - (630-676)	11	0.3								3	4	3	1					
			MW															
			FW	3							1	2						
			MNW															
			FNW	8						3	3	1	1					
A. Pregnancy with abortive outcome - (630-638)	1	0.0									1							
			MW															
			FW															
			MNW															
			FNW	1							1							
1. Ectopic pregnancy - (633)																		
			MW															
			FW															
			MNW															
			FNW															

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Spontaneous abortion - (634)																		
			MW															
			FW															
			MNW															
			FNW															
3. Legally induced abortion - (635)																		
			MW															
			FW															
			MNW															
			FNW															
4. Illegally induced abortion - (636)																		
			MW															
			FW															
			MNW															
			FNW															
5. Other pregnancy with abortive outcome - (630-632, 637-638)	1	0.0									1							
			MW															
			FW															
			MNW															
			FNW	1							1							
B. Direct obstetric causes - (640-646, 651-676)	9	0.2								3	3	3						
			MW															
			FW	3							1	2						
			MNW															
			FNW	6						3	2	1						
1. Hemorrhage of pregnancy and childbirth - (640-641, 666)	2	0.0								1		1						
			MW															
			FW															
			MNW															
			FNW	2						1		1						
2. Toxemia of pregnancy - (642.4-642.9, 643)	1	0.0								1								
			MW															
			FW															
			MNW															
			FNW	1						1								
3. Obstructed labor - (660)																		
			MW															
			FW															
			MNW															
			FNW															
4. Complications of the puerperium - (670-676)	3	0.1									1	2						
			MW															
			FW	2								2						
			MNW															
			FNW	1							1							
5. Other direct obstetric causes - (642.0-642.3, 644-646, 651-659, 661-665, 667-669)	3	0.1								1	2							
			MW															
			FW	1							1							
			MNW															
			FNW	2						1	1							
C. Indirect obstetric causes - (647-648)	1	0.0										1						
			MW															
			FW															
			MNW															
			FNW	1								1						
D. Delivery in a completely normal case - (650)																		
			MW															
			FW															
			MNW															
			FNW															
XII. Diseases of the skin and subcutaneous tissue - (680-709)	62	1.5			2		1				3	2	2	10	12	18	12	
			MW	13							1	1		2	2	5	2	
			FW	16										2	3	6	5	
			MNW	13										2	5	3	3	
			FNW	20	2		1				2	1	2	4	2	4	2	
A. Infections of skin and subcutaneous tissue - (680-686)	12	0.3			1		1						1	4	2	2	1	
			MW	2										1		1		
			FW	1										1				
			MNW	4											2	1	1	
			FNW	5	1		1						1	2				

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
B. All other diseases of skin and subcutaneous tissue - (690-709)	50	1.2			1	-	-	-	-	-	3	2	1	6	10	16	11	
			MW	11		-	-	-	-	-	1	1	-	1	2	4	2	
			FW	15		-	-	-	-	-	-	-	-	1	3	6	5	
			MNW	9		-	-	-	-	-	-	-	-	2	3	2	2	
			FNW	15	1	-	-	-	-	-	2	1	1	2	2	4	2	
XIII. Diseases of the musculoskeletal system and connective tissue - (710-739)	79	2.0				-	-	2	1	-	2	3	8	20	23	14	6	
			MW	23		-	-	-	1	-	-	-	2	5	7	6	2	
			FW	32		-	-	1	-	-	-	1	3	9	10	5	3	
			MNW	7		-	-	-	-	-	-	-	1	2	3	1	-	
			FNW	17		-	-	1	-	-	2	2	2	4	3	2	1	
A. Rheumatoid arthritis and other inflammatory polyarthropathies - (714)	22	0.5				-	-	1	-	-	-	-	4	4	8	4	1	
			MW	7		-	-	-	-	-	-	-	1	2	2	1	1	
			FW	12		-	-	1	-	-	-	-	2	2	5	2	-	
			MNW	1		-	-	-	-	-	-	-	-	-	1	-	-	
			FNW	2		-	-	-	-	-	-	-	1	-	-	1	-	
B. Other arthropathies and related disorders - (710-712, 715-719)	32	0.8				-	-	1	-	-	2	2	2	10	10	5	-	
			MW	7		-	-	-	-	-	-	-	1	1	3	2	-	
			FW	13		-	-	-	-	-	-	1	1	5	4	2	-	
			MNW	4		-	-	-	-	-	-	-	-	2	1	1	-	
			FNW	8		-	-	1	-	-	2	1	-	2	2	-	-	
C. Dorsopathies - (720-724)	2	0.0				-	-	-	-	-	-	-	1	-	1	-	-	
			MW			-	-	-	-	-	-	-	-	-	-	-	-	
			FW			-	-	-	-	-	-	-	-	-	-	-	-	
			MNW	2		-	-	-	-	-	-	-	1	-	1	-	-	
			FNW			-	-	-	-	-	-	-	-	-	-	-	-	
D. Rheumatism, excluding the back - (725-729)	9	0.2				-	-	-	-	-	-	1	1	3	3	1	-	
			MW	3		-	-	-	-	-	-	-	-	1	1	1	-	
			FW	2		-	-	-	-	-	-	-	-	1	1	-	-	
			MNW			-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	4		-	-	-	-	-	-	1	1	1	1	-	-	
E. Osteopathies, chondropathies, and acquired musculoskeletal deformities - (730-739)	14	0.3				-	-	-	1	-	-	-	-	3	1	4	5	
			MW	6		-	-	-	1	-	-	-	-	1	1	2	1	
			FW	5		-	-	-	-	-	-	-	-	1	-	1	3	
			MNW			-	-	-	-	-	-	-	-	-	-	-	-	
			FNW	3		-	-	-	-	-	-	-	-	1	-	1	1	
XIV. Congenital anomalies - (740-759)	286	7.1			196	28	2	8	8	9	11	3	7	4	7	3	-	-
			MW	115	78	8	1	3	3	2	5	2	4	3	3	3	-	-
			FW	[illegible]	54	10	-	-	2	1	3	-	2	1	3	-	-	-
			MNW	49	34	5	-	1	2	4	-	1	1	-	1	-	-	-
			FNW	46	30	5	1	4	1	2	3	-	-	-	-	-	-	-
A. Spina bifida - (741)	11	0.3			10	-	-	1	-	-	-	-	-	-	-	-	-	-
			MW	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-
			FW	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
B. All other congenital anomalies of nervous system - (740, 742)	44	1.1			28	8	1	2	1	2	-	2	-	-	-	-	-	-
			MW	21	12	4	1	2	-	1	-	1	-	-	-	-	-	-
			FW	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	9	4	2	-	-	1	1	-	1	-	-	-	-	-	-
			FNW	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
C. Congenital anomalies of heart - (745-746)	103	2.6			61	12	-	5	5	4	8	-	4	-	3	1	-	-
			MW	43	27	4	-	-	2	1	4	-	1	-	3	1	-	-
			FW	20	9	4	-	-	2	-	3	-	2	-	-	-	-	-
			MNW	18	11	3	-	1	1	1	-	-	1	-	-	-	-	-
			FNW	22	14	1	-	4	-	2	1	-	-	-	-	-	-	-
D. Other congenital anomalies of circulatory system - (747)	28	0.7			25	-	-	-	1	1	-	-	-	-	1	-	-	-
			MW	8	7	-	-	-	1	-	-	-	-	-	-	-	-	-
			FW	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	6	4	-	-	-	-	1	-	-	-	-	1	-	-	-
			FNW	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
E. All other congenital anomalies - (743-744, 748-759)	100	2.5			72	8	1	-	1	2	3	1	3	4	3	2	-	-
			MW	38	28	-	-	-	-	-	1	1	3	3	-	2	-	-
			FW	32	21	6	-	-	-	1	-	-	-	1	3	-	-	-
			MNW	15	14	-	-	-	-	1	-	-	-	-	-	-	-	-
			FNW	15	9	2	1	-	1	-	2	-	-	-	-	-	-	-
XV. Certain conditions originating in perinatal period - (760-779)	654	16.3			654	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
A. Birth trauma - (767)	45	1.1			45													
			MW	12	12													
			FW	7	7													
			MNW	16	16													
			FNW	10	10													
B. Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome - (768-769)	202	5.0			202													
			MW	49	49													
			FW	41	41													
			MNW	67	67													
			FNW	45	45													
C. Other conditions originating in the perinatal period - (760-766, 770-779)	407	10.1			407													
			MW	102	102													
			FW	75	75													
			MNW	119	119													
			FNW	111	111													
XVI. Symptoms, signs, and ill-defined conditions - (780-799)	326	8.1			80	2			2	3	5	9	19	41	59	67	32	7
			MW	102	24	1			1		1	1	7	16	20	21	5	5
			FW	80	12	1				2		5	4	10	12	19	15	
			MNW	77	31				1	1	2	1	5	7	15	10	3	1
			FNW	67	13						2	2	3	8	12	17	9	1
A. Senility without mention of psychosis - (797)	15	0.4														8	7	
			MW	3												1	2	
			FW	4												2	2	
			MNW	2												1	1	
			FNW	6												4	2	
B. Symptoms, signs, and other ill-defined conditions - (780-796, 798-799)	311	7.7			80	2			2	3	5	9	19	41	59	59	25	7
			MW	99	24	1			1		1	1	7	16	20	20	3	5
			FW	76	12	1				2		5	4	10	12	17	13	
			MNW	75	31				1	1	2	1	5	7	15	9	2	1
			FNW	61	13						2	2	3	8	12	13	7	1
XVII. Supplementary classification of external causes of injury and poisoning - (E800-E999)	3653	90.9			55	102	77	105	404	541	761	447	353	298	238	178	74	20
			MW	1706	14	30	29	48	232	281	350	203	175	154	99	67	20	4
			FW	594	6	23	12	20	63	58	85	58	59	58	55	59	36	2
			MNW	1076	22	32	27	29	89	171	274	158	97	67	59	31	7	13
			FNW	277	13	17	9	8	20	31	52	28	22	19	25	21	11	1
A. Accidents and adverse effects - (E800-E949)	2406	59.9			49	94	75	96	295	314	422	262	222	191	163	140	70	13
			MW	1235	13	27	29	44	185	204	245	139	127	98	60	42	19	3
			FW	408	6	22	11	19	48	29	47	35	25	38	41	53	34	
			MNW	588	18	30	26	26	52	68	106	76	59	39	44	28	6	10
			FNW	175	12	15	9	7	10	13	24	12	11	16	18	17	11	
1. Transport accidents - (E800-E848)	1341	33.4			7	46	39	51	207	227	265	156	126	90	74	42	8	3
			MW	783	4	13	15	24	134	153	166	96	80	45	29	19	4	1
			FW	224	2	13	7	16	43	23	34	21	18	18	19	8	2	
			MNW	271	1	14	10	9	27	42	54	34	25	22	20	9	2	2
			FNW	63		6	7	2	3	9	11	5	3	5	6	6		
a. Railway accidents - (E800-E807)	8	0.2				1			3		1		-	2				1
			MW	4		1			1					1		-		1
			FW									-	-					-
			MNW	3					2				-	1	-	-	-	-
			FNW	1							1				-	-	-	
b. Motor vehicle accidents - (E810-E825)	1222	30.4			7	45	36	48	190	205	233	145	116	77	70	41	7	2
			MW	692	4	12	13	22	121	136	143	87	71	37	25	18	3	
			FW	223	2	13	7	15	43	23	34	21	18	18	19	8	2	
			MNW	245	1	14	9	9	23	37	46	32	24	17	20	9	2	2
			FNW	62		6	7	2	3	9	10	5	3	5	6	6		
1) Motor vehicle traffic accidents - (E810-E819)	1203	29.9			7	39	35	46	190	205	232	143	113	77	68	40	6	2
			MW	680	4	9	12	21	121	136	142	85	69	37	25	17	2	-
			FW	221	2	11	7	15	43	23	34	21	18	18	19	8	2	
			MNW	240	1	13	9	8	23	37	46	32	23	17	18	9	2	2
			FNW	62		6	7	2	3	9	10	5	3	5	6	6	-	-
a) Involving collision with train - (E810)	19	0.5			1		2		1	3	5	3		2	2	-		
			MW	12			1		1	2	4	1	-	2	1	-	-	-
			FW	3	1		-			1	1		-			-	-	-
			MNW	2						-	-	1	-	-	1	-	-	-
			FNW	2			1			-		1	-		-	-	-	-
b) Involving collision with another motor vehicle - (E811-E812)	360	9.0			1	13	7	7	56	62	66	42	39	28	20	18	1	-
			MW	205		5	2	3	31	43	40	26	28	11	10	5	1	-
			FW	96	1	7	3	3	21	10	12	8	9	9	7	6	-	-
			MNW	41		1	1	1	4	6	10	7	2	6	1	2	-	-
			FNW	18		-	1	-	-	3	4	1	-	2	2	5	-	-

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c) Involving collision with pedestrian - (E814)	168	4.2			1	14	11	10	17	16	17	23	17	9	17	11	4	1
			MW	80	1	3	2	6	11	8	7	13	15	4	5	4	1	
			FW	22		2	2	1	1	3	1	5	1	1	2	2	1	
			MNW	52		7	3	3	3	5	7	5	1	3	8	4	2	1
			FNW	14		2	4		2		2			1	2	1		
d) Involving collision with other vehicle or object - (E813, E815)	101	2.5				1	6	15	16	17	25	6	6	6	3			
			MW	64			4	7	10	10	20	4	2	5	2			
			FW	13		1	1	4	2	1	1	1	1		1			
			MNW	19			1	3	3	5	3	1	2	1				
			FNW	5				1	1	1	1		1					
e) Not involving collision on highway - (E816-E818)	207	5.2			1	1	4	5	40	42	50	30	17	10	7			
			MW	132		1	1	3	27	30	33	21	6	7	3			
			FW	26			1	2	7	4	4	3	2	1	2			
			MNW	47	1		2		6	6	13	6	9	2	2			
			FNW	2						2								
f) Motor vehicle traffic accident of unspecified nature - (E819)	348	8.7			3	10	5	9	60	65	69	39	34	22	19	11	1	1
			MW	187	3		2	2	41	43	38	20	18	8	4	8		
			FW	61		1		5	12	4	15	4	5	7	7		1	
			MNW	79		5	2	1	7	15	13	12	9	5	6	3		1
			FNW	21		4	1	1		3	3	3	2	2	2			
2) Motor vehicle nontraffic accidents - (E820-E825)	19	0.5				6	1	2			1	2	3		2	1	1	
			MW	12		3	1	1			1	2	2			1	1	
			FW	2		2												
			MNW	5		1		1					1		2			
			FNW															
c. Other road vehicle accidents - (E826-E829)																		
			MW															
			FW															
			MNW															
			FNW															
d. Water transport accidents - (E830-E838)	*90	2.2					3	3	12	19	21	8	7	11	4	1	1	
			MW	67			2	2	10	14	14	6	6	7	4	1	1	
			FW	1				1										
			MNW	22			1		2	5	7	2	1	4				
			FNW															
e. Air and space transport accidents - (E840-E845)	20	0.5							2	3	9	3	3					
			MW	19					2	3	8	3	3					
			FW															
			MNW	1							1							
			FNW															
f. Vehicle accidents not elsewhere classifiable - (E846-E848)	1	0.0									1							
			MW	1							1							
			FW															
			MNW															
			FNW															
2. Accidental poisoning - (E850-E869)	66	1.6				1	2	1	6	9	17	10	8	5	5	2		
			MW	26		1			4	6	7	2	4	1	1			
			FW	17					1		4	3	1	4	3	1		
			MNW	9				1	1	3	1	2	1					
			FNW	14			2				5	3	2		1	1		
a. Accidental poisoning by drugs, medicaments, and biologicals - (E850-E858)	38	0.9				1		1	1	6	10	8	4	2	3	2		
			MW	14		1			1	4	3	2	3					
			FW	12							4	2		2	3	1		
			MNW	6				1		2	1	2						
			FNW	6							2	2	1			1		
b. Accidental poisoning by other solid or liquid substances - (E860-E866)	6	0.1							2		1	2	1					
			MW	2					2									
			FW	1								1						
			MNW															
			FNW	3							1	1	1					
c. Accidental poisoning by gases and vapors - (E867-E869)	22	0.5					2		3	3	6		3	3	2			
			MW	10					1	2	4		1	1	1			
			FW	4					1				1	2				
			MNW	3					1	1			1					
			FNW	5			2				2				1			
3. Misadventures during medical care, abnormal reactions, and late complications - (E870-E879)	36	0.9			1					1	3		3	5	3	12	8	
			MW	10							1			2	1	3	3	
			FW	13						1	1		1		1	6	3	
			MNW	6							1		2	1		2		
			FNW	7	1									2	1	1	2	

* This includes 78 deaths due to accidental drowning in water transport accidents (Codes E830 and E832)

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
Accidental falls (E880-E888)	179	4.5			5	2	1	5	5	5	13	7	15	13	26	44	38	
			MW	77				4	4	4	9	2	11	7	11	15	10	
			FW	64	1	1		1	1	1	1	1	1	2	5	25	24	
			MNW	29	2		1				3	4	3	3	8	3	2	
			FNW	9	2	1								1	2	1	2	
a. Fall from one level to another (E880-E884)	45	1.1			3	1		3	5	3	9	3	5	3	8	2		
			MW	31				3	4	3	8	1	4	3	4	1		
			FW	6	1				1			1			3			
			MNW	6	1						1	1	1		1	1		
			FNW	2	1	1												
b. Fall on same level (E885-E886)	1	0.0											1					
			MW	1									1					
			FW															
			MNW															
			FNW															
c. Fracture, cause unspecified, and other and unspecified falls (E887-E888)	133	3.3			2	1	1	2		2	4	4	9	10	18	42	38	
			MW	45				1		1	1	1	6	4	7	14	10	
			FW	58		1		1		1	1		1	2	2	25	24	
			MNW	23	1		1				2	3	2	3	7	2	2	
			FNW	7	1									1	2	1	2	
Accidents caused by fires and flames (E890-E899)	156	3.9			5	15	7	5	5	6	17	16	13	21	17	17	11	1
			MW	43	1	1	1	1	3	5	6	6	4	10	4	1		
			FW	23		2	3	1	1		2	2	1	3	3	2	3	
			MNW	59	3	8	3	2	1		7	6	6	4	8	8	2	1
			FNW	31	1	4		1		1	2	2	2	4	2	6	6	
Other accidents, including late effects (E900-E929)	626	15.6			31	30	26	34	71	66	107	72	57	57	38	23	5	9
			MW	294	8	12	13	15	39	36	56	32	28	33	14	4	2	2
			FW	67	3	6	1	1	2	4	5	8	3	11	10	11	2	
			MNW	214	12	8	12	14	23	23	40	30	22	9	8	6		7
			FNW	51	8	4		4	7	3	6	2	4	4	6	2	1	
a. Lightning (E907)	4	0.1					1				2	1						
			MW	4			1				2	1						
			FW															
			MNW															
			FNW															
b. Accidental drowning and submersion (excluding in transport) (E910)	218	5.4			4	23	16	20	35	28	37	20	12	8	6	2	1	6
			MW	94	1	11	6	4	17	12	20	8	5	5	4			1
			FW	11		5		1			1	1		2		1		
			MNW	97	2	4	10	12	14	15	15	11	6	1	1	1		5
			FNW	16	1	3		3	4	1	1		1		1		1	
c. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	78	1.9			17	2		1		1	10	5	6	12	16	6	2	
			MW	18	2			1		1	3	1		5	2	1	2	
			FW	19	2	1					1		2	4	7	2		
			MNW	29	9	1					5	2	4	1	4	3		
			FNW	12	4						1	2		2	3			
d. Accident caused by handgun (E922.0)	15	0.4						3	5	2	2	1	1	1				
			MW	9				2	2	2	1		1	1				
			FW															
			MNW	5					3		1	1						
			FNW	1				1										
e. Accidents caused by all other and unspecified firearms (E922.1-E922.9)	67	1.7			1	2	4	3	13	7	11	8	6	10	1	1		
			MW	36			3	3	8	3	6	2	2	7	1	1		
			FW	9					1	2	1	3		2				
			MNW	16		1	1		3	2	4	3	2					
			FNW	6	1	1			1				2	1				
f. Accidents caused by explosive material (E923)	17	0.4							1	3	7	4	1	1				
			MW	10					1	1	3	3	1	1				
			FW															
			MNW	7						2	4	1						
			FNW															
g. Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924, E926)	3	0.1			1										2			
			MW	1	1													
			FW	1											1			
			MNW															
			FNW	1											1			
h. Accident caused by electric current (E925)	30	0.7					1		5	6	8	7	2	1				
			MW	22			1		4	4	6	6	1					
			FW	1						1								
			MNW	6						1	2	1	1	1				
			FNW	1					1									

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
i. All other accidents and late effects of accidental injury - (E900-E906, E908-E909, E913-E921, E927-E929)	194	4.8			8	3	4	7	12	19	30	26	29	24	13	14	2	3
			MW	100	4	1	2	5	7	13	15	11	18	14	7	2		1
			FW	26	1		1		1	1	2	4	1	3	2	8	2	
			MNW	54	1	2	1	2	3	3	9	11	9	6	3	2		2
			FNW	14	2				1	2	4		1	1	1	2		
7. Drugs, medicaments, and biological substances causing adverse effects in therapeutic use - (E930-E949)	2	0.0							1			1						
			MW	2					1			1						
			FW															
			MNW															
			FNW															
B. Suicide - (E950-E959)	504	12.5						3	44	78	117	65	58	67	41	28	2	1
			MW	302				3	27	45	64	38	30	47	26	21	1	
			FW	124					11	16	30	19	23	12	9	4		
			MNW	68					6	17	18	7	5	7	4	2	1	1
			FNW	10							5	1		1	2	1		
1. Suicide by drugs, medicaments, and biologicals - (E950.0-E950.5)	35	0.9							3	6	9	7	7	2	1			
			MW	10					1	5	1		3					
			FW	21					1	1	6	7	4	1	1			
			MNW	3					1		1			1				
			FNW	1							1							
2. Suicide by other solid or liquid substances - E950.6-E950.9)	3	0.1									2		1					
			MW	2							1		1					
			FW	1							1							
			MNW															
			FNW															
3. Suicide by gases and vapors - (E951-E952)	5	0.1							1		1	1	1	1				
			MW	2								1	1					
			FW	3					1		1			1				
			MNW															
			FNW															
4. Suicide by hanging, strangulation, and suffocation - (E953)	28	0.7						1	5	6	5	5	1	2	1	1	1	
			MW	20				1	5	3	4	2	1	2		1	1	
			FW	2								1			1			
			MNW	5						3	1	1						
			FNW	1								1						
5. Suicide by handgun - (E955.0)	83	2.1							7	14	15	9	9	13	8	7	1	
			MW	47					3	6	6	7	4	9	6	6		
			FW	22					3	4	5	2	5	2	1			
			MNW	11					1	4	3			2			1	
			FNW	3							1				1	1		
6. Suicide by all other and unspecified firearms - (E955.1-E955.4)	325	8.1						2	24	50	78	39	38	44	29	20		1
			MW	210				2	17	30	49	27	20	32	19	14		
			FW	65					4	10	14	7	14	7	5	4		
			MNW	45					3	10	12	5	4	4	4	2		1
			FNW	5							3			1	1			
7. Suicide by all other means and late effects of self-inflicted injury - (E954, E955.5-E959)	25	0.6							4	2	7	4	1	5	2			
			MW	11					1	1	3	1		4	1			
			FW	10					2	1	3	2		1	1			
			MNW	4					1		1	1	1					
			FNW															
C. Homicide and legal intervention - (E960-E978)	718	17.9			6	8	2	5	58	145	218	117	71	40	32	9	2	5
			MW	161	1	3		1	18	31	39	25	17	9	12	4		1
			FW	54		1	1		4	11	8	3	10	8	4	1	2	1
			MNW	415	4	2	1	3	27	86	149	75	33	21	11	1		2
			FNW	88	1	2		1	9	17	22	14	11	2	5	3		1
1. Assault by handgun - (E965.0)	67	1.7							4	15	25	11	7	5				
			MW	10					1	2	3	1	2	1				
			FW	6						2	2	1	1					
			MNW	37					1	9	15	7	3	2				
			FNW	14					2	2	5	2	1	2				
2. Assault by all other and unspecified firearms - (E965.1-E965.4)	461	11.5						2	42	86	156	84	43	23	19	3		3
			MW	108				1	16	15	30	23	10	3	6	3		1
			FW	25					3	5	2	2	5	7	1			
			MNW	279				1	18	55	110	51	21	13	9			1
			FNW	49					5	11	14	8	7		3			1
3. Assault by cutting and piercing instrument - (E966)	87	2.2					1	1	7	24	20	12	9	6	4	2		1
			MW	17						9	2		3	2	1			
			FW	11					1	3	2		1	1	1	1		1
			MNW	48			1		5	10	15	10	3	3	1			
			FNW	11				1	1	2	1	2	2		1	1		

Table XXI (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964, E965.5-E965.9, E967-E969)	75	1.9			6	8	1	2	2	10	9	6	10	6	9	4	2	—
			MW	22	1	3	—	—	1	3	2	1	2	3	5	1	—	—
			FW	12	—	1	1	—	—	1	2	—	3	—	2	—	2	—
			MNW	29	4	2	—	2	—	4	4	4	4	3	1	1	—	—
			FNW	12	1	2	—	—	1	2	1	1	1	—	1	2	—	—
5. Legal execution - (E978)	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Other legal intervention and late effects of injury due to legal intervention - (E970-E977)	28	0.7			—	—	—	—	3	10	8	4	2	—	—	—	—	1
			MW	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	22	—	—	—	—	3	8	5	3	2	—	—	—	—	1
			FNW	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—
D. Injury undetermined whether accidentally or purposely inflicted - (E980-E989)	25	0.6			—	—	—	1	7	4	4	3	2	—	2	1	—	1
			MW	8	—	—	—	—	2	1	2	1	1	—	1	—	—	—
			FW	8	—	—	—	1	—	2	—	1	1	—	1	1	—	1
			MNW	5	—	—	—	—	4	—	1	—	—	—	—	—	—	—
			FNW	4	—	—	—	—	1	1	1	1	—	—	—	—	—	—
1. From poisoning by drugs, medicaments, and biologicals - (E980.0-E980.5)	2	0.0			—	—	—	—	1	—	—	1	—	—	—	—	—	—
			MW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FNW	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—
2. From poisoning by other solid or liquid substances - (E980.6-E980.9)	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. From injury by handgun - (E985.0)	1	0.0			—	—	—	—	—	—	1	—	—	—	—	—	—	—
			MW	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. From injury by all other and unspecified firearms - (E985.1-E985.4)	12	0.3			—	—	—	1	5	2	—	2	—	—	2	—	—	—
			MW	5	—	—	—	—	2	1	—	1	—	—	1	—	—	—
			FW	4	—	—	—	1	—	1	—	1	—	—	1	—	—	—
			MNW	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—
			FNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. From injury by all other mesns and late effects of injury, undetermined whether accidentally or purposely inflicted - (E981-E984, E985.5-E989)	10	0.2			—	—	—	—	1	2	3	—	2	—	—	1	—	1
			MW	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—
			FW	4	—	—	—	—	—	1	—	—	1	—	—	1	—	1
			MNW	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—
			FNW	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
F. Injury resulting from operations of war - (E990-E999)	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			MNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			FNW	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table XXII

Accidental Deaths by Type of Accident Shown by Geographic Location Where Accident Occurred Louisiana, 1979

PARISH AND CITIES Over 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2489	1205	18	307	222	341	396
ACADIA	21	15	–	1	–	2	3
Crowley*	4	3	–	–	–	–	1
ALLEN	14	8	–	–	2	3	1
ASCENSION	31	24	–	–	3	1	3
ASSUMPTION	19	12	–	1	3	1	2
AVOYELLES	33	27	–	1	1	2	2
BEAUREGARD	15	6	–	1	5	2	1
BIENVILLE	16	14	–	–	1	–	1
BOSSIER	38	21	1	6	1	6	3
Bossier City*	15	5	–	5	1	1	3
CADDO	126	49	3	34	7	15	18
Shreveport*	93	34	2	27	3	10	17
CALCASIEU	84	40	–	14	5	11	14
Lake Charles*	30	10	–	6	1	6	7
Sulphur*	3	1	–	–	–	–	2
CALDWELL	11	6	–	3	–	2	
CAMERON	28	12	–	–	6	6	4
CATAHOULA	9	6	–	–	–	2	1
CLAIBORNE	10	5	1	–	–	2	2
CONCORDIA	23	17	–	1	3	–	2
DESOTO	21	14	1	4	–	1	1
EAST BATON ROUGE	122	65	–	21	7	10	19
Baton Rouge*	83	43	–	15	3	6	16
EAST CARROLL	6	3	–	–	2	–	1
EAST FELICIANA	20	8	–	3	1	2	6
EVANGELINE	29	13	–	4	1	3	8
FRANKLIN	16	6	–	3	3	1	1
GRANT	13	9	–	–	1	2	1
IBERIA	37	16	2	4	6	3	6
New Iberia*	8	5	1	–	1	1	
IBERVILLE	27	6	–	6	3	9	3
JACKSON	5	2	–	3	–	–	
JEFFERSON	136	60	–	15	17	13	31
Kenner*	11	6	–	3	–	–	2
Gretna*	2	1	–	–	–	–	1
Harahan*	2	–	–	1	1	–	–
Westwego*	5	–	–	2	2	1	–
JEFFERSON DAVIS	27	17	–	2	2	2	4
Jennings*	7	3	–	1	–	1	2
LAFAYETTE	73	41	1	8	8	4	11
Lafayette*	39	20	–	4	3	3	9
LAFOURCHE	64	36	–	5	5	15	3
Thibodaux*	5	2	–	1	–	–	2
LASALLE	11	3	–	–	–	1	7
LINCOLN	10	7	–	1	–	1	1
Ruston*	7	5	–	1	–	–	1
LIVINGSTON	38	27	–	4	1	5	1
MADISON	13	6	–	4	–	1	2
MOREHOUSE	26	11	–	5	3	4	3
Bastrop*	4	1	–	2	1	–	–
NATCHITOCHES	20	13	–	1	1	4	1
Natchitoches*	5	2	–	1	–	1	1
ORLEANS	314	106	–	44	12	40	112
OUACHITA	65	30	1	3	3	5	23
Monroe*	24	7	–	2	–	2	13
West Monroe*	12	5	–	1	–	–	6
PLAQUEMINES	49	17	1	2	13	12	4
POINTE COUPEE	18	9	1	–	1	6	1
RAPIDES	77	40	–	10	1	13	13
Alexandria*	26	12	–	5	–	4	5
RED RIVER	19	8	1	4	3	–	3
RICHLAND	7	4	–	–	1	2	–
SABINE	12	2	–	6	–	4	–
ST. BERNARD	26	13	–	1	5	4	3
ST. CHARLES	44	11	1	1	13	14	4
ST. HELENA	12	7	–	4	–	–	1
ST. JAMES	21	10	–	4	4	3	–
ST. JOHN	18	11	–	2	4	1	–
ST. LANDRY	55	30	–	11	2	4	8
Opelousas*	12	3	–	4	–	1	4
Eunice*	4	1	–	1	–	–	2
ST. MARTIN	25	15	–	2	1	6	1
ST. MARY	77	38	1	7	15	10	6
Morgan City*	9	2	–	1	2	3	1
ST. TAMMANY	90	45	1	11	–	20	13
Slidell*	11	4	–	1	–	3	3
TANGIPAHOA	56	32	–	6	5	9	4
Hammond*	3	3	–	–	–	–	–
TENSAS	9	4	–	2	2	1	–
TERREBONNE	75	37	–	5	8	17	8
Houma*	12	8	–	1	–	3	–
UNION	21	14	–	2	–	4	1
VERMILION	52	23	–	–	17	7	5
Abbeville*	7	4	–	–	1	–	2
VERNON	29	8	1	6	1	7	6
WASHINGTON	39	22	–	6	1	6	4
Bogalusa*	16	6	–	4	1	3	2
WEBSTER	34	17	–	8	1	5	3
Minden*	6	5	–	1	–	–	–
WEST BATON ROUGE	33	19	1	2	7	1	3
WEST CARROLL	3	–	–	2	1	–	–
WEST FELICIANA	9	4	–	–	1	2	2
WINN	7	2	–	1	2	2	–
UNKNOWN	1	–	–	–	–	–	1
OUT OF STATE**	27	15	–	3	4	3	2

* Cities are included in parish totals.
** Not included in state totals.

Table XXIII
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1272	1230	15.5			396	253	83	50	32	416
				MW	329	96	83	27	16	10	97
				FW	246	95	44	13	11	4	79
				MNW	377	108	75	20	13	9	152
				FNW	278	97	51	23	10	9	88
ACADIA	10	18	15.2			7	3	–	1	–	7
				MW	10	3	3	–	1	–	3
				FW	3	2	–	–	–	–	1
				MNW	3	–	–	–	–	–	1
				FNW	2	2	–	–	–	–	
Crowley*	6	5	13.9			2	1	–	–	–	2
				MW	4	2	1	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	–	–	–	–	–	–	–
ALLEN	2	5	15 2			3	1	–	–	–	1
				MW	1	–	1	–	–	–	–
				FW	2	2	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	1	1	–	–	–	–	1
ASCENSION	2	11	10.4			5	–	2	–	–	4
				MW	6	1	–	1	–	–	4
				FW	2	2	–	–	–	–	–
				MNW	2	2	–	–	–	–	–
				FNW	1	–	–	1	–	–	–
ASSUMPTION	–	4	9.3			4	–	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	4	4	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
AVOYELLES	3	11	15.7			4	1	1	–	–	5
				MW	3	2	–	1	–	–	–
				FW	5	2	1	–	–	–	2
				MNW	1	–	–	–	–	–	1
				FNW	2	–	–	–	–	–	2
BEAUREGARD	4	6	11.0			1	3	–	–	–	2
				MW	3	–	3	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	2	–	–	–	–	–	2
				FNW	–	–	–	–	–	–	–
BIENVILLE	2	4	14.5			–	–	–	1	–	3
				MW	1	–	–	–	1	–	–
				FW	–	–	–	–	–	–	–
				MNW	3	–	–	–	–	–	3
				FNW	–	–	–	–	–	–	–
BOSSIER	7	19	12.5			7	3	2	–	–	7
				MW	7	3	–	1	–	–	3
				FW	5	4	–	–	–	–	1
				MNW	3	–	2	–	–	–	1
				FNW	4	–	1	1	–	–	2
Bossier City*	5	13	12.9			5	1	2	–	–	5
				MW	5	2	–	1	–	–	2
				FW	3	3	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	4	–	1	1	–	–	2
CADDO	209	78	15.9			33	14	1	2	5	23
				MW	12	2	2	–	1	–	7
				FW	10	1	5	–	1	2	1
				MNW	37	17	6	1	–	1	12
				FNW	19	13	1	–	–	2	3
Shreveport*	208	74	17.8			32	13	1	2	5	21
				MW	11	2	2	–	1	–	6
				FW	9	1	4	–	1	2	1
				MNW	35	16	6	1	–	1	11
				FNW	19	13	1	–	–	2	3
CALCASIEU	65	57	17.1			26	18	1	1	1	10
				MW	16	9	3	1	–	–	3
				FW	20	11	6	–	1	–	2
				MNW	12	3	6	–	–	1	2
				FNW	9	3	3	–	–	–	3

Table XXIII A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Lake Charles*	53	25	16.5			14	3	–	1	1	6
				MW	5	4	–	–	–	–	1
				FW	8	6	–	–	1	–	1
				MNW	7	2	3	–	–	1	1
				FNW	5	2	–	–	–	–	3
Sulphur*	12	5	12.1			4	1	–	–	–	–
				MW	2	2	–	–	–	–	–
				FW	3	2	1	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
CALDWELL	–	2	10.6			–	–	–	1		1
				MW		–	–	–	–	–	–
				FW	1	–	–	–	1	–	–
				MNW	1	–	–	–	–	–	1
				FNW	–	–	–	–	–	–	
CAMERON		2	11.5			1	1	–	–	–	
				MW	1	–	1	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	1	1	–	–	–	–	
CATAHOULA	–	3	11.9			1	–	1	–	–	1
				MW	2	–	–	1	–	–	1
				FW	1	1	–	–	–	–	
				MNW		–	–	–	–	–	
				FNW		–	–	–	–	–	
CLAIBORNE	3	8	33.8			3	–	–	1	1	3
				MW		–	–	–	–	–	
				FW	–	–	–	–	–	–	
				MNW	6	1	–	–	1	1	3
				FNW	2	2	–	–	–	–	
CONCORDIA	2	5	11.6			3	–	–	–	–	2
				MW	1	1	–	–	–	–	–
				FW	2	1	–	–	–	–	1
				MNW	–	–	–	–	–	–	–
				FNW	2	1	–	–	–	–	1
DESOTO	2	11	24.8			4	1	1	1	–	4
				MW	–	–	–	–	–	–	–
				FW	3	1	–	–	1	–	1
				MNW	5	2	1	–	–	–	2
				FNW	3	1	–	1	–	–	1
EAST BATON ROUGE	99	78	11.6			21	28	5	5	–	19
				MW	19	7	6	1	1	–	4
				FW	14	6	4	1	–	–	3
				MNW	22	4	11	–	2	–	5
				FNW	23	4	7	3	2	–	7
Baton Rouge*	97	65	13.6			17	25	3	3	–	17
				MW	13	5	4	–	–	–	4
				FW	12	6	4	–	–	–	2
				MNW	17	2	10	–	1	–	4
				FNW	23	4	7	3	2	–	7
EAST CARROLL	5	7	25.9			5	–	–	–	–	2
				MW	–	–	–	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	3	2	–	–	–	–	1
				FNW	3	2	–	–	–	–	1
EAST FELICIANA	1	5	15.5			–	1	–	1	–	3
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	3	–	1	–	1	–	1
				FNW	2	–	–	–	–	–	2
EVANGELINE	6	18	29.1			7	2	1	1	1	6
				MW	6	2	1	–	–	1	2
				FW	5	3	–	–	–	–	2
				MNW	6	1	1	1	1	–	2
				FNW	1	1	–	–	–	–	–
FRANKLIN	5	10	23.4			3	1	–	2	–	4
				MW	–	–	–	–	–	–	–
				FW	3	2	1	–	–	–	–
				MNW	3	–	–	–	1	–	2
				FNW	4	1	–	–	1	–	2

Table XXIII A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
GRANT	–	4	15.4			–	–	1	–	–	3
				MW	3	–	–	1	–	–	2
				FW	1	–	–	–	–	–	1
				MNW	–	–	–	–	–	–	
				FNW	–	–	–	–	–	–	–
IBERIA	10	22	15.2			6	4	1	2	–	9
				MW	7	3	1	–	1	–	2
				FW	4	2	–	–	1	–	1
				MNW	9	1	2	1	–	–	5
				FNW	2	–	1	–	–	–	1
New Iberia*	9	13	16.6			3	1	1	2	–	6
				MW	4	1	–	–	1	–	2
				FW	2	1	–	–	1	–	–
				MNW	6	1	1	1	–	–	3
				FNW	1	–	–	–	–	–	1
IBERVILLE	–	11	16.4			3	4	–	–	1	3
				MW	2	–	2	–	–	–	–
				FW	3	2	1	–	–	–	–
				MNW	2	–	–	–	–	–	2
				FNW	4	1	1	–	–	1	1
JACKSON	1	7	22.9			–	1	–	1	–	5
				MW	2	–	–	–	–	–	2
				FW	2	–	1	–	–	–	1
				MNW	3	–	–	–	1	–	2
				FNW		–	–	–	–	–	–
JEFFERSON	157	98	12.1			36	22	10	4	2	24
				MW	45	15	10	5	4	2	9
				FW	22	8	4	2	–	–	8
				MNW	20	8	5	2	–	–	5
				FNW	11	5	3	1	–	–	2
Kenner*	–	12	9.2			6	1	1	1	–	3
				MW	4	1	1	1	1	–	–
				FW	6	4	–	–	–	–	2
				MNW	2	1	–	–	–	–	1
				FNW	–	–	–	–	–	–	–
Gretna*	–	7	8.3			2	1	1	–	–	3
				MW	4	–	1	–	–	–	3
				FW	2	1	–	1	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
Harahan*	1	1	7.4			–	–	–	–	–	1
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
Westwego*	–	3	7.9			2	–	–	–	1	–
				MW	2	1	–	–	–	1	–
				FW	1	1	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
JEFFERSON DAVIS	3	11	16.4			3	2	1	2	–	3
				MW	3	1	1	–	1	–	–
				FW	4	2	–	–	1	–	1
				MNW	2	–	–	–	–	–	2
				FNW	2	–	1	1	–	–	–
Jennings*	2	4	14.5			2	–	1	–	–	1
				MW	1	1	–	–	–	–	–
				FW	1	1	–	–	–	–	–
				MNW	1	–	–	–	–	–	1
				FNW	1	–	–	1	–	–	–
LAFAYETTE	86	42	15.3			14	8	4	3	–	13
				MW	13	4	3	2	1	–	3
				FW	10	3	3	–	1	–	3
				MNW	8	3	1	1	1	–	2
				FNW	11	4	1	1	–	–	5
Lafayette*	82	28	18.6			6	8	3	2	–	9
				MW	9	3	3	2	–	–	1
				FW	7	1	3	–	1	–	2
				MNW	5	1	1	–	1	–	2
				FNW	7	1	1	1	–	–	4

Table XXIII A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
LAFOURCHE	13	28	18.5			13	4	1	–	–	10
				MW	8	3	1	1	–	–	3
				FW	13	5	3	–	–	–	5
				MNW	4	3	–	–	–	–	1
				FNW	3	2	–	–	–	–	1
Thibodaux*	7	3	11.1			3	–	–	–	–	–
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	2	2	–	–	–	–	–
				FNW	1	1	–	–	–	–	–
LASALLE	–	4	15.6			–	–	1	–	1	2
				MW	2	–	–	1	–	1	–
				FW	2	–	–	–	–	–	2
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
LINCOLN	4	9	15.8			3	2	1	–	1	2
				MW	–	–	–	–	–	–	–
				FW	2	–	1	–	–	–	1
				MNW	5	1	1	1	–	1	1
				FNW	2	2	–	–	–	–	–
Ruston*	4	3	10.8			–	–	1	–	–	2
				MW	–	–	–	–	–	–	–
				FW	1	–	–	–	–	–	1
				MNW	2	–	–	1	–	–	1
				FNW	–	–	–	–	–	–	–
LIVINGSTON	1	4	3.5			2	–	–	–	–	2
				MW	3	2	–	–	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
MADISON	5	9	27.4			2	2	–	–	–	5
				MW	–	–	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	4	–	–	–	–	–	4
				FNW	5	2	2	–	–	–	1
MOREHOUSE	4	16	22.5			1	6	2	1	–	6
				MW	2	–	2	–	–	–	–
				FW	1	–	–	–	–	–	1
				MNW	4	–	1	1	–	–	2
				FNW	9	1	3	1	1	–	3
Bastrop*	3	9	29.1			–	3	1	–	–	5
				MW	1	–	1	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	4	–	1	1	–	–	2
				FNW	4	–	1	–	–	–	3
NATCHITOCHES	–	7	10.6			1	1	2	–	–	3
				MW	1	–	–	–	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	4	1	1	1	–	–	1
				FNW	1	–	–	1	–	–	–
Natchitoches*	–	7	23.3			1	1	2	–	–	3
				MW	1	–	–	–	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	4	1	1	1	–	–	1
				FNW	1	–	–	1	–	–	–
ORLEANS	336	214	20.9			74	37	13	5	10	75
				MW	20	5	7	1	–	1	6
				FW	15	5	3	3	1	–	3
				MNW	93	31	14	3	1	3	41
				FNW	86	33	13	6	3	6	25
OUACHITA	45	29	11.4			6	10	2	2	–	9
				MW	13	2	4	1	2	–	4
				FW	4	3	1	–	–	–	–
				MNW	9	1	4	–	–	–	4
				FNW	3	–	1	1	–	–	1
Monroe*	42	16	13.4			3	6	–	1	–	6
				MW	3	–	1	–	1	–	1
				FW	3	3	–	–	–	–	–
				MNW	8	–	4	–	–	–	4
				FNW	2	–	1	–	–	–	1

Table XXIII A (continued)
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
West Monroe*	3	6	18.2			1	2	1	-	-	2
				MW	6	1	2	1	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
PLAQUEMINES	4	9	16.3			2	2	1	-	-	4
				MW	6	1	2	1	-	-	2
				FW	2	-	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
POINTE COUPEE	1	2	4.6			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
RAPIDES	38	39	15.6			10	8	3	1	2	15
				MW	17	5	5	-	-	2	5
				FW	7	4	1	-	1	-	1
				MNW	6	1	-	2	-	-	3
				FNW	9	-	2	1	-	-	6
Alexandria*	20	16	14.1			3	2	1	-	1	9
				MW	6	2	2	-	-	1	1
				FW	-	-	-	-	-	-	-
				MNW	5	1	-	1	-	-	3
				FNW	5	-	-	-	-	-	5
RED RIVER	2	5	27.2			1	1	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	-	-	-	2
				FNW	2	1	1	-	-	-	-
RICHLAND	4	4	8.1			1	-	-	-	1	2
				MW	3	1	-	-	-	1	1
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
SABINE	2	10	26.7			1	6	1	-	-	2
				MW	4	1	3	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	2	-	-	1	-	-	1
				FNW	3	-	2	-	-	-	1
ST. BERNARD	2	14	12.5			1	4	2	1	-	6
				MW	5	-	3	1	1	-	-
				FW	9	1	1	1	-	-	6
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST. CHARLES	1	9	11.8			1	4	2	-	1	1
				MW	2	-	2	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	3	-	1	1	-	1	-
				FNW	3	1	-	1	-	-	1
ST. HELENA		1	6.9			-	-	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST. JAMES	1	7	15.9			2	2	1	1	-	1
				MW	1	-	-	-	1	-	-
				FW	2	1	1	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	3	1	-	1	-	-	1
ST. JOHN	1	7	10.0			-	3	1	-	-	3
				MW	-	-	-	-	-	-	-
				FW	5	-	2	1	-	-	2
				MNW	2	-	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
ST. LANDRY	12	20	11.8			6	2	1	2	-	9
				MW	3	1	-	1	-	-	1
				FW	4	2	-	-	-	-	2
				MNW	9	3	1	-	2	-	3
				FNW	4	-	1	-	-	-	3

Table XXIII A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (by Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Opelousas*	4	2	4.4			–	–	–	–	–	2
				MW	1	–	–	–	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
Eunice*	4	3	10.3			–	–	1	1	–	1
				MW	1	–	–	1	–	–	–
				FW	1	–	–	–	–	–	1
				MNW	1	–	–	–	1	–	–
				FNW	–	–	–	–	–	–	–
ST. MARTIN	4	14	16.6			4	1	1	2	1	5
				MW	7	2	–	1	–	1	3
				FW	1	1	–	–	–	–	–
				MNW	3	–	1	–	–	–	2
				FNW	3	1	–	–	2	–	–
ST. MARY	13	21	15.3			7	3	3	–	–	8
				MW	4	–	1	–	–	–	3
				FW	4	–	1	2	–	–	1
				MNW	9	4	–	1	–	–	4
				FNW	4	3	1	–	–	–	–
Morgan City*	6	5	13.5			2	–	2	–	–	1
				MW	–	–	–	–	–	–	–
				FW	1	–	–	1	–	–	–
				MNW	4	2	–	1	–	–	1
				FNW	–	–	–	–	–	–	–
ST. TAMMANY	13	27	13.9			12	6	3	–	–	6
				MW	15	4	5	2	–	–	4
				FW	5	3	–	1	–	–	1
				MNW	3	2	–	–	–	–	1
				FNW	4	3	1	–	–	–	–
Slidell*	7	5	10.9			3	1	–	–	–	1
				MW	4	2	1	–	–	–	1
				FW	1	1	–	–	–	–	–
				MNW	–	–	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
TANGIPAHOA	19	34	20.6			5	7	3	–	3	16
				MW	8	2	3	–	–	1	2
				FW	9	1	–	1	–	1	6
				MNW	11	1	4	1	–	1	4
				FNW	6	1	–	1	–	–	4
Hammond*	1	8	27.1			–	–	2	–	1	5
				MW	–	–	–	–	–	–	–
				FW	5	–	–	1	–	1	3
				MNW	2	–	–	–	–	–	2
				FNW	1	–	–	1	–	–	–
TENSAS	1	5	28.1			1	2	–	–	–	2
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	3	–	2	–	–	–	1
TERREBONNE	23	33	14.9			12	5	2	2	1	11
				MW	8	3	2	1	1	–	1
				FW	12	5	–	–	1	1	5
				MNW	10	1	3	1	–	–	5
				FNW	3	3	–	–	–	–	–
Houma*	11	17	21.1			5	4	1	–	1	6
				MW	2	1	1	–	–	–	–
				FW	3	1	–	–	–	1	1
				MNW	9	–	3	1	–	–	5
				FNW	3	3	–	–	–	–	–
UNION	2	5	15.2			2	–	–	–	–	3
				MW	1	1	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	3	1	–	–	–	–	2
				FNW	1	–	–	–	–	–	1
VERMILION	4	14	15.0			4	2	–	–	–	8
				MW	5	–	1	–	–	–	4
				FW	5	3	–	–	–	–	2
				MNW	1	1	–	–	–	–	–
				FNW	3	–	1	–	–	–	2

Table XXIII A (continued)

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by Parish, 1979

PARISH AND CITIES Over 10,000	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Abbeville*	2	5	19.9			2	–	–	–	–	3
				MW	–	–	–	–	–	–	–
				FW	2	1	–	–	–	–	1
				MNW	1	1	–	–	–	–	–
				FNW	2	–	–	–	–	–	2
VERNON	15	27	22.1			8	5	2	1	–	11
				MW	10	2	2	1	–	–	5
				FW	8	3	2	1	–	–	2
				MNW	8	2	1	–	1	–	4
				FNW	1	1	–	–	–	–	–
WASHINGTON	5	13	16.9			3	3	1	1	–	5
				MW	2	2	–	–	–	–	–
				FW	2	–	–	–	–	–	2
				MNW	6	1	2	1	–	–	2
				FNW	3	–	1	–	1	–	1
Bogalusa*	2	5	17.6			2	–	–	1	–	2
				MW	1	1	–	–	–	–	–
				FW	–	–	–	–	–	–	–
				MNW	2	1	–	–	–	–	1
				FNW	2	–	–	–	1	–	1
WEBSTER	4	17	23.0			7	2	2	1	–	5
				MW	9	5	2	1	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	4	2	–	–	1	–	1
				FNW	3	–	–	1	–	–	2
Minden*	3	8	28.7			4	–	–	–	–	4
				MW	3	2	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	3	2	–	–	–	–	1
				FNW	2	–	–	–	–	–	2
WEST BATON ROUGE	2	5	12.4			–	2	–	–	–	3
				MW	2	–	1	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	3	–	1	–	–	–	2
				FNW	–	–	–	–	–	–	–
WEST CARROLL	2	3	12.8			1	–	–	–	–	2
				MW	1	–	–	–	–	–	1
				FW	1	–	–	–	–	–	1
				MNW	1	1	–	–	–	–	–
				FNW	–	–	–	–	–	–	–
WEST FELICIANA	1	3	21.1			–	2	–	–	–	1
				MW	1	–	–	–	–	–	1
				FW	–	–	–	–	–	–	–
				MNW	2	–	2	–	–	–	–
				FNW	–	–	–	–	–	–	–
WINN	4	5	16.3			3	–	–	–	–	2
				MW	2	1	–	–	–	–	1
				FW	1	1	–	–	–	–	–
				MNW	1	1	–	–	–	–	–
				FNW	1	–	–	–	–	–	1
OUT OF STATE**	21	63	–			15	20	8	3	2	15
				MW	29	3	10	6	1	1	8
				FW	23	8	6	1	2	1	5
				MNW	7	3	2	1	–	–	1
				FNW	4	1	2	–	–	–	1

* Cities are included in parish totals.
** Not included in state totals.

Table XXIII B

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age Louisiana, by State Planning Districts and Health Service Areas, 1979

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
						Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1272	1230	15.5			396	253	83	50	32	416
				MW	329	96	83	27	16	10	97
				FW	246	95	44	13	11	4	79
				MNW	377	108	75	20	13	9	152
				FNW	278	97	51	23	10	9	88
SPD 1	512	362	16.5			125	71	29	10	12	115
				MW	91	25	27	10	5	3	21
				FW	53	17	8	7	1	–	20
				MNW	117	42	19	5	1	3	47
				FNW	101	41	17	7	3	6	27
SPD 2	131	167	12.4			39	48	11	8	4	57
				MW	43	14	12	2	1	1	13
				FW	32	11	5	2	1	1	12
				MNW	52	8	21	2	3	1	17
				FNW	40	6	10	5	3	1	15
SPD 3	39	88	14.5			32	18	7	3	2	26
				MW	19	6	5	2	2	–	4
				FW	33	11	7	1	1	1	12
				MNW	24	8	6	2	–	1	7
				FNW	12	7	–	2	–	–	3
SPD 4	145	169	15.6			55	25	11	11	2	65
				MW	55	15	10	4	3	2	21
				FW	36	16	4	2	2	–	12
				MNW	48	13	6	4	4	–	21
				FNW	30	11	5	1	2	–	11
SPD 5	74	81	16.1			34	25	2	3	1	16
				MW	24	10	9	1	1	–	3
				FW	27	16	6	–	2	–	3
				MNW	17	3	6	–	–	1	7
				FNW	13	5	4	1	–	–	3
SPD 6	62	98	16.5			29	14	9	2	3	41
				MW	40	11	7	5	–	3	14
				FW	27	12	4	1	1	–	9
				MNW	16	4	1	2	1	–	8
				FNW	15	2	2	1	–	–	10
SPD 7	235	168	17.0			60	30	10	6	7	55
				MW	34	11	7	2	2	–	12
				FW	24	6	7	–	2	2	7
				MNW	71	24	11	4	2	3	27
				FNW	39	19	5	4	–	2	9
SPD 8	74	97	16.1			22	22	4	7	1	41
				MW	23	4	6	1	2	1	9
				FW	14	6	3	–	1	–	4
				MNW	32	6	5	1	2	–	18
				FNW	28	6	8	2	2	–	10

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1272	1230	15.5			396	253	83	50	32	416
				MW	329	96	83	27	16	10	97
				FW	246	95	44	13	11	4	79
				MNW	377	108	75	20	13	9	152
				FNW	278	97	51	23	10	9	88
HSA 1	551	450	16.0			157	89	36	13	14	141
				MW	110	31	32	12	7	3	25
				FW	86	28	15	8	2	1	32
				MNW	141	50	25	7	1	4	54
				FNW	113	48	17	9	3	6	30
HSA 2	350	417	14.2			128	98	24	22	7	138
				MW	122	39	31	7	5	3	37
				FW	95	43	15	4	5	1	27
				MNW	117	24	33	6	7	2	45
				FNW	83	22	19	7	5	1	29
HSA 3	371	363	16.6			111	66	23	15	11	137
				MW	97	26	20	8	4	4	35
				FW	65	24	14	1	4	2	20
				MNW	119	34	17	7	5	3	53
				FNW	82	27	15	7	2	2	29

Table XXIV
Infant Mortality Rates by Place of Residence Shown by Age at Death and Race Louisiana, by State Planning District and Health Service Areas, 1979

STATE PLANNING DISTRICT (SPD) AND HEALTH SERVICE AREA (HSA)	RACE	UNDER 1	1 - 6	7 - 13	14 - 20	21 - 27	28 - 364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		5.0	3.2	1.0	0.6	0.4	5.3	8.2	10.3	18.8	15.5
	W	4.0	2.7	0.8	0.6	0.3	3.7	6.7	8.4	14.3	12.0
	NW	6.5	4.0	1.4	0.7	0.6	7.6	10.5	13.2	25.7	20.8
SPD 1		5.7	3.2	1.3	0.5	0.5	5.2	8.9	11.2	19.7	16.5
	W	3.5	2.9	1.4	0.5	0.2	3.4	6.4	8.6	13.4	12.0
	NW	8.3	3.6	1.2	0.4	0.9	7.4	11.9	14.5	27.2	21.9
SPD 2		2.9	3.6	0.8	0.6	0.3	4.2	6.5	8.2	16.2	12.4
	W	3.1	2.1	0.5	0.2	0.2	3.1	5.2	6.2	13.4	9.4
	NW	2.6	5.7	1.3	1.1	0.4	5.9	8.3	11.1	20.4	17.0
SPD 3		5.3	3.0	1.2	0.5	0.3	4.3	8.2	10.2	16.8	14.5
	W	4.0	2.9	0.7	0.7	0.2	3.8	6.9	8.6	14.4	12.4
	NW	8.1	3.2	2.2	—	0.5	5.4	11.3	14.0	22.3	19.4
SPD 4		5.1	2.3	1.0	1.0	0.2	6.0	7.4	9.6	17.8	15.6
	W	4.3	1.9	0.8	0.7	0.3	4.6	6.3	8.1	14.3	12.6
	NW	6.6	3.0	1.4	1.6	—	8.8	9.6	12.6	24.6	21.4
SPD 5		6.7	5.0	0.4	0.6	0.2	3.2	11.7	12.9	24.7	16.1
	W	7.1	4.1	0.3	0.8	—	1.6	11.1	12.2	19.6	13.8
	NW	5.9	7.4	0.7	—	0.7	7.4	13.3	14.8	38.2	22.2
SPD 6		4.9	2.4	1.5	0.3	0.5	6.9	7.2	9.6	17.7	16.5
	W	5.7	2.7	1.5	0.2	0.7	5.7	8.5	11.0	16.8	16.7
	NW	3.1	1.6	1.6	0.5	—	9.3	4.7	6.7	19.4	16.1
SPD 7		6.1	3.0	1.0	0.6	0.7	5.6	9.1	11.4	21.7	17.0
	W	3.2	2.6	0.4	0.7	0.4	3.5	5.8	7.3	12.4	10.8
	NW	9.5	3.5	1.8	0.4	1.1	8.0	13.0	16.4	32.5	24.3
SPD 8		3.7	3.7	0.7	1.2	0.2	6.8	7.3	9.3	16.8	16.1
	W	3.1	2.8	0.3	0.9	0.3	4.0	5.8	7.4	13.1	11.3
	NW	4.4	4.7	1.1	1.5	—	10.2	9.1	11.6	21.2	21.8

TOTAL		5.0	3.2	1.0	0.6	0.4	5.3	8.2	10.3	18.8	15.5
	W	4.0	2.7	0.8	0.6	0.3	3.7	6.7	8.4	14.3	12.0
	NW	6.5	4.0	1.4	0.7	0.6	7.6	10.5	13.2	25.7	20.8
HSA 1		5.6	3.2	1.3	0.5	0.5	5.0	8.8	11.0	19.1	16.0
	W	3.6	2.9	1.2	0.6	0.2	3.5	6.5	8.6	13.7	12.1
	NW	8.3	3.6	1.4	0.3	0.8	7.1	11.8	14.4	26.4	21.5
HSA 2		4.4	3.3	0.8	0.8	0.2	4.7	7.7	9.5	18.3	14.2
	W	4.3	2.4	0.6	0.5	0.2	3.4	6.8	8.1	15.0	11.5
	NW	4.4	5.0	1.2	1.2	0.3	7.1	9.4	12.1	24.2	19.2
HSA 3		5.1	3.0	1.1	0.7	0.5	6.3	8.1	10.3	19.2	16.6
	W	4.0	2.7	0.7	0.6	0.5	4.4	6.6	8.5	14.0	12.8
	NW	6.6	3.5	1.5	0.8	0.5	8.9	10.1	12.9	26.4	21.8

Perinatal rate per 1,000 deliveries, all other rates per 1,000 live births.
Rates may not be additive due to rounding.

Table XXV
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
TOTAL	1230	15.5			396	253	83	50	32	416
			MW	329	96	83	27	16	10	97
			FW	246	95	44	13	11	4	79
			MNW	377	108	75	20	13	9	152
			FNW	278	97	51	23	10	9	88
Certain intestinal infections - (008-009)	3	0.0			–	–	–	–	2	1
			MW	1	–	–	–	–	1	–
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	1	–
			FNW	1	–	–	–	–	–	1
Whooping cough - (033)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Meningococcal infection - (036)	8	0.1			–	–	–	–	–	8
			MW	3	–	–	–	–	–	3
			FW	4	–	–	–	–	–	4
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Septicemia - (038)	14	0.2			–	–	–	–	–	14
			MW	–	–	–	–	–	–	–
			FW	5	–	–	–	–	–	5
			MNW	6	–	–	–	–	–	6
			FNW	3	–	–	–	–	–	3
Viral diseases - (045-079)	4	0.1			–	–	–	–	–	4
			MW	2	–	–	–	–	–	2
			FW	1	–	–	–	–	–	1
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Congenital syphilis - (090)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases - (001-007, 010-032, 034-035, 037, 039-041, 080-088, 091-139)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues - (140-208)	3	0.0			–	–	–	–	–	3
			MW	2	–	–	–	–	–	2
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavoir and of unspecified nature - (210-239)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Diseases of thymus gland - (254)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Cystic fibrosis - (277.0)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs - (280-289)	8	0.1			1	–	–	1	–	6
			MW	3	1	–	–	–	–	2
			FW	1	–	–	–	–	–	1
			MNW	3	–	–	–	–	–	3
			FNW	1	–	–	–	1	–	–
Meningitis - (320-322)	18	0.2			–	1	3	2	–	12
			MW	2	–	–	–	1	–	1
			FW	5	–	1	–	–	–	4
			MNW	3	–	–	–	–	–	3
			FNW	8	–	–	3	1	–	4

Table XXV (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1979

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Other diseases of nervous system and sense organs - (323-389)	17	0.2			-	-	-	-	-	17
			MW	3	-	-	-	-	-	3
			FW	3	-	-	-	-	-	3
			MNW	7	-	-	-	-	-	7
			FNW	4	-	-	-	-	-	4
Acute upper respiratory infections - (460-465)	2	0.0			-	-	-	-	-	2
			MW	1	-	-	-	-	-	1
			FW	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
Bronchitis and bronchiolitis - (466, 490-491)	6	0.1			-	1	-	-	-	5
			MW	-	-	-	-	-	-	
			FW	1	-	1	-	-	-	-
			MNW	4	-	-	-	-	-	4
			FNW	1	-	-	-	-	-	1
Pneumonia and influenza - (480-487)	51	0.6			-	2	1	-	1	47
			MW	12	-	-	1	-	1	10
			FW	5	-	-	-	-	-	5
			MNW	22	-	2	-	-	-	20
			FNW	12	-	-	-	-	-	12
Pneumonia - (480-486)	51	0.6			-	2	1	-	1	47
			MW	12	-	-	1	-	1	10
			FW	5	-	-	-	-	-	5
			MNW	22	-	2	-	-	-	20
			FNW	12	-	-	-	-	-	12
Influenza - (487)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
Remainder of diseases of respiratory system - (470-478, 492-519)	27	0.3			-	-	1	1	-	25
			MW	3	-	-	-	-	-	3
			FW	10	-	-	-	1	-	9
			MNW	9	-	-	1	-	-	8
			FNW	5	-	-	-	-	-	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia - (550-553, 560)	4	0.1			-	1	-	-	-	3
			MW	2	-	1	-	-	-	1
			FW	1	-	-	-	-	-	1
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis - (535, 555-558)	7	0.1			-	1	1	1	1	3
			MW	1	-	-	1	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	5	-	-	-	1	1	3
			FNW	1	-	1	-	-	-	-
Remainder of diseases of digestive system - (520-534, 536-543, 562-579)	12	0.2			-	-	-	2	-	10
			MW	2	-	-	-	-	-	2
			FW	2	-	-	-	-	-	2
			MNW	4	-	-	-	1	-	3
			FNW	4	-	-	-	1	-	3
Congenital anomalies - (740-759)	196	2.5			50	55	16	9	6	60
			MW	78	19	27	5	6	4	17
			FW	54	20	13	3	2	-	16
			MNW	34	6	7	5	-	-	16
			FNW	30	5	8	3	1	2	11
Anencephalus and similar anomalies - (740)	14	0.2			8	4	1	1	-	-
			MW	6	4	1	1	-	-	-
			FW	7	3	3	-	1	-	-
			MNW	1	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
Spina bifida - (741)	10	0.1			4	1	-	2	-	3
			MW	4	1	-	-	1	-	2
			FW	4	2	1	-	1	-	-
			MNW	1	-	-	-	-	-	1
			FNW	1	1	-	-	-	-	-
Congenital hydrocephalus - (742.3)	8	0.1			3	-	1	-	-	4
			MW	2	-	-	-	-	-	2
			FW	4	3	-	-	-	-	1
			MNW	2	-	-	1	-	-	1
			FNW	-	-	-	-	-	-	-

Table XXV (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1979

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Other congenital anomalies of central nervous system and eye - (742.0-742.2, 742.4-742.9, 743)	6	0.1			3	–	–	–	1	2
			MW	4	3	–	–	–	1	–
			FW	1	–	–	–	–	–	1
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Congenital anomalies of heart - (745-746)	61	0.8			1	21	8	5	3	23
			MW	27	–	13	3	4	2	5
			FW	9	1	3	2	–	–	3
			MNW	11	–	1	1	–	–	9
			FNW	14	–	4	2	1	1	6
Other congenital anomalies of circulatory system - (747)	25	0.3			–	10	3	1	1	10
			MW	7	–	4	–	1	–	2
			FW	8	–	1	–	–	–	7
			MNW	4	–	2	2	–	–	–
			FNW	6	–	3	1	–	1	1
Congenital anomalies of respiratory system - (748)	9	0.1			8	1	–	–	–	–
			MW	4	3	1	–	–	–	–
			FW	3	3	–	–	–	–	–
			MNW	2	2	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Congenital anomalies of digestive system - (749-751)	6	0.1			1	1	–	–	–	4
			MW	5	1	1	–	–	–	3
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	1
			FNW	–	–	–	–	–	–	–
Congenital anomalies of genitourinary system - (752-753)	7	0.1			5	2	–	–	–	–
			MW	4	3	1	–	–	–	–
			FW	1	1	–	–	–	–	–
			MNW	2	1	1	–	–	–	–
			FNW	–	–	–	–	–	–	–
Congenital anomalies of musculoskeletal system - (754-756)	13	0.2			5	7	–	–	1	–
			MW	6	3	2	–	–	1	–
			FW	4	2	2	–	–	–	–
			MNW	2	–	2	–	–	–	–
			FNW	1	–	1	–	–	–	–
Down's syndrome - (758.0)	4	0.1			–	–	–	–	–	4
			MW	1	–	–	–	–	–	1
			FW	2	–	–	–	–	–	2
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Other chromosomal anomalies - (758.1-758.9)	9	0.1			–	6	1	–	–	2
			MW	2	–	2	–	–	–	–
			FW	5	–	3	1	–	–	1
			MNW	1	–	1	–	–	–	–
			FNW	1	–	–	–	–	–	1
All other and unspecified congenital anomalies - (744, 757, 759)	24	0.3			12	2	2	–	–	8
			MW	6	1	2	1	–	–	2
			FW	6	5	–	–	–	–	1
			MNW	6	2	–	1	–	–	3
			FNW	6	4	–	–	–	–	2
Certain conditions originating in the perinatal period - (760-779)	654	8.3			342	184	55	31	18	24
			MW	163	75	51	17	8	3	9
			FW	123	74	28	10	6	1	4
			MNW	202	101	64	12	11	7	7
			FNW	166	92	41	16	6	7	4
Newborn affected by maternal conditions which may be unrelated to present pregnancy - (760)	4	0.1			4	–	–	–	–	–
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	3	3	–	–	–	–	–
Newborn affected by maternal complications of pregnancy - (761)	33	0.4			29	4	–	–	–	–
			MW	7	6	1	–	–	–	–
			FW	7	7	–	–	–	–	–
			MNW	12	10	2	–	–	–	–
			FNW	7	6	1	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes - (762)	11	0.1			9	1	1	–	–	–
			MW	2	2	–	–	–	–	–
			FW	3	3	–	–	–	–	–
			MNW	2	1	–	1	–	–	–
			FNW	4	3	1	–	–	–	–

Table XXV (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Newborn affected by other complications of labor and delivery - (763)	6	0.1			6	–	–	–	–	–
			MW	3	3	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	3	3	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Slow fetal growth and fetal malnutrition - (764)	1	0.0			1	–	–	–	–	–
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight - (765)	99	1.3			94	3	–	1	1	–
			MW	15	14	1	–	–	–	–
			FW	21	21	–	–	–	–	–
			MNW	26	26	–	–	–	–	–
			FNW	37	33	2	–	1	1	–
Disorders relating to long gestation and high birthweight - (766)						–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Birth trauma - (767)	45	0.6			10	25	5	2	2	1
			MW	12	2	7	3	–	–	–
			FW	7	4	2	1	–	–	–
			MNW	16	4	8	1	1	1	1
			FNW	10	–	8	–	1	1	–
Intrauterine hypoxia and birth asphyxia - (768)	28	0.4			17	8	–	2	–	1
			MW	5	3	1	–	1	–	–
			FW	5	3	2	–	–	–	–
			MNW	11	6	3	–	1	–	1
			FNW	7	5	2	–	–	–	–
Fetal distress in liveborn infant - (768.2-768.4)	4	0.1			2	2	–	–	–	–
			MW	2	1	1	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	2	1	1	–	–	–	–
			FNW	–	–	–	–	–	–	–
Birth asphyxia - (768.5-768.9)	24	0.3			15	6	–	2	–	1
			MW	3	2	–	–	1	–	–
			FW	5	3	2	–	–	–	–
			MNW	9	5	2	–	1	–	1
			FNW	7	5	2	–	–	–	–
Respiratory distress syndrome - (769)	174	2.2			63	66	23	8	5	9
			MW	44	11	17	8	3	2	3
			FW	36	18	12	3	1	–	2
			MNW	56	18	27	4	4	1	2
			FNW	38	16	10	8	–	2	2
Other respiratory conditions of newborn - (770)	100	1.3			51	23	7	4	2	13
			MW	36	17	9	2	2	–	6
			FW	22	11	4	3	1	1	2
			MNW	23	13	4	2	–	1	3
			FNW	19	10	6	–	1	–	2
Infections specific to the perinatal period - (771)	38	0.5			4	21	6	6	1	–
			MW	11	1	7	2	1	–	–
			FW	7	–	4	1	2	–	–
			MNW	12	2	7	–	2	1	–
			FNW	8	1	3	3	1	–	–
Neonatal hemorrhage - (772)	12	0.2			5	4	2	1	–	–
			MW	2	2	–	–	–	–	–
			FW	1	–	–	1	–	–	–
			MNW	5	2	2	–	1	–	–
			FNW	4	1	2	1	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice - (773-774)	1	0.0			1	–	–	–	–	–
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus - (775.0-775.1)	1	0.0			–	1	–	–	–	–
			MW	1	–	1	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–

Table XXV (continued)

Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1979

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 1,000 Live Births)	SEX RACE	TOTAL (By Sex and Race)	AGE					
					Under 1 Day	1-6 Days	7-13 Days	14-20 Days	21-27 Days	28-364 Days
Hemorrhagic disease of newborn - (776.0)	–	– –			–	–	–	–	–	–
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period - (775.2-775.9, 776.1-779)	101	1.3			48	28	11	7	7	–
			MW	22	11	7	2	1	1	–
			FW	14	7	4	1	2	–	–
			MNW	36	16	11	4	2	3	–
			FNW	29	14	6	4	2	3	–
Symptoms, signs, and ill-defined conditions - (780-799)	80	1.0			–	2	1	2	3	72
			MW	24	–	1	1	1	1	20
			FW	12	–	–	–	1	2	9
			MNW	31	–	1	–	–	–	30
			FNW	13	–	–	–	–	–	13
Sudden infant death syndrome - (798.0)	76	1.0			–	1	1	2	3	69
			MW	21	–	–	1	1	1	18
			FW	12	–	–	–	1	2	9
			MNW	31	–	1	–	–	–	30
			FNW	12	–	–	–	–	–	12
Symptoms, signs, and all other ill-defined conditions - (780-797, 798.1-799)	4	0.1			–	1	–	–	–	3
			MW	3	–	1	–	–	–	2
			FW	–	–	–	–	–	–	–
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Accidents and adverse effects - (E800-E949)	49	0.6			1	1	1	–	–	46
			MW	13	–	1	1	–	–	11
			FW	6	–	–	–	–	–	6
			MNW	18	1	–	–	–	–	17
			FNW	12	–	–	–	–	–	12
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation - (E911-E912)	17	0.2			–	–	–	–	–	17
			MW	2	–	–	–	–	–	2
			FW	2	–	–	–	–	–	2
			MNW	9	–	–	–	–	–	9
			FNW	4	–	–	–	–	–	4
Accidental mechanical suffocation - (E913)	2	0.0			–	–	–	–	–	2
			MW		–	–	–	–	–	–
			FW	1	–	–	–	–	–	1
			MNW	–	–	–	–	–	–	–
			FNW	1	–	–	–	–	–	1
Other accidental causes and adverse effects - (E800-E910, E914-E949)	30	0.4			1	1	1	–	–	27
			MW	11	–	1	1	–	–	9
			FW	3	–	–	–	–	–	3
			MNW	9	1	–	–	–	–	8
			FNW	7	–	–	–	–	–	7
Homicide - (E960-E969)	6	0.1			1	–	–	–	–	5
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	4	–	–	–	–	–	4
			FNW	1	–	–	–	–	–	1
Child battering and other maltreatment - (E967)	2	0.0			–	–	–	–	–	2
			MW	–	–	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	1	–	–	–	–	–	1
			FNW	1	–	–	–	–	–	1
Other homicide - (E960-E966, E968-E969)	4	0.1			1	–	–	–	–	3
			MW	1	1	–	–	–	–	–
			FW	–	–	–	–	–	–	–
			MNW	3	–	–	–	–	–	3
			FNW	–	–	–	–	–	–	–
All other causes - (Residual)	61	0.8			1	5	4	1	1	49
			MW	13	–	2	1	–	–	10
			FW	13	1	1	–	1	1	9
			MNW	20	–	1	2	–	–	17
			FNW	15	–	1	1	–	–	13

Table XXVI
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age
Louisiana, 1979

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	11	11	13.9	W	3	–	–	–	1	–	2	–	–	–
				NW	8	–	–	3	1	2	2	–	–	–
EAST BATON ROUGE	1	1	14.9	W	1	–	–	–	–	–	1	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
IBERIA	1	1	68.9	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	–	1	–	–	–	–
JEFFERSON	2	3	37.0	W	1	–	–	–	1	–	–	–	–	–
				NW	2	–	–	1	–	1	–	–	–	–
NATCHITOCHES	–	1	152.0	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	–	–	1	–	–	–
ORLEANS	2	1	9.8	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	–	–	1	–	–	–
RAPIDES	2	1	40.0	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	–	1	–	–	–	–	–
ST. LANDRY	1	1	59.2	W	1	–	–	–	–	–	1	–	–	–
				NW	–	–	–	–	–	–	–	–	–	–
ST. TAMMANY	1	1	51.5	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	1	–	–	–	–	–	–
TANGIPAHOA	1	1	60.7	W	–	–	–	–	–	–	–	–	–	–
				NW	1	–	–	1	–	–	–	–	–	–

Rate per 100,000 Live Births.

Table XXVII

Maternal Deaths by Cause, Shown by Race and Age
Louisiana, 1979

(By Place of Residence)

PARISH	TOTAL	RATE (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE 10-14	15-19	20-24	25-29	30-34	35-39	40-41	45 and Over	Not Stated
TOTAL	11	13.9	W	3	–	–	–	1	–	2	–	–	–
			NW	8	–	–	3	1	2	2	–	–	–
Pregnancy with abortive outcome - (630-638)	1	1.3	W	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	1	–	–	–	–	–
Ectopic pregnancy - (633)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Spontaneous abortion - (634)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Legally induced abortion - (635)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Illegally induced abortion - (636)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Other pregnancy with abortive outcome - (630-632, 637-638)	1	1.3	W	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	1	–	–	–	–	–
Direct obstetric causes - (640-646, 651-676)	9	11.4	W	3	–	–	–	1	–	2	–	–	–
			NW	6	–	–	3	–	2	1	–	–	–
Hemorrhage of pregnancy and childbirth - (640-641, 666)	2	2.5	W	–	–	–	–	–	–	–	–	–	–
			NW	2	–	–	1	–	–	1	–	–	–
Toxemia of pregnancy - (642.4-642.9, 643)	1	1.3	W	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	1	–	–	–	–	–	–
Obstructed labor - (660)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–
Complications of the puerperium - (670-676)	3	3.8	W	2	–	–	–	–	–	2	–	–	–
			NW	1	–	–	–	–	1	–	–	–	–
Other direct obstetric causes - (642.0-642.3, 644-646, 651-659, 661-665, 667-669)	3	3.8	W	1	–	–	–	1	–	–	–	–	–
			NW	2	–	–	1	–	1	–	–	–	–
Indirect obstetric causes - (647-648)	1	1.3	W	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	–	–	1	–	–	–
Delivery in a completely normal case - (650)	–	–	W	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–

Rates per 100,000 live births in group.

MORBIDITY

Table XXVIII
Reportable Diseases by Parish
Louisiana, 1979
(By Place of Residence)

PARISH AND CITIES Over 10,000	ACTINOMYCOSIS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED
TOTAL	–	9	–	107	2	–	4	–	6	–	–	2	–	–	–	–	–	27
ACADIA	–	1	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Crowley*	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ALLEN	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASCENSION	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
ASSUMPTION	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
AVOYELLES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BEAUREGARD	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
BIENVILLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BOSSIER	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bossier City*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CADDO	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Shreveport*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
CALCASIEU	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Lake Charles*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Sulphur*	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CALDWELL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAMERON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CLAIBORNE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CONCORDIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
DESOTO	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST BATON ROUGE	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Baton Rouge*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST CARROLL	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
EAST FELICIANA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
FRANKLIN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GRANT	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Iberia*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERVILLE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
JACKSON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON	–	–	–	29	–	–	–	–	–	–	–	–	–	–	–	–	–	11
Kenner*	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Gretna*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harahan*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Westwego*	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2
JEFFERSON DAVIS	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Jennings*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	–	–	–	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Lafayette*	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1
LAFOURCHE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thibodaux*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LASALLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ruston*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MADISON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
MOREHOUSE	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bastrop*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NATCHITOCHES	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Natchitoches*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	–	1	–	9	–	–	–	–	3	–	–	1	–	–	–	–	–	3
OUACHITA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Monroe*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Monroe*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PLAQUEMINES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
POINTE COUPEE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RAPIDES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Alexandria*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RED RIVER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RICHLAND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SABINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. BERNARD	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. CHARLES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
ST. HELENA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JAMES	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JOHN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. LANDRY	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Opelousas*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eunice*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARTIN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARY	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Morgan City*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. TAMMANY	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Slidell*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TANGIPAHOA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hammond*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TENSAS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	–	–	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Houma*	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
UNION	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
VERMILION	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abbeville*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VERNON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
WASHINGTON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bogalusa*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEBSTER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Minden*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST BATON ROUGE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST FELICIANA	–	–	–	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–
WINN	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OUT OF STATE**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

* Cities are included in parish total.
** Not included in parish total.

Table XXVIII (continued) -
Reportable Diseases by Parish
Louisiana, 1979
(By Place of Residence)

PARISH AND CITIES Over 10,000	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HEPATITIS A	HEPATITIS B	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS
TOTAL	1	–	23883	1	644	307	236	4	13	7	2	9	1	–	–	6	268	155
ACADIA	–	–	110	–	6	6	6	1	1	–	–	2	–	–	–	–	1	2
Crowley*	–	–	82	–	6	4	1	–	1	–	–	1	–	–	–	–	–	2
ALLEN	–	–	51	–	3	–	–	–	–	–	–	–	–	–	–	–	2	–
ASCENSION	–	–	108	–	4	3	–	–	–	–	–	–	–	–	–	–	–	1
ASSUMPTION	–	–	50	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
AVOYELLES	–	–	72	–	–	2	–	–	–	–	–	–	–	–	–	–	4	–
BEAUREGARD	–	–	71	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
BIENVILLE	–	–	28	–	–	–	1	–	–	–	–	–	–	–	–	–	3	1
BOSSIER	–	–	327	–	8	6	2	–	–	–	–	–	–	–	–	–	12	3
Bossier City*	–	–	231	–	6	5	1	–	–	–	–	–	–	–	–	–	10	3
CADDO	–	–	2165	–	21	34	9	–	–	–	–	–	–	–	–	–	24	3
Shreveport*	–	–	2045	–	19	32	7	–	–	–	–	–	–	–	–	–	20	3
CALCASIEU	–	–	1181	–	14	9	5	–	–	1	–	–	–	–	–	–	2	4
Lake Charles*	–	–	1022	–	5	6	4	–	–	1	–	–	–	–	–	–	–	1
Sulphur*	–	–	19	–	3	1	1	–	–	–	–	–	–	–	–	–	–	–
CALDWELL	–	–	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
CAMERON	–	–	21	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	–	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
CLAIBORNE	–	–	77	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
CONCORDIA	–	–	57	–	5	2	1	–	–	–	–	–	–	–	–	–	–	1
DESOTO	–	–	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST BATON ROUGE	–	–	1957	–	7	6	8	–	–	–	–	–	–	–	–	1	1	5
Baton Rouge*	–	–	1779	–	5	5	6	–	–	–	–	–	–	–	–	1	1	5
EAST CARROLL	–	–	133	–	9	1	8	–	–	–	–	–	–	–	–	–	–	1
EAST FELICIANA	–	–	23	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	–	–	10	–	3	1	2	–	3	–	–	–	–	–	–	–	2	1
FRANKLIN	–	–	56	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
GRANT	–	–	26	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–
IBERIA	–	–	77	–	9	13	8	–	–	–	–	–	–	–	–	–	–	6
New Iberia*	–	–	56	–	4	3	2	–	–	–	–	–	–	–	–	–	–	4
IBERVILLE	–	–	132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
JACKSON	–	–	19	–	–	1	–	–	–	–	–	–	–	–	–	–	5	2
JEFFERSON	–	–	1338	–	217	44	48	–	1	2	1	–	–	–	–	1	2	26
Kenner*	–	–	138	–	38	4	9	–	–	–	–	–	–	–	–	1	–	10
Gretna*	–	–	140	–	20	3	10	–	–	–	–	–	–	–	–	–	–	1
Harahan*	–	–	10	–	6	2	–	–	–	1	–	–	–	–	–	–	1	3
Westwego*	–	–	106	–	16	3	4	–	–	–	–	–	–	–	–	–	–	1
JEFFERSON DAVIS	–	–	96	–	3	2	1	–	–	–	–	–	–	–	–	–	6	–
Jennings*	–	–	52	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	1	–	389	–	43	47	18	2	2	–	–	1	–	–	–	–	1	2
Lafayette*	1	–	331	–	28	37	15	2	2	–	–	–	–	–	–	–	1	1
LAFOURCHE	–	–	114	–	12	5	2	–	–	–	–	1	–	–	–	–	–	4
Thibodaux*	–	–	66	–	5	1	1	–	–	–	–	–	–	–	–	–	–	–
LASALLE	–	–	20	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	–	–	278	–	4	2	3	–	–	–	–	–	–	–	–	1	7	–
Ruston*	–	–	73	–	3	1	3	–	–	–	–	–	–	–	–	–	1	–
LIVINGSTON	–	–	46	–	4	2	4	–	–	–	–	–	–	–	–	–	1	1
MADISON	–	–	130	–	6	–	3	–	–	–	–	–	–	–	–	–	–	1
MOREHOUSE	–	–	167	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Bastrop*	–	–	106	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
NATCHITOCHES	–	–	203	–	2	1	–	–	–	–	–	1	–	–	–	–	–	3
Natchitoches*	–	–	147	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	–	–	9690	–	88	54	55	1	4	1	–	–	1	–	–	1	7	16
OUACHITA	–	–	1146	–	10	6	5	–	–	–	–	–	–	–	–	–	83	6
Monroe*	–	–	1037	–	6	6	2	–	–	–	–	–	–	–	–	–	26	3
West Monroe*	–	–	58	–	3	–	2	–	–	–	–	–	–	–	–	–	29	2
PLAQUEMINES	–	–	50	–	6	1	2	–	–	–	–	–	–	–	–	–	–	4
POINTE COUPEE	–	–	31	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1
RAPIDES	–	–	936	1	9	9	2	–	2	–	–	–	–	–	–	–	62	1
Alexandria*	–	–	718	1	7	3	–	–	–	–	–	–	–	–	–	–	30	1
RED RIVER	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
RICHLAND	–	–	84	–	1	1	3	–	–	–	–	–	–	–	–	–	2	–
SABINE	–	–	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. BERNARD	–	–	45	–	50	3	5	–	–	–	–	–	–	–	–	–	5	3
ST. CHARLES	–	–	71	–	3	2	–	–	–	–	–	–	–	–	–	–	–	2
ST. HELENA	–	–	19	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JAMES	–	–	82	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
ST. JOHN	–	–	39	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
ST. LANDRY	–	–	92	–	8	5	4	–	–	1	–	2	–	–	–	–	–	1
Opelousas*	–	–	37	–	3	2	1	–	–	1	–	–	–	–	–	–	–	1
Eunice*	–	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARTIN	–	–	89	–	1	4	3	–	–	–	–	–	–	–	–	–	–	4
ST. MARY	–	–	39	–	3	1	1	–	–	–	–	–	–	–	–	–	–	3
Morgan City*	–	–	19	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2
ST. TAMMANY	–	–	178	–	14	3	7	–	–	–	–	–	–	–	–	1	–	3
Slidell*	–	–	56	–	5	–	1	–	–	–	–	–	–	–	–	–	–	1
TANGIPAHOA	–	–	281	–	28	3	3	–	–	1	–	–	–	–	–	–	1	1
Hammond*	–	–	97	–	2	1	–	–	–	–	–	–	–	–	–	–	1	1
TENSAS	–	–	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	–	164	–	4	–	2	–	–	–	–	1	–	–	–	–	–	19
Houma*	–	–	101	–	2	–	1	–	–	–	–	–	–	–	–	–	–	11
UNION	–	–	101	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1
VERMILION	–	–	39	–	8	6	7	–	–	–	–	–	–	–	–	–	–	11
Abbeville*	–	–	28	–	4	2	3	–	–	–	–	–	–	–	–	–	–	1
VERNON	–	–	330	–	–	2	1	–	–	–	–	–	–	–	–	–	2	–
WASHINGTON	–	–	149	–	2	5	2	–	–	1	–	–	–	–	–	–	21	2
Bogalusa	–	–	100	–	1	3	2	–	–	–	–	–	–	–	–	–	4	–
WEBSTER	–	–	221	–	6	3	1	–	–	–	–	–	–	–	–	–	–	4
Minden*	–	–	129	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1
WEST BATON ROUGE	–	–	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST CARROLL	–	–	45	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
WEST FELICIANA	–	–	63	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
WINN	–	–	55	–	3	1	–	–	–	–	–	–	–	–	–	–	4	1
OUT OF STATE*	–	–	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

* Cities are included in parish totals.
** Not included in parish totals.

Table XXVIII (continued)

Reportable Diseases by Parish
Louisiana, 1979
(By Place of Residence)

PARISH AND CITIES Over 10,000	MUMPS	MYCOBACTERIOSIS, ATYPICAL	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS, NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME
TOTAL	32	89	–	18	–	–	–	1	1	43	–	–	2	–	2	3	31	1
ACADIA	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Crowley*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
ALLEN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASCENSION	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ASSUMPTION	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
AVOYELLES	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BEAUREGARD	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
BIENVILLE	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
BOSSIER	–	3	–	–	–	–	–	–	–	7	–	–	–	–	–	–	4	–
Bossier City*	–	1	–	–	–	–	–	–	–	5	–	–	–	–	–	–	3	–
CADDO	–	7	–	–	–	–	–	–	–	9	–	–	–	–	–	1	1	–
Shreveport	–	7	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–
CALCASIEU	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
Lake Charles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sulphur*	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
CALDWELL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAMERON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CATAHOULA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CLAIBORNE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
CONCORDIA	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DESOTO	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
EAST BATON ROUGE	–	9	–	1	–	–	–	–	–	1	–	–	–	–	–	–	5	–
Baton Rouge*	–	7	–	1	–	–	–	–	–	1	–	–	–	–	–	–	5	–
EAST CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST FELICIANA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EVANGELINE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FRANKLIN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GRANT	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERIA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Iberia*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IBERVILLE	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JACKSON	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
JEFFERSON	3	15	–	2	–	–	–	1	–	–	–	–	–	–	–	–	3	–
Kenner*	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Gretna*	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Harahan*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Westwego	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
JEFFERSON DAVIS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jennings*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFAYETTE	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAFOURCHE	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Thibodaux	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LASALLE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
LINCOLN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ruston*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LIVINGSTON	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MADISON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MOREHOUSE	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bastrop*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
NATCHITOCHES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Natchitoches*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ORLEANS	–	22	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
OUACHITA	24	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Monroe*	19	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
West Monroe*	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PLAQUEMINES	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
POINTE COUPEE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RAPIDES	3	1	–	2	–	–	–	–	–	12	–	–	–	–	1	–	9	–
Alexandria*	2	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	3	–
RED RIVER	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
RICHLAND	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SABINE	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. BERNARD	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. CHARLES	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. HELENA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JAMES	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. JOHN	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
ST. LANDRY	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Opelousas*	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eunice*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARTIN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. MARY	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morgan City*	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ST. TAMMANY	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Slidell*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
TANGIPAHOA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hammond*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TENSAS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TERREBONNE	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Houma*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
UNION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
VERMILION	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Abbeville*	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
VERNON	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WASHINGTON	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bogalusa*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEBSTER	–	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Minden*	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST BATON ROUGE	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST CARROLL	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WEST FELICIANA	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WINN	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
OUT OF STATE**			–		–	–	–	–	–	–	–	–	–	–	–	–	–	–

* Cities are included in parish totals.
** Not included in parish totals.

Table XXVIII (continued)
Reportable Diseases by Parish
Louisiana, 1979
(By Place of Residence)

PARISH AND CITIES Over 10,000	SALMONELLOSIS, INCLUDES PARATYPHOID FEVER	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	199	123	-	2257	6	-	-	22	509	128	5	5	2	-	10	-	-
ACADIA	2	4		4					5	1							
Crowley*	1	4		2						1							
ALLEN				3				10	2								
ASCENSION	3			2					2	1							
ASSUMPTION				3					2	2							
AVOYELLES				12					5								
BEAUREGARD				30				6	2	1							
BIENVILLE		2		1					3	2							
BOSSIER	8	2		14					5	3	1						
Bossier City*	5	2		9					1	2							
CADDO	29	44		100					58	15	1						
Shreveport*	25	42		94					54	15							
CALCASIEU	10	6		32	2			5	19	2							
Lake Charles*	4	2		29	2			2	13								
Sulphur*	2									1							
CALDWELL	2			1					1								
CAMERON				4					1								
CATAHOULA				2					1								
CLAIBORNE	5			12					1								
CONCORDIA		1		6					1	1							
DESOTO				6					2				1				
EAST BATON ROUGE	9	12		264					15	4							
Baton Rouge*	7	7		238					15	4							
EAST CARROLL	3			26					1			3					
EAST FELICIANA				9					3	1							
EVANGELINE	7	1		2					2								
FRANKLIN				3					3	1							
GRANT				2					2						1		
IBERIA	5	1		21					2								
New Iberia*	4	1		9					3								
IBERVILLE				22					8	7							
JACKSON	2			2					3		1						
JEFFERSON	16	10		121	1				26	7					1		
Kenner*	3	1		13					3	2							
Gretna*	4			18					2								
Harahan*		2		2													
Westwego*				8					5	1							
JEFFERSON DAVIS				13					5								
Jennings				2					2								
LAFAYETTE	17	3		74	1				12	1							
Lafayette	9	3		65	1				6								
LAFOURCHE	1	1		6											1		
Thibodaux		1		3													
LASALLE				3					2	3							
LINCOLN	2			19					2	1							
Ruston*	2			3						1							
LIVINGSTON	3			10					3	1							
MADISON	3	3		19											1		
MOREHOUSE		1		33					1	1							
Bastrop*		1		19					1	1							
NATCHITOCHES	1			7					6								
Natchitoches*	1			5					4								
ORLEANS	19	14		699	1				147	50			1				
OUACHITA	12	4		147					29	3							
Monroe*	9	4		120					23	2							
West Monroe*				20					4	1							
PLAQUEMINES	1	1		1					1	3							
POINTE COUPEE				3								1					
RAPIDES	8	3		219	1			1	26	2							
Alexandria*	3	2		190	1				18								
RED RIVER				1													
RICHLAND	1			9					2								
SABINE	3			9					2								
ST. BERNARD	3	1		4					8	1							
ST. CHARLES		3		2					1	1					1		
ST. HELENA									1								
ST. JAMES		1		3					3	1					1		
ST. JOHN		3		2					1	1							
ST. LANDRY				21					12								
Opelousas*				17					6								
Eunice*				1													
ST. MARTIN	5	1		6					6	1							
ST. MARY				27					8	2							
Morgan City*				8					5								
ST. TAMMANY	1			16					1								
Slidell*	1			7													
TANGIPAHOA	3			32					14						2		
Hammond*				16					2						1		
TENSAS				1					1								
TERREBONNE	2			7					6	1		1			1		
Houma*				6					4	1		1			1		
UNION	1			41					2	3	2						
VERMILION	2			4					3								
Abbeville*				1					1								
VERNON				38													
WASHINGTON	2			32					9	1							
Bogalusa*				25					4								
WEBSTER	6	1		8					10	3					1		
Minden*	3			2					4	2							
WEST BATON ROUGE				9					3								
WEST CARROLL	1			5													
WEST FELICIANA	1			14					1								
WINN				4					1								
OUT OF STATE**				4													

* Cities are included in parish total.
** Not included in parish total.

Table XXIX

Reportable Diseases by Race and Age
Louisiana, 1979
(By Place of Residence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS										
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Actinomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Amebiasis	9	0.2	W	6	–	–	–	–	–	3	–	–	–	2	1
			NW	3	–	–	–	–	1	1	–	–	–	1	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Aseptic meningitis	107	2.7	W	64	12	9	14	6	8	8	3	1	1	–	2
			NW	40	8	7	12	5	6	1	–	–	–	–	1
			Unk.	3	1	–	1	–	–	–	–	–	–	–	1
Blastomycosis	2	0.0	W	2	–	–	–	–	–	–	1	–	–	1	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Botulism	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Brucellosis (undulant fever)	4	0.1	W	4	–	–	–	–	–	1	2	–	1	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Cat Scratch Fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Chancroid	6	0.1	W	2	–	–	–	–	1	1	–	–	–	–	–
			NW	4	–	–	–	–	2	2	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Coccidioidomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Cryptococcosis	2	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	2	–	–	–	–	–	1	–	–	1	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Dengue	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Echinococcosis (hydatid disease)	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk..	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, arthropod-borne	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, post-infectious	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, other and unspecified	27	0.7	W	20	–	–	5	3	5	3	2	1	1	–	–
			NW	7	1	1	–	–	2	–	1	–	1	–	1
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Food poisoning	1	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	1	–	–	–	–	–	–	–	–	–	–	1

Table XXIX (continued)
Reportable Diseases by Race and Age
Louisiana, 1979
(By Place of Residence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS										
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Glanders	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Gonorrhea	23883	594.5	W	3534	1	3	3	20	2325	910	156	49	14	4	49
			NW	19595	5	24	28	232	13566	4625	556	124	26	19	390
			Unk.	754	1	–	–	1	151	48	7	1	1	1	543
Granuloma inguinale	1	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	–	–	–	1	–	–	–	–
			Unk.	--	–	–	–	–	–	–	–	–	–	–	–
Hepatitis, type A	644	16.0	W	443	–	9	30	26	162	132	30	27	9	7	11
			NW	165	–	11	12	16	51	41	9	6	5	5	9
			Unk.	36	–	1	3	–	7	5	1	1	–	1	17
Hepatitis, type B	307	7.6	W	163	–	1	–	1	75	52	6	4	5	9	10
			NW	129	–	1	–	3	66	41	7	5	2	3	1
			Unk.	15	–	–	–	–	2	1	–	–	2	–	10
Hepatitis, type unspecified	236	5.9	W	136	–	4	5	6	52	31	13	7	6	5	7
			NW	87	–	2	3	6	28	22	11	4	3	3	5
			Unk.	13	–	–	–	–	4	4	–	–	–	–	5
Histoplasmosis	4	0.1	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	4	–	–	–	–	–	–	–	1	3	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Infectious mononucleosis	13	0.3	W	7	–	–	–	1	3	3	–	–	–	–	–
			NW	4	–	1	–	1	1	–	–	1	–	–	–
			Unk.	2	1	–	–	–	1	–	–	–	–	–	–
Legionnaire's disease	7	0.2	W	2	–	–	–	–	–	–	–	1	1	–	–
			NW	5	–	–	–	–	–	–	2	1	2	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Leprosy	2	0.0	W	2	–	–	–	–	–	–	–	–	–	1	1
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Leptospirosis (Weil's Disease)	9	0.2	W	7	–	–	–	1	3	–	–	–	1	–	2
			NW	2	–	–	–	–	–	–	1	1	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Listeriosis	1	0.0	W	1	–	–	–	–	–	–	–	–	1	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Lymphocytic choriomeningitis		– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Lymphopathia venereum	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Malaria	6	0.1	W	4	–	–	–	–	–	–	3	1	–	–	–
			NW	2	–	–	1	–	–	1	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Measles	268	6.7	W	220	2	21	40	78	78	1	–	–	–	–	–
			NW	19	–	1	5	7	5	–	–	–	–	–	1
			Unk.	29	1	4	1	15	7	–	–	–	–	–	1
Meningococcal infections	155	3.9	W	105	18	37	20	6	10	2	2	1	3	2	4
			NW	29	9	8	2	5	4	–	–	–	1	–	–
			Unk.	21	5	10	1	–	–	1	1	–	1	–	2
Mumps	32	0.8	W	7	–	4	2	–	–	1	–	–	–	–	–
			NW	22	–	7	10	5	–	–	–	–	–	–	–
			Unk.	3	–	–	3	–	–	–	–	–	–	–	–
Mycobacteriosis, atypical	89	2.2	W	53	–	2	–	–	2	6	2	12	17	11	1
			NW	35	–	1	–	–	2	3	4	8	9	5	3
			Unk.	1	–	–	–	–	–	1	–	–	–	–	–

Table XXIX (continued)

Reportable Diseases by Race and Age

Louisiana, 1979

(By Place of Residence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS										
					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Ophthalmia neonatorum	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Pertussis (whooping cough)	18	0.4	W	11	6	–	3	–	–	–	–	–	–	–	2
			NW	4	2	1	–	–	1	–	–	–	–	–	–
			Unk.	3	1	–	1	1	–	–	–	–	–	–	–
Plague	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Poliomyelitis, paralytic	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Poliomyelitis, non-paralytic	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Psittacosis	1	0.0	W	1	–	–	–	–	1	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Q. Fever	1	0.0	W	1	–	–	–	–	–	–	1	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Rabies in animals	43														
Rabies in man	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Rat bite fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Rat bites	2	0.0	W	1	–	–	–	1	–	–	–	–	–	–	–
			NW	1	–	1	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever	2	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	1	–	–	–	–	1	–	–	–	–	–	–
			Unk.	1	–	–	–	–	1	–	–	–	–	–	–
Rocky mountain spotted fever	3	0.1	W	3	–	–	2	1	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Rubella	31	0.8	W	19	–	–	6	7	5	–	–	–	–	–	1
			NW	6	–	–	2	1	3	–	–	–	–	–	–
			Unk.	6	–	–	3	–	2	–	–	–	–	–	1
Rubella, congenital syndrome	1	0.0	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	1	1	–	–	–	–	–	–	–	–	–	–
Salmonellosis (includes Paratyphoid fever)	199	5.0	W	82	19	20	8	6	4	4	5	2	6	6	2
			NW	99	42	21	2	2	9	6	1	5	1	8	2
			Unk.	18	3	2	2	1	2	–	1	1	2	–	4
Shigellosis (dysentery-bacillary)	123	3.1	W	38	5	19	4	–	1	4	2	–	2	–	1
			NW	69	5	34	19	2	2	2	1	–	–	3	1
			Unk.	16	–	7	2	–	–	–	–	–	–	1	6
Smallpox	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–

Table XXIX (continued)
Reportable Diseases by Race and Age
Louisiana, 1979
(By Place of Residence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Syphilis	2257	56.2	W	327	–	–	1	2	103	112	55	29	10	4	11
			NW	1888	5	1	4	23	975	549	131	59	41	55	45
			Unk.	42	2	–	–	–	3	3	1	1	6	9	17
Tetanus	6	0.1	W	2	–	–	1	–	–	–	–	–	–	1	–
			NW	4	–	–	–	–	–	–	–	–	2	2	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Toxoplasmosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Trachoma	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Trichinosis	22	0.5	W	10	–	–	–	–	3	3	–	1	2	–	1
			NW	1	–	–	–	–	–	–	–	1	–	–	–
			Unk.	11	–	1	1	–	3	3	1	–	1	–	1
Tuberculosis, pulmonary	509	12.7	W	233	–	–	1	–	14	20	32	45	56	62	3
			NW	267	–	10	4	–	28	39	46	64	32	43	1
			Unk.	9	–	–	–	–		2	1	1	1	3	1
Tuberculosis, other forms	128	3.2	W	40	–	7	1	–	4	5	5	5	6	6	1
			NW	88	2	27	10	3	4	13	9	8	5	7	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Tularemia	5	0.1	W	4	–	–	–	–	1	1	–	–	1	–	1
			NW	1	–	–	–	–	–	–	–	1	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Typhoid fever	5	0.1	W	2	–	–	–	–	1	–	1	–	–	–	–
			NW	3	–	–	2	–	–	1	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Typhus fever, endemic	2	0.0	W	1	–	–	–	–	–	1	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	1	–	–	–	–	–	–	–	–	–	–	1
Typhus fever, epidemic	–	– –	W		–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Undernutrition, severe	10	0.2	W	3	3	–	–	–	–	–	–	–	–	–	–
			NW	7	5	1	1	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Visceral larva migrans	–	– –	W		–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–
Yellow fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–
			Unk.	–	–	–	–	–	–	–	–	–	–	–	–

MARRIAGE & DIVORCE

Table XXX

Marriages, Final Divorces, and Annulments Granted

Louisiana, 1979

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	41347	41347	15145	25
ACADIA	496	577	134	-
ALLEN	253	230	107*	-
ASCENSION	536	510	198	1
ASSUMPTION	161	200	46*	-
AVOYELLES	408	420	115*	-
BEAUREGARD	324	283	44	-
BIENVILLE	- -	79	60*	-
BOSSIER	536	919	400	2
CADDO	2635	2258	1152	2
CALCASIEU	1941	1908	672	1
CALDWELL	128	111	36	-
CAMERON	81	97	16	-
CATAHOULA	128	144	- - -	- - -
CLAIBORNE	142	139	36	-
CONCORDIA	206	214	107	-
DESOTO	195	193	61*	-
EAST BATON ROUGE	3758	3608	1796*	10*
EAST CARROLL	87	93	29*	1*
EAST FELICIANA	144	142	43	-
EVANGELINE	348	345	154*	-
FRANKLIN	270	255	104*	1*
GRANT	85	136	48	-
IBERIA	755	740	241*	-
IBERVILLE	258	298	62*	-
JACKSON	169	157	109*	2*
JEFFERSON	4550	4446	1834	-
JEFFERSON DAVIS	362	359	80	-
LAFAYETTE	1686	1578	- - -	- - -
LAFOURCHE	836	777	238	-
LASALLE	161	171	71	-
LINCOLN	326	287	- - -	- - -
LIVINGSTON	526	617	300*	-
MADISON	113	125	43*	-
MOREHOUSE	245	257	124	-
NATCHITOCHES	333	336	164	1
ORLEANS	5002	4971	2396	1
OUACHITA	1358	1321	682	-
PLAQUEMINES	190	265	70	-
POINTE COUPEE	195	197	65*	-
RAPIDES	1493	1508	564	-
RED RIVER	157	99	62*	-
RICHLAND	216	206	75*	-
SABINE	159	184	54*	-
ST. BERNARD	841	844	263	-
ST. CHARLES	368	400	124	-
ST. HELENA	92	102	51*	-
ST. JAMES	154	184	40*	-
ST. JOHN	274	260	88*	-
ST. LANDRY	895	941	- - -	- - -
ST. MARTIN	313	342	95	-
ST. MARY	688	665	261	-
ST. TAMMANY	993	1065	- - -	- - -
TANGIPAHOA	793	786	214	-
TENSAS	56	56	24	-
TERREBONNE	1168	1180	469	-
UNION	154	182	28*	-
VERMILION	446	472	164	1
VERNON	642	716	360*	2*
WASHINGTON	426	422	100	-
WEBSTER	419	370	151	-
WEST BATON ROUGE	284	175	28	-
WEST CARROLL	153	164	40	-
WEST FELICIANA	78	89	10	-
WINN	158	149	27	-
OUT OF STATE	-		-	-
UNKNOWN	-	23	16	

- - - No divorce or annulment data received from Clerk of Court's Office.

* Summary Reports

Table XXXI
Marriages by Month of Occurrence
Louisiana, 1979

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	41347	100.0	113
JANUARY	2502	6.1	81
FEBRUARY	2748	6.6	98
MARCH	3103	7.5	100
APRIL	3247	7.9	108
MAY	3438	8.3	111
JUNE	5020	12.1	167
JULY	3511	8.5	113
AUGUST	4083	9.9	132
SEPTEMBER	3334	8.1	111
OCTOBER	2872	6.9	93
NOVEMBER	3380	8.2	113
DECEMBER	4089	9.9	132
UNKNOWN	20	0.0	–

Table XXXII
Marriages by Race of Bride, by Race of Groom
Louisiana, 1979

RACE OF GROOM	TOTAL	RACE OF BRIDE						
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	OTHER NONWHITE	UNKNOWN
TOTAL	41347	31559	9572	49	13	3	133	18
WHITE	31492	31355	60	29	3	3	33	9
BLACK	9651	134	9497	3	–	–	11	6
AMERICAN INDIAN	52	31	4	17	–	–	–	–
CHINESE	13	3	–	–	10	–	–	–
JAPANESE	4	2	1	–	–	–	1	–
OTHER NONWHITE	113	24	1	–	–	–	88	–
UNKNOWN	22	10	9	–	–	–	–	3

Table XXXIII
Marriages by Previous Marital Status of Bride and Groom
Louisiana, 1979

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED PREVIOUSLY	WIDOWED	DIVORCED	PREVIOUS MARRIAGE ANNULLED	NOT STATED
TOTAL	41347	25137	1534	9223	32	5421
NEVER MARRIED PREVIOUSLY	24702	21046	237	3096	14	309
WIDOWED	1228	155	588	461	2	22
DIVORCED	10205	3761	693	5630	10	111
PREVIOUS MARRIAGE ANNULLED	47	23	4	14	6	–
NOT STATED	5165	152	12	22	–	4979

Table XXXIV
ALL MARRIAGES BY AGE OF BRIDE - BY AGE OF GROOM
LOUISIANA, 1979

AGE OF GROOM	TOTAL	AGE OF BRIDE																														
		Under 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 - 69	70 - 74	75 and Over	Not Stated
ALL AGES	41347	178	517	1408	2634	4343	4023	3594	3250	2832	2310	1960	1649	1349	1180	983	848	764	720	699	474	466	1730	1033	695	572	391	289	217	114	51	74
Under 15	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	17	3	5	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
16	129	9	29	35	26	18	5	3	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17	629	19	71	144	164	146	47	21	3	5	2	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
18	2060	50	125	328	503	577	224	94	45	32	21	11	9	11	8	7	3	4	–	1	–	–	1	1	–	–	1	–	–	–	–	4
19	3056	31	99	281	617	854	565	292	131	63	39	16	15	17	7	5	5	5	2	3	3	1	2	–	–	–	–	–	–	–	–	3
20	3418	19	69	217	446	807	746	506	270	126	59	47	32	23	16	6	7	3	5	3	1	2	3	–	–	–	–	–	–	–	–	5
21	3501	11	43	137	298	611	706	593	452	268	121	71	55	34	27	15	11	14	6	7	5	2	4	1	–	–	–	–	–	–	–	9
22	3287	9	30	97	192	413	502	537	520	399	213	111	71	54	33	24	21	14	10	7	3	5	16	4	–	–	–	–	–	–	–	2
23	2953	6	10	40	127	262	348	429	482	447	305	182	93	48	44	24	25	20	14	13	5	5	13	3	1	3	–	–	–	–	–	4
24	2551	6	6	39	67	174	242	278	348	340	319	257	152	87	58	51	37	25	20	14	5	4	16	3	1	–	–	–	–	–	–	2
25	2223	5	4	26	45	151	181	216	252	246	241	221	221	99	75	50	44	42	30	25	6	13	18	4	2	1	–	–	–	–	–	5
26	1813	2	11	16	31	94	120	128	168	194	193	196	179	138	93	57	48	38	35	15	10	14	22	7	1	–	–	–	–	–	–	3
27	1547	1	–	15	22	55	73	99	133	139	157	154	152	122	117	74	43	31	32	41	19	17	41	5	3	–	–	–	–	–	–	2
28	1310	–	4	9	27	35	54	103	99	122	110	143	105	106	96	72	58	36	24	37	16	14	28	7	2	–	1	–	–	–	–	2
29	1210	1	2	5	12	24	55	76	93	85	105	124	89	96	101	94	63	43	33	24	22	13	38	9	2	–	–	–	–	–	–	1
30	1046	1	2	1	11	19	33	52	61	85	63	77	80	81	80	85	57	43	58	39	30	18	52	13	1	1	1	–	–	–	–	2
31	933	–	–	–	9	26	24	33	47	64	61	61	71	76	68	69	60	64	46	38	23	17	53	19	1	–	–	–	–	2	–	1
32	920	–	–	1	5	15	21	21	15	46	72	73	68	66	64	63	54	49	58	59	38	33	71	18	6	2	1	–	–	–	–	1
33	688	–	1	2	4	7	10	17	19	35	48	46	37	39	44	45	49	42	49	41	26	24	66	27	7	2	–	–	–	–	–	1
34	564	–	–	1	3	6	7	21	19	31	29	32	32	45	25	34	27	35	29	43	23	17	69	23	9	2	1	–	–	–	–	1
35-39	2318	3	2	–	10	24	36	43	49	69	91	82	122	113	130	118	125	140	140	148	111	111	432	148	39	16	8	2	1	–	–	5
40-44	1513	–	1	2	5	11	7	20	22	14	35	28	34	61	45	48	61	56	77	86	74	72	366	233	94	34	14	3	2	1	–	7
45-49	1057	1	–	1	1	2	3	4	9	7	14	13	17	20	31	20	24	35	23	32	27	53	222	219	162	74	30	3	5	1	1	3
50-54	802	–	–	–	–	–	2	2	3	4	3	5	8	4	8	12	12	11	16	19	17	21	106	149	162	141	55	25	12	1	–	4
55-59	615	–	–	–	–	–	1	–	3	5	3	4	5	2	4	5	2	7	9	3	4	5	53	91	112	143	97	39	15	2	–	1
60-64	415	–	–	–	–	–	1	–	–	1	1	1	–	–	1	3	4	4	3	–	5	3	18	30	48	91	79	74	34	13	1	–
65-69	315	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	2	–	–	1	1	12	11	18	34	59	81	66	20	5	1
70-74	222	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	2	–	1	–	–	–	3	5	16	16	28	41	60	38	7	1
75 and Over	171	1	1	–	3	2	3	1	–	2	1	2	–	2	1	–	2	–	–	–	–	1	2	1	7	11	15	21	21	35	36	–
Unknown	62	–	1	4	5	8	5	5	6	3	2	2	1	–	2	1	2	1	–	1	–	–	2	2	1	1	1	–	1	1	1	3

This public document was published at an annual cost of $3.40 per copy by Division of Administration, Administrative Services, P.O. Box 44095, Baton Rouge, Louisiana 70804 to supply data needed for health planning and program activities under authority of RS 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.